



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

### **Usage guidelines**

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

### **About Google Book Search**

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>

NEDL TRANSFER



HN 27C8 Q

KEY TO ADAMS'S NEW ARITHMETIC,  
REVISED EDITION.

KEY

TO

ADAMS'S NEW ARITHMETIC,

REVISED EDITION.

FOR THE USE OF TEACHERS.

BY DANIEL ADAMS, M. D.,

AUTHOR OF THE SCHOLAR'S ARITHMETIC, SCHOOL GEOGRAPHY, ETC.



BOSTON:

PUBLISHED BY PHILLIPS & SAMPSON.

KEENE, N. H.: J. W. PRENTISS & CO.

KD 34998

Sgt Mrs. V. E. Conine Estate May 1, 1937.



# KEY

TO

**ADAMS'S NEW ARITHMETIC,**

**REVISED EDITION.**


**FOR THE USE OF TEACHERS.**

**BY DANIEL ADAMS, M. D.,**  
**AUTHOR OF THE SCHOLAR'S ARITHMETIC, SCHOOL GEOGRAPHY, ETC.**



**BOSTON:**  
**PHILLIPS, SAMPSON, & COMPANY,**  
**KEENE, N. H.: J. W. PRENTISS & CO.**  
**1851.**

KD 34998



---

Entered according to Act of Congress, in the year 1848, by  
DANIEL ADAMS, M. D.  
In the Clerk's Office of the District Court of the District of New Hampshire.

---

---

Stereotyped by  
GEORGE A. CURTIS;  
NEW ENGLAND TYPE AND STEREO TYPE FOUNDRY,  
BOSTON.

# K E Y .

## MULTIPLICATION OF SIMPLE NUMBERS,

### ¶ 29. Review of Multiplication.

#### EXERCISES.

1.  $10700 \times 46 = 492200$  dollars taken, *Ans.*
2.  $145 \times 2 = 290$ , (families,) which  $\times 6 = 1740$  inhabitants, *Ans.*
3.  $46 \times 60 = 2760$  days' work, or men required, *Ans.*
4.  $27 \times 6 = 162$ , and  $31 \times 6 = 186$ ; then,  $162 + 186 = 348$  miles apart, *Ans.*
5.  $4 \times 7 \times 6 \times 20 = 3360$ , *Ans.*
6.  $90 \times 18 = 1620$  days, *Ans.*
7.  $115 \times 27 = 3105$  dollars, *Ans.*
8.  $265 \times 89 = 23585$ , *Ans.*
9.  $9 \times 12 \times 14 = 1512$ , *Ans.*
10.  $346 \times 95 = 32870$  times, *Ans.*
11.  $60 \times 40 = 2400$  seconds in 40 minutes, *Ans.*
12.  $60 \times 60 = 3600$  seconds in an hour, and  $3600 \times 3$  (the hours from 9 o'clock to 12)  $= 10800$  seconds, *Ans.*
13.  $275827 \times 19725 = 5440687575$ , *Ans.*
14.  $52 - 44 = 8$ , which  $\times 10 = 80$  miles, *Ans.*
15.  $468 \times 6 = 2808$  cents,  $48 \times 7 = 336$  cents, and  $2808 + 336 = 3144$  cents, the value of the articles sold.  $42 \times 9 = 378$  cents,  $100 \times 6 = 600$  cents,  $108 \times 10 = 1080$  cents,  $12 \times 95 = 1140$  cents, and  $378 + 600 + 1080 + 1140 = 3198$  cents, the value of the articles bought. Then  $3198 - 3144 = 54$  cents, *Ans.*
16.  $10 - 7 = 3$ , and  $3 \times 5 = 15$  cents, *Ans.*
17.  $4 \times 5 \times 7 \times 6 \times 9 \times 8 \times 3 = 181440$ , *Ans.*
18.  $63 \times 8 = 504$  gallons in 8 hogsheads, and  $504$  gallons  $\times 4 = 2016$  quarts, which  $\times 2 = 4032$  pints, *Ans.*
19.  $5 \times 3 \times 5 = 75$  the multiplier, and  $118 \times 75 = 8850$  the product, *Ans.*
20.  $77 \times 9 \times 4 \times 8 \times 5 = 110880$  privates; 42 army offi-



cers;  $19 \times 5 = 95$  division officers;  $25 \times 8 \times 5 = 1000$  brigade officers;  $11 \times 4 \times 8 \times 5 = 1760$  regiment officers;  $14 \times 9 \times 4 \times 8 \times 5 = 20160$  company officers; and  $110880 + 42 + 95 + 1000 + 1760 \times 20160 = 133937$  men, *Ans.*

## DIVISION OF SIMPLE NUMBERS.

† 39. *When the divisor is a composite number.*

### EXAMPLES FOR PRACTICE.

2.  $\frac{308}{7}$ .  $4 \times 7 = 28$ ; therefore,  $308 \div 4 = 77$ , and  $77 \div 7 = 11$  days, *Ans.*

3.  $\frac{576}{8}$ .  $8 \times 6 = 48$ ; therefore,  $576 \div 8 = 72$ , and  $72 \div 6 = 12$  bushels each, *Ans.*

4.  $\frac{1260}{7}$ .  $7 \times 9 = 63$ ; then,  $1260 \div 7 = 180$ , and  $180 \div 9 = 20$ , *Ans.*

5.  $\frac{2430}{9}$ .  $9 \times 9 = 81$ ;  $2430 \div 9 = 270$ , which  $\div 9 = 30$ , *Ans.*

6.  $\frac{448}{7}$ .  $7 \times 8 = 56$ ;  $448 \div 7 = 64$ , which  $\div 8 = 8$ , *Ans.*

### † 40. EXAMPLES FOR PRACTICE.

3.  $\frac{26406}{6}$ .  $6 \times 7 = 42$ ;  $26406 \div 6 = 4401$ , and  $4401 \div 7 = 628$  and 5 remainder, which  $\times 6$ , the first divisor,  $= 30$ , *Ans.*

4.  $\frac{64823}{3}$ .  $3 \times 4 \times 8 = 96$ ;  $64823 \div 3 = 21607$  and 2 rem.; then  $21607 \div 4 = 5401$  and 3 rem., and  $5401 \div 8 = 675$  and 1 rem. Then  $1 \times 4 \times 3 = 12$ ;  $3 \times 3 = 9$ , and  $12 + 9 + 2 = 23$ , *Ans.*

5.  $\frac{6811}{9}$ .  $9 \times 9 = 81$ ;  $6811 \div 9 = 756$  and 7 rem.;  $756 \div 9 = 84$ , and  $84 \div 7 = 12$ , *Ans.*

6.  $\frac{26431}{7}$ . 1st,  $3 \times 4 \times 8 = 96$ , 3d rem.;  $7 \times 4 \times 3 = 84$ , 2d rem.;  $1 \times 3 = 3$ , and  $84 + 3 = 87$ , true rem. 2d,  $8 \times 4 \times 3 = 96$ , 3d rem.;  $2 \times 4 \times 8 = 64$ , 2d rem.;  $2 \times 8 = 16$ , and  $64 + 16 + 7 = 87$ , true rem. 3d,  $4 \times 3 \times 8 = 96$ , 3d rem.;  $7 \times 3 \times 4 = 84$ , and  $84 + 3 = 87$ , true rem. *Ans.* 26431.

## † 43. Review of Division.

### EXERCISES.

1.  $15 \overline{) 26250} \overline{) 00}$ ; then,  $26250 \div 15 = 1750$  dollars, *Ans.*

2.  $18950 \div 25 = 758$  men, *Ans.*

3.  $7412 \div 34 = 218$  in a basket, *Ans.*
4.  $505710 \div 135 = 3746$ , *Ans.*
5.  $95,000,000 \div 8 = 11,875,000$  miles a minute, *Ans.*
6.  $2760 \div 120 = 23$  men to dig it in 120 days, *Ans.*
7.  $32870 \div 95 = 346$  times in running 1 mile, *Ans.*
8.  $2419200 \div 60 = 40320$  minutes, *Ans.*
9.  $525960 \div 60 = 8766$  hours, *Ans.*
10.  $8766 \div 24 = 365\frac{3}{4} = 365$  days, 6 hours, *Ans.*
11.  $480 \div 48 = 10$  times, *Ans.*
12.  $47854 \div 3478 = 13\frac{2640}{3478} = 13$  times and a remainder of 2640, *Ans.*
13.  $32 \div 8 = 4$  quarts, *Ans.*

MISCELLANEOUS EXERCISES.

¶ 44. 12.  $1\frac{1}{2} = 68$ ,  $2\frac{1}{2} = 14$ , and  $68 + 14 = 82$ , the greater number; then  $68 - 14 = 54$ , the less number, *Ans.*

¶ 45. 7.  $525 \div 5 = 105$ , which  $\div 7 = 15$ , *Ans.*

¶ 46. 1.  $13 \times 15 = 195$  cents, *Ans.*

2.  $195 \div 15 = 13$  cents, *Ans.*

3.  $195 \div 13 = 15$  pounds, *Ans.*

4.  $75 \times 984 = 73800$  cents, which  $\div 100 = 738$  dollars, *Ans.*

5. 738 dollars  $\times 100 = 73800$  cents, and  $73800 \div 984 = 75$  cents, *Ans.*

7.  $28400 \div 648 = 43\frac{416}{648}$  cents, *Ans.*

¶ 47. 1.  $8 \times 4 = 32$ ,  $32 \times 2 = 64$ ,  $64 - 34 = 30$ , and  $30 + 10 = 40$  apples, *Ans.*

2.  $64 \times 3 = 192$ ,  $192 \div 8 = 24$ ,  $24 + 7 = 31$ , and  $31 - 4 = 27$ , *Ans.*

3.  $365 \times 6 = 2190$  cents saved in 1 year, and  $2190 \times 45 = 98550$  cents saved in 45 years; 12 dollars = 1200 cents, the cost of 1 cow; then  $98550 \div 1200 = 82\frac{150}{1200}$ , that is 82 cows, and a remainder of 1 dollar and 50 cents, *Ans.*

4.  $12480 \div 20 = 624$ , and  $624 \times 2 = 1248$  acres bought; then  $22464 \div 1248 = 18$  dollars, the cost per acre, *Ans.*

6. 25 (pounds of tea)  $\times 42 = 1050$ , and  $1050 \div 15 = 70$  pounds of butter, *Ans.*

7.  $23 + 14 = 37$ , age of the father when his wife died;  $37 - 12 = 25$ , his age when his daughter was born; and  $25 - 5 = 20$ , his age when his daughter's husband was born; then  $20 + 40 = 60$  years old at his death, *Ans.*

8.  $68000 \times 24 = 1632000$  miles in 1 day;  $1632000 \times 365 = 595680000$  miles in 1 year, which  $\div 40 = 14892000$  days, and this  $\div 365 = 40800$  years, *Ans.*

## MEASUREMENT OF RECTANGLES AND SOLIDS.

¶ 48. 2.  $160 \times 8 = 1280$  square rods, *Ans.*

4.  $8 \times 7 = 56$ ,  $6 \times 5 = 30$ , and  $56 + 30 = 86$  yards, *Ans.*

5.  $16 \times 15 = 240$ , and  $240 + 12 = 252$  feet, *Ans.*

6.  $6 \times 5 = 30$ , and  $30 - 3 = 27$  yards, *Ans.*

¶ 49. 2.  $1280 \div 8 = 160$  rods, *Ans.*

3.  $736 \div 23 = 32$  feet, *Ans.*

¶ 50. 2.  $1280 \div 160 = 8$  rods, *Ans.*

3.  $13392 \div 186 = 72$  rods, *Ans.*

¶ 51. 2.  $27 \times 21 \times 6 = 3402$  solid feet, *Ans.*

3.  $28 \times 14 \times 8 = 3136$  solid feet, *Ans.*

¶ 52. 2.  $\frac{3402}{27 \times 21}$ .  $27 \times 21 = 567$ , and  $3402 \div 567 = 6$  feet, *Ans.*

3.  $\frac{3136}{28 \times 14}$ .  $28 \times 14 = 392$ , and  $3136 \div 392 = 8$  feet, *Ans.*

4.  $\frac{360}{4 \times 6}$ .  $4 \times 6 = 24$ , and  $360 \div 24 = 15$  feet, *Ans.*

5.  $\frac{6864}{78 \times 8}$ .  $78 \times 8 = 624$ , and  $6864 \div 624 = 11$  inches, *Ans.*

¶ 53. 1.  $84 \div 14 = 6$  rows of squares, *Ans.*

2.  $9500 \div 76 = 125$  squares in a row, *Ans.*

3.  $96 = 96 \times 1 = 48 \times 2 = 32 \times 3 = 24 \times 4 = 16 \times 6 = 12 \times 8$ ; as no other two factors will produce 96, the figure can be varied in 6 ways, *Ans.*

4. 40 feet (the length of 1 side)  $\times$  4 (the number of sides) = 160 feet (the length of all the sides; ) 160 feet (the length)  $\times$  18 feet (the height) = 2880 square feet, the super-

ficial contents,  $\div 6$  feet waste  $= 2886$  square feet of boards; and  $2886 \div 13$  (the number of square feet in 1 board)  $= 222$  boards, *Ans.*

5. 29 feet (the width)  $- 2$  feet (the space)  $= 27$  feet;  $36 \times 27 = 972$  square feet, the space occupied by the tables.  $3 \times 3 = 9$  square feet, the space occupied by 1 table, and  $972 \div 9 = 108$  tables, *Ans.*

¶ 60. CANCELLATION.

$$4. \frac{\overset{5}{35} \times 5 \times 4 \times \overset{4}{8} \times \overset{3}{3}}{\underset{3}{3} \times 7 \times 2 \times \overset{3}{15}} = \frac{80}{3} = 26\frac{2}{3} \text{ acres, } \textit{Ans.}$$

$$5. \frac{\overset{2}{36} \times 8 \times \overset{6}{4} \times 8 \times 2}{\overset{6}{6} \times 5 \times \overset{3}{3} \times \overset{4}{4} \times 2} = \frac{128}{5} = 25\frac{3}{5}, \textit{ Ans.}$$

$$6. \frac{\overset{9}{27} \times \overset{2}{14} \times \overset{8}{40} \times 8 \times \overset{3}{6}}{\underset{5}{7} \times \underset{4}{10} \times \underset{5}{12} \times \overset{2}{15}} = \frac{288}{5} = 57\frac{3}{5}, \textit{ Ans.}$$

$$7. \frac{4 \times 7 \times \overset{3}{18} \times 10 \times \overset{3}{8} \times \overset{3}{9}}{\underset{3}{24} \times \underset{4}{72} \times 3} = \frac{70}{1} = 70, \textit{ Ans.}$$

$$8. \frac{14 \times \overset{3}{5} \times \overset{3}{3} \times 28}{\underset{3}{15} \times 9} = \frac{392}{9} = 43\frac{4}{9}, \textit{ Ans.}$$

¶ 61. To find a common divisor of two or more numbers.

2.  $4 = 4 \times 1$ ,  $16 = 4 \times 4$ ,  $24 = 4 \times 6$ ,  $36 = 4 \times 9$ , and  $8 = 4 \times 2$ ; the common factor, 4, is the common divisor, *Ans.*

3.  $22 = 11 \times 2 = 22 \times 1$ ,  $44 = 11 \times 4 = 22 \times 2$ ,  $66 = 11 \times 6 = 22 \times 3$ , and  $88 = 11 \times 8 = 22 \times 4$ ; the common divisor may be 11 or 22, *Ans.*

4. The length of the rod will be equal to the common measure of the lengths of the two pieces of cloth.  $25 = 5 \times 5$ , and  $30 = 5 \times 6$ ; the length of the rod will be 5 feet, *Ans.*

¶ 62. To find the greatest common divisor of two or more numbers.

1.  $35 \div 21 = 1$  and 14 rem.;  $21 \div 14 = 1$  and 7 rem.; and  $14 \div 7 = 2$ ; the greatest common divisor is 7, *Ans.*

2.  $544 \div 96 = 5$  and 64 rem.;  $96 \div 64 = 1$  and 32 rem.; and  $64 \div 32 = 2$ ; the greatest common divisor is 32, *Ans.*

3.  $1184 \div 468 = 2$  and 248 rem.;  $468 \div 248 = 1$  and 220 rem.;  $248 \div 220 = 1$  and 28 rem.;  $220 \div 28 = 7$  and 24 rem.;  $28 \div 24 = 1$  and 4 rem., and  $24 \div 4 = 6$ ; the greatest common divisor is 4, *Ans.*

4.  $80 \div 32 = 2$  and 16 rem.;  $32 \div 16 = 2$ ;  $256 \div 16 = 16$ ; the greatest common divisor is 16, *Ans.*

5.  $200 \div 75 = 2$  and 50 rem.;  $75 \div 50 = 1$  and 25 rem.;  $50 \div 25 = 2$ ;  $625 \div 25 = 25$ ;  $150 \div 25 = 6$ ; the greatest common divisor is 25, *Ans.*

6. The length of the chain will be equal to the greatest common divisor of the length and width of the field.  $160 \div 100 = 1$  and 60 rem.;  $100 \div 60 = 1$  and 40 rem.;  $60 \div 40 = 1$  and 20 rem., and  $40 \div 20 = 2$ ; the length of the chain is 20 rods, *Ans.*

7. The price per acre is equal to the greatest common divisor of all their sums of money.  $2640 \div 1680 = 1$  and 960 rem.;  $1680 \div 960 = 1$  and 720 rem.;  $960 \div 720 = 1$  and 240 rem.;  $720 \div 240 = 3$ ;  $756 \div 240 = 3$  and 36 rem.;  $240 \div 36 = 6$  and 24 rem.;  $36 \div 24 = 1$  and 12 rem.;  $24 \div 12 = 2$ . They paid 12 dollars per acre; and A bought  $\frac{2640}{12} = 220$  acres, B bought  $\frac{1680}{12} = 140$  acres, and C bought  $\frac{756}{12} = 63$  acres, *Ans.*

## COMMON FRACTIONS.

### ¶ 66. EXAMPLES FOR PRACTICE.

11.  $\frac{83}{6} = 83 \div 6 = 13\frac{5}{6}$  dollars, *Ans.*
12.  $13 = \frac{13}{1}$ , and  $\frac{13}{6} + \frac{1}{6} = \frac{14}{6}$  of a dollar, *Ans.*
13.  $\frac{1407}{60} = 1407 \div 60 = 23\frac{27}{60}$  hours, *Ans.*
14.  $23 = \frac{1380}{60}$ , and  $\frac{1380}{60} + \frac{27}{60} = \frac{1407}{60}$  of an hour, *Ans.*
16.  $730 = \frac{2760}{4}$ , which  $+ \frac{3}{4} = \frac{2763}{4}$  of a shilling, *Ans.*
18.  $156 = \frac{2744}{17}$ , which  $+ \frac{1}{17} = \frac{2745}{17}$  of a day, *Ans.*
19.  $\frac{1371}{4} = 1371 \div 4 = 342\frac{3}{4}$  gallons, *Ans.*
21.  $\frac{88}{100} = \frac{118}{100}$ ,  $\frac{108}{100} = \frac{1728}{100}$ ,  $\frac{875}{100} = \frac{875}{100}$ ,  $\frac{4788}{1000} = \frac{4788}{1000}$ , and  $\frac{2485}{100} = \frac{7215}{100}$ .
22.  $1 = \frac{29}{29}$ , which  $+ \frac{1}{29} = \frac{30}{29}$ ;  $17 = \frac{489}{29}$ , which  $+ \frac{28}{29} =$

$\frac{100}{100}$ ;  $8 = \frac{800}{100}$ , which  $+$   $\frac{100}{100} = \frac{900}{100}$ ;  $4 = \frac{400}{100}$ , which  $+$   $\frac{900}{100} = \frac{1300}{100}$ ; and  $7 = \frac{700}{100}$ , which  $+$   $\frac{1300}{100} = \frac{2000}{100}$ .

¶ 67. EXAMPLES FOR PRACTICE.

2.  $6) \frac{116}{100} = 2) \frac{232}{100} = 13) \frac{116}{100} = \frac{1}{100}$ , Ans.
3.  $100) \frac{100}{100} = \frac{1}{100}$ ;  $5) \frac{40}{100} = 3) \frac{120}{100} = \frac{3}{100}$ ; &c.
4.  $450) \frac{450}{100} = \frac{1}{100}$ ;  $99) \frac{99}{100} = \frac{1}{100}$ ;  $20) \frac{100}{100} = \frac{1}{100}$ ;  $548) \frac{548}{100} = \frac{1}{100}$ .
6.  $57) \frac{114}{100} = \frac{2}{100}$ , Ans.
8.  $1429) \frac{1429}{100} = \frac{1}{100}$ , Ans.

ADDITION AND SUBTRACTION OF FRACTIONS.

¶ 70. EXAMPLES.

2. Each term of  $\frac{1}{3}$  multiplied by  $3 \times 8 \times 5 = \frac{120}{100}$
- “ “ “ “ “ “  $2 \times 8 \times 5 = \frac{80}{100}$
- “ “ “ “ “ “  $2 \times 3 \times 5 = \frac{30}{100}$
- “ “ “ “ “ “  $2 \times 3 \times 8 = \frac{48}{100}$  } Ans.
3. Each term of  $\frac{1}{5}$  multiplied by  $5 \times 4 = \frac{20}{100}$ .
- “ “ “ “ “ “  $3 \times 4 = \frac{12}{100}$ .
- “ “ “ “ “ “  $3 \times 5 = \frac{15}{100}$ .

And  $\frac{20}{100} + \frac{12}{100} + \frac{15}{100} = \frac{47}{100} = 1\frac{1}{100}$ , Ans.

4.  $\frac{3}{4}$  (multiplying both terms by 7)  $= \frac{21}{28}$ , and  $\frac{2}{7} (\times 4) = \frac{8}{28}$ ; then,  $\frac{21}{28} + \frac{8}{28} = \frac{29}{28} = 1\frac{1}{28}$ , Ans.

5. Each term of  $\frac{1}{2}$  multiplied by  $3 \times 7 \times 5 = \frac{105}{100}$ .
- “ “ “ “ “ “  $2 \times 7 \times 5 = \frac{70}{100}$ .
- “ “ “ “ “ “  $2 \times 3 \times 5 = \frac{30}{100}$ .
- “ “ “ “ “ “  $2 \times 3 \times 7 = \frac{42}{100}$ .

Then  $\frac{105}{100} + \frac{70}{100} + \frac{30}{100} + \frac{42}{100} = \frac{247}{100} = 2\frac{47}{100}$ , Ans.

6.  $\frac{3}{4}$  (multiplying both terms by 6)  $= \frac{9}{8}$ , and  $\frac{5}{8} (\times 4) = \frac{20}{8}$ ; or  $\frac{9}{8} (\times 3) = \frac{27}{8}$ , and  $\frac{5}{8} (\times 2) = \frac{10}{8}$ , Ans.

¶ 72. NOTE. The least common multiple of two or more numbers, is the least number which contains all the prime factors of those numbers. Hence, to find the least common multiple, or common denominator, of two or more numbers, it is simply necessary to resolve those numbers into their prime factors, by dividing them continually and successively, by the primes, 2, 3, 5, 7, 11, 13, &c., until the last quotients terminate in units. The product of all the prime divisors will be the least common multiple.

2)	2	4	6	8	10
2)	1	2	3	4	5
2)	1	1	3	2	5
2)	1	1	2	1	5
5)	1	1	1	1	5
	1	1	1	1	1

We may take Ex. 1 of the Arithmetic for an illustration. Find the least common denominator of  $\frac{1}{2}$ ,  $\frac{2}{3}$ ,  $\frac{3}{5}$ ,  $\frac{4}{7}$ , &c. The prime divisors,  $2 \times 2 \times 2 \times 3 \times 5 = 120$ , Ans.

## ¶ 74. EXAMPLES FOR PRACTICE.

NOTE.—Let the pupil be thoroughly drilled by the teacher in the six preceding sections before attempting to work the following examples by himself.

1.  $\frac{9}{4}$  (multiplying both terms by three)  $= \frac{27}{12}$ , and  $\frac{2}{3}$  ( $\times 7$ )  $= \frac{14}{21}$ ; then  $\frac{27}{12} + 4\frac{14}{21} + 12 = 16\frac{27}{12} = 17\frac{11}{12}$ , *Ans.*

2. Whole ticket  $= \frac{8}{9}$ ; then,  $\frac{8}{9} - \frac{3}{9} = \frac{5}{9}$ , *Ans.*

3. The least common multiple (¶ 73, note 2,) of 2, 8, 4, 10, 5, 20, is 40; then, (¶ 73, ex. 1.)  $\frac{20}{40} + \frac{25}{40} + \frac{10}{40} + \frac{20}{40} + \frac{20}{40} + \frac{20}{40} = 2\frac{20}{40}$ , *Ans.*

4. When the numbers are small, fractions are readily reduced to a common denominator *mentally*, without the formality of a written operation. Thus, in this example, the fraction  $\frac{12}{11}$  is readily reduced to 33ds, considering both terms to be multiplied by 3; we then have  $16\frac{7}{33} - 14\frac{23}{33} = 1\frac{8}{33}$ , *Ans.*

5.  $1\frac{1}{2} - \frac{3}{4} = 1\frac{2}{4} - \frac{3}{4} = \frac{1}{4}$ ; or  $1\frac{1}{2} - \frac{3}{4} = \frac{2}{4} - \frac{3}{4} = \frac{1}{4}$ , *Ans.*

6.  $3 - \frac{1}{3} = \frac{9}{3} - \frac{1}{3} = \frac{8}{3} = 2\frac{2}{3}$ , *Ans.*

7.  $147\frac{1}{3} - 48\frac{2}{3} = 147\frac{1}{3} - 48\frac{2}{3} = 98\frac{8}{3}$ , *Ans.*

8.  $112$  ( $\frac{1}{2} =$ )  $\frac{112}{12} + 311$  ( $\frac{2}{3} =$ )  $\frac{112}{12} + 1000$  ( $\frac{3}{4} =$ )  $\frac{112}{12} = 1424\frac{1}{12}$ , *Ans.*

9.  $14 + 11 + 4$  ( $\frac{2}{3} =$ )  $\frac{14}{3} + \frac{11}{3} + (\frac{1}{3} =)$   $\frac{9}{3} = 30\frac{2}{3}$ , *Ans.*

10.  $\frac{3}{4} - (\frac{1}{2} =)$   $\frac{3}{4} = \frac{1}{4}$ ;  $\frac{7}{8} - (\frac{3}{4} =)$   $\frac{7}{8} = \frac{1}{8}$ , *Ans.*

11. ( $\frac{1}{2} =$ )  $\frac{2}{8} - (\frac{1}{3} =)$   $\frac{2}{8} = \frac{1}{6}$ ; ( $\frac{2}{3} =$ )  $\frac{4}{6} - (\frac{1}{2} =)$   $\frac{2}{6} = \frac{1}{6}$ , &c.

12. ( $1 =$ )  $\frac{4}{5} - \frac{1}{5} = \frac{3}{5}$ ; ( $3\frac{4}{5} = \frac{19}{5} =$ )  $\frac{38}{10} - \frac{1}{10} = \frac{37}{10} = 3\frac{7}{10}$ ; ( $1000 =$ )  $\frac{10000}{10} - \frac{1}{10} = \frac{9999}{10} = 999\frac{9}{10}$ , *Ans.*

## MULTIPLICATION OF FRACTIONS.

## ¶ 75. EXAMPLES FOR PRACTICE.

1.  $\frac{5}{8} \times 18 =$  (divide the denominator)  $\frac{5}{2} = 2\frac{1}{2}$  barrels.  
 $\frac{5}{8} \times 6 = \frac{5}{2}$  barrel.  $\frac{5}{8} \times 9 = \frac{5}{4} = 1\frac{1}{4}$  barrels, *Ans.*

2.  $\frac{71}{120} \times 40 = \frac{71}{3} = 23\frac{2}{3}$ , *Ans.*

3.  $\frac{11\frac{3}{4}}{14\frac{3}{4}} \times 12 = \frac{11\frac{3}{4}}{14\frac{3}{4}} = 1\frac{1}{2}$ ;  $\frac{11\frac{3}{4}}{14\frac{3}{4}} \times 18 = \frac{11\frac{3}{4}}{14\frac{3}{4}} = 1\frac{5}{8}$ ;  $\frac{11\frac{3}{4}}{14\frac{3}{4}} \times 21 = \frac{11\frac{3}{4}}{14\frac{3}{4}} = 1\frac{11}{14}$ ;  $\frac{11\frac{3}{4}}{14\frac{3}{4}} \times 36 = \frac{11\frac{3}{4}}{14\frac{3}{4}} = 3\frac{1}{4}$ ;  $\frac{11\frac{3}{4}}{14\frac{3}{4}} \times 48 = \frac{11\frac{3}{4}}{14\frac{3}{4}} = 4\frac{1}{2}$ ;  $\frac{11\frac{3}{4}}{14\frac{3}{4}} \times 60 = \frac{5\frac{9}{8}}{5\frac{9}{8}} = 5\frac{5}{8}$ ; or multiply by the component parts,  $12 \times 5 = 60$ , as shown in the Arithmetic, *Ans.*

5.  $17 \times 9 = 153$  dollars, and  $17 \times \frac{33}{20} = \frac{231}{20} = 11\frac{11}{20}$  dollars; then, 153 dollars  $+ 11\frac{11}{20}$  dollars  $= 164\frac{11}{20}$  dollars, *Ans.*

6.  $2\frac{8}{10} \times 5 = 10\frac{4}{5}$  mi.;  $2\frac{8}{10} \times 8 = 16\frac{4}{5} = 17\frac{1}{5}$  mi.;  $2\frac{8}{10} \times 12 = 24\frac{4}{5} = 25\frac{4}{5} = 25\frac{4}{5}$ ;  $25\frac{4}{5} \times 3 = 77\frac{4}{5}$  miles, *Ans.*

- ¶ 76. 2.  $90 \times \frac{1}{2} = \frac{90}{2} = 45$ , *Ans.*  
 3.  $369 \times \frac{2}{3} = (369 \div 3 = 123, \text{ and } 123 \times 2 =) 246$ , *Ans.*  
 4.  $45 \times \frac{7}{10} = (45 \times 7 = 315, \text{ and } 315 \div 10 =) 31\frac{1}{2}$ , *Ans.*  
 5.  $210 \times \frac{5}{8} = \frac{210 \times 5}{8} = 93\frac{3}{8}$ , *Ans.*  
 6.  $1326 \times \frac{2}{11} = \frac{2652}{11} = 241\frac{1}{11}$ , *Ans.*

¶ 77. EXAMPLES FOR PRACTICE.

2.  $1367 \times \frac{3}{8}$ .  $\frac{1}{8}$  of 1367 =  $170\frac{7}{8}$ , and  $\frac{3}{8} = 170\frac{7}{8} \times 3 = 303\frac{3}{8}$  dollars, *Ans.*  
 3.  $225 \times 1\frac{1}{3}$ .  $\frac{1}{3}$  of 225 =  $75$ , and  $1\frac{1}{3} = 75 \times 11 = 190\frac{1}{3}$  dollars, *Ans.*

¶ 78. EXAMPLES FOR PRACTICE.

2.  $\frac{7}{8} \times \frac{5}{6} = \frac{35}{48} = \frac{5}{8}$ , *Ans.*  $\frac{9}{10} \times \frac{7}{8} = \frac{63}{80} = \frac{7}{8}$ , *Ans.*  
 3.  $\frac{8}{25} \times \frac{7}{8} = \frac{56}{200} = \frac{7}{25}$  of a dollar, *Ans.*  
 5.  $7\frac{3}{4} = \frac{31}{4}$ ; then  $\frac{5}{8} \times \frac{31}{4} = \frac{155}{32} = 6\frac{1}{2}$  dollars, *Ans.*  
 6.  $2\frac{1}{4} \times 6\frac{3}{8} = \frac{9}{4} \times \frac{51}{8} = \frac{459}{32} = 14\frac{3}{8}$  dollars, *Ans.*

- ¶ 79. 2.  $\frac{3}{8}$  of  $\frac{7}{8} = \frac{21}{64}$ .  $\frac{7}{8}$  of  $\frac{2}{3} = \frac{7}{12}$ .  $\frac{1}{2}$  of  $\frac{1}{3} = \frac{1}{6}$ , *Ans.*

4.  $\frac{5}{13}$  of  $\frac{2}{3}$  of  $\frac{3}{4}$  of  $\frac{8}{9} = \frac{180}{3744} = \frac{5}{104}$ , *Ans.*  
 5.  $\frac{1}{5}$  of  $\frac{2}{3}$  of  $\frac{7}{8}$  of  $\frac{3}{4} = \frac{188}{480} = \frac{7}{20}$ , *Ans.*

¶ 80. EXAMPLES FOR PRACTICE IN CANCELATION.

2.  $\frac{3}{4}$  of  $\frac{4}{5}$  of  $\frac{6}{7}$  of  $\frac{5}{6}$  of  $\frac{9}{10}$  of  $\frac{7}{8}$  of  $\frac{8}{9} = \frac{3}{10}$ , *Ans.*

3.  $\frac{7}{1} \times \frac{1}{2} \times \frac{5}{7}$  of  $\frac{3}{8} \times \frac{28}{9} = \frac{35}{12} = 2\frac{1}{2}$ , *Ans.*

4.  $\frac{3}{1} \times \frac{2}{5} \times \frac{5}{9}$  of  $\frac{3}{4} \times (2\frac{1}{2}) = \frac{19}{7} \times \frac{11}{12}$  of  $\frac{6}{7}$  of  $\frac{4}{5} = 2\frac{1}{5}$ , *Ans.*

5.  $\frac{3}{4}$  of  $\frac{4}{5}$  of  $\frac{6}{7}$  of  $\frac{5}{6}$  of  $\frac{199}{9} = \frac{199}{21} = 9\frac{1}{21}$ , *Ans.*

6.  $\frac{6}{7}$  of  $\frac{1}{3}$  of  $\frac{8}{1} = \frac{16}{7} = 2\frac{2}{7}$  tons, *Ans.*

7.  $\frac{7}{8}$  of  $\frac{3}{4}$  of  $\frac{6}{7}$  of  $\frac{5}{6}$  of  $\frac{8}{9}$  of  $\frac{1}{1} = \frac{1}{12}$ , *Ans.*



¶ 80. (2.) PROMISCUOUS EXAMPLES IN THE MULTIPLICATION OF FRACTIONS.

3.  $2\frac{2}{10} (= \frac{22}{10}) \times 3 = \frac{66}{10} = 8\frac{6}{10}$  tons, or (multiplying the integers and the fraction separately)  $2 \times 3 = 6$ , and  $\frac{2}{10} \times 3 = \frac{6}{10} = 2\frac{6}{10}$ ; then,  $2\frac{6}{10} + 6 = 8\frac{6}{10}$  tons, &c.

4. 3 dollars  $\times 8\frac{7}{10} = 25\frac{21}{10}$  dollars, *Ans.*

5.  $14\frac{3}{4}$  dollars  $\times 147 = 2168\frac{3}{4}$  dollars, *Ans.*

6. 1000 dollars  $\times \frac{3}{5}$  ( $\div 5 = 200$  dollars, or  $\frac{1}{5}$ , which  $\times 3 = 600$  dollars, or  $\frac{3}{5}$ , which is A's share; 1000 dollars  $\times (\frac{2}{5} =) \frac{2}{5}$  ( $\div 5$ , &c., as before)  $= 400$  dollars, which is B's share.

7.  $\frac{1}{2}$  of  $\frac{2}{3} = \frac{1}{3}$ ,  $\frac{3}{4}$  of  $\frac{4}{5} = \frac{3}{5}$ , and  $\frac{1}{2} \times \frac{3}{4} = \frac{3}{8}$ , *Ans.*; or,  $\frac{1}{2}$  of  $\frac{2}{3} \times \frac{3}{4}$  of  $\frac{4}{5} = \frac{1}{5}$ , *Ans.*, as before.

12.  $\frac{1}{9}$  of  $\frac{8}{1} = \frac{8}{9}$ ,  $\frac{2}{3}$  of  $\frac{7}{1} = \frac{14}{3}$ ,  $\frac{3}{8}$  of  $\frac{9}{1} = \frac{27}{8}$ , and  $\frac{1}{7}$  of  $\frac{10}{1} = \frac{10}{7}$ ; then,  $\frac{8}{9} \times \frac{14}{3} \times \frac{27}{8} \times \frac{10}{7} = 20$ , *Ans.*; or,  $\frac{1}{9}$  of  $\frac{8}{1} \times \frac{2}{3}$  of  $\frac{7}{1} \times \frac{3}{8}$  of  $\frac{9}{1} \times \frac{1}{7}$  of  $\frac{10}{1} = 20$ , *Ans.*, as before.

DIVISION OF FRACTIONS.

¶ 81. EXAMPLES FOR PRACTICE.

9.  $\frac{18}{10} \div 24 = \frac{18}{240}$  of an acre, *Ans.*

10.  $\frac{11}{12} \div 12 = \frac{11}{144}$  of a dollar, *Ans.*

12.  $\frac{4}{10} \div 12 = \frac{4}{120} = \frac{1}{30}$ , *Ans.*  $\frac{7}{10} \div 21 = \frac{7}{210} = \frac{1}{30}$ .

*Ans.*  $\frac{28}{10} \div 24 = \frac{28}{240} = \frac{7}{60}$ , *Ans.*

14.  $(4\frac{1}{3} =) \frac{63}{9} \div 9 = \frac{7}{9}$  of a dollar, *Ans.*

15.  $(12\frac{3}{4} =) \frac{51}{4} \div 5 = \frac{51}{20} = 2\frac{6}{20}$ , *Ans.*

16.  $(14\frac{3}{4} =) \frac{59}{4} \div 8 = \frac{59}{32} = 1\frac{27}{32}$ , *Ans.*

18.  $2786\frac{1}{2} \div 6 = 464$ , and  $2\frac{1}{2}$  remain.  $= \frac{2}{6} = \frac{1}{3} = \frac{1}{3}$ ; then,  $464 + \frac{1}{3} = 464\frac{1}{3}$ , *Ans.*

19.  $7646\frac{1}{2} \div 24 = 318$ , rem.  $14\frac{1}{2} = \frac{29}{2} \div 24 = \frac{29}{48}$ ; then,  $318 + \frac{29}{48} = 318\frac{29}{48}$ , *Ans.*

20.  $462\frac{1}{2} \div 3 = 154\frac{1}{2}$ , *Ans.*

¶ 82. EXAMPLES FOR PRACTICE.

2.  $7 \div \frac{1}{2} = (7 \times 2 = 14, \text{ which } + 1 =) 14 \text{ times, Ans.}$
3.  $26 \div \frac{1}{4} = 104 \text{ times, Ans.}$
4.  $3 \div \frac{3}{4} = (3 \times 4 = 12, \text{ which } \div 3 =) 4; 6 \div \frac{2}{3} = 9;$   
 $10 \div \frac{2}{5} = 25, \text{ Ans.}$
5. (3 gal. =)  $12 \text{ quarts } \div \frac{2}{16} = (12 \times 16 = 192, \text{ which } \div 9 =) 21\frac{1}{3} \text{ days, Ans.}$
6.  $22 \div (2\frac{3}{4} =) 1\frac{1}{4} = (22 \times 4 = 88, \text{ which } \div 11 =) 8 \text{ acres, Ans.}$
7.  $6 \div \frac{26}{5} = (\times 5 \text{ and } \div 36 =) \frac{1}{6} \text{ of 1 time, Ans.}$
8.  $53 \div (8\frac{1}{9} =) \frac{17}{9} = (\times 9 \text{ and } \div 77 =) 6\frac{1}{7} \text{ times, Ans.}$

¶ 83. EXAMPLES FOR PRACTICE.

2.  $37 \div (4\frac{2}{3} =) 2\frac{2}{3} = (\times 5 \text{ and } \div 22 =) 8\frac{2}{3} \text{ yards,}$   
*Ans.*
3.  $84 \div \frac{26}{103} = (\times 103 \text{ and } \div 96 =) 90\frac{1}{2} \text{ pounds, Ans.}$
4.  $87 \div \frac{2}{3} = 104\frac{2}{3} \text{ rods, Ans.}$

¶ 84. EXAMPLES FOR PRACTICE.

4.  $(36\frac{1}{2} =) 2\frac{2}{5} \div (4\frac{2}{3} =) 2\frac{3}{5} (\frac{5}{2} \text{ of } 2\frac{2}{5}) = \frac{147\frac{1}{2}}{18\frac{1}{2}} = 8\frac{3}{18\frac{1}{2}}$   
*weeks, Ans.*
5.  $(2\frac{1}{4} =) \frac{2}{4} \div (1\frac{1}{2} =) \frac{3}{2} = \frac{1}{2} = 1\frac{1}{2}, \text{ Ans.}; (10\frac{3}{8} =) \frac{83}{8}$   
 $\div (2\frac{1}{4} =) \frac{17}{4} = \frac{83 \times 4}{8 \times 17} = 4\frac{1}{4}, \text{ Ans.}$
6.  $\frac{2}{3} \div \frac{1}{10} (\frac{10}{1} \text{ of } \frac{2}{3}) = \frac{20}{3} = 4, \text{ Ans.}$
7.  $(4\frac{1}{2} =) \frac{9}{2} \div \frac{2}{3} (\frac{3}{2} \text{ of } \frac{9}{2}) = \frac{27\frac{3}{2}}{2} = 11\frac{3}{4}, \text{ Ans.}$
8.  $(\frac{2}{3} \text{ of } \frac{3}{4} = \frac{5}{12} =) \frac{1}{2} \div (\frac{7}{8} \text{ of } \frac{1}{7} = \frac{1}{8} =) \frac{1}{2} (\frac{8}{1} \text{ of } \frac{1}{2}) = 4,$   
 $\text{Ans.}; \text{ or, } \frac{2}{3} \text{ of } \frac{3}{4} \div \frac{7}{8} \text{ of } \frac{1}{7} = (\frac{2}{3} \text{ of } \frac{3}{4} \times \frac{8}{7} \text{ of } \frac{1}{1} =) 4, \text{ Ans.,}$   
*as before.*

¶ 85. EXAMPLES FOR PRACTICE.

2.  $\frac{7}{8} \div (3\frac{1}{2} =) \frac{7}{2} = (\frac{7}{8} \times \frac{2}{4} =) \frac{1}{4} \text{ of a dollar, Ans.}$
3.  $\frac{7}{8} \text{ of a dollar } \div (4\frac{2}{3} =) \frac{14}{3} = (\frac{7}{8} \times \frac{3}{24} =) \frac{1}{16} \text{ of a dol-}$   
*lar, Ans.*

## ¶ 85. (2.) EXAMPLES FOR PRACTICE.

$$3. (7\frac{1}{5} =) \frac{36}{5} \div \frac{3}{9} = (\frac{36}{5} \times \frac{9}{3} =) \frac{108}{5} = 21\frac{3}{5}, \text{ Ans.}$$

$$4. (6\frac{2}{3} =) \frac{57}{9} \div \frac{1}{3} = (\frac{57}{9} \times \frac{3}{1} =) 19, \text{ Ans.}$$

$$5. (34 =) 2\frac{1}{2} \div 9 = (2\frac{1}{2} \times \frac{1}{9} =) \frac{5}{9}, \text{ Ans.}$$

$$6. \frac{7}{12} \div (4\frac{2}{3} =) 2\frac{2}{3} = (\frac{7}{12} \times \frac{3}{2} =) \frac{7}{8}, \text{ Ans.}$$

$$7. (7\frac{1}{16} =) 1\frac{2}{16} \div (9\frac{2}{3} =) 2\frac{2}{3} = (1\frac{2}{16} \times \frac{3}{2} =) \frac{3}{8}, \text{ Ans.}$$

$$8. 10 \div \frac{3}{8} = (\times 8 \text{ and } \div 3 =) \frac{80}{3} = 26\frac{2}{3}, \text{ Ans.}$$

$$9. 5 \div (7\frac{2}{3} =) 2\frac{2}{3} = (\times 3 \text{ and } \div 23 =) \frac{15}{23}, \text{ Ans.}$$

$$10. \frac{2}{4} \div 16 = \frac{2}{32} = \frac{1}{16}, \text{ Ans.}$$

$$11. \frac{2}{3} \text{ of } \frac{4}{5} \text{ of } \frac{9}{1} = \frac{24}{5}, (3\frac{7}{10} =) \frac{37}{10} \times (2\frac{1}{2} =) \frac{5}{2} = \frac{235}{20},$$

$$\text{then, } \frac{24}{5} \div \frac{259}{30} = (\frac{24}{5} \times \frac{30}{259} =) \frac{144}{259}, \text{ Ans.}$$

## ¶ 85. (3.) PROMISCUOUS EXAMPLES IN THE DIVISION OF FRACTIONS.

NOTE. In the first six of the following examples, let the pupil consult ¶¶ 77, 83, and 85, and make the several distinctions.

$$1. \frac{2}{100} \text{ of a dollar (cost)} \div 7 \text{ (lb., the quantity)} = \frac{2}{700} \text{ of a dollar, the price of unity, or 1 lb., Ans.}$$

$$2. \frac{1}{3} \text{ of a dollar (cost)} \div \frac{2}{3} \text{ (of a barrel, the quantity)} = \frac{3}{2} \text{ of } \frac{1}{3} = \frac{1}{2} \text{ of a dollar, the price of unity, or 1 barrel, Ans.}$$

$$3. \frac{1}{2} \text{ of a dollar} \div 4 = \frac{1}{8} \text{ of a dollar, Ans.}$$

$$4. 4 \text{ dollars} \div \frac{1}{2} \text{ (of a yard)} = 8 \text{ dollars, Ans.}$$

$$5. 75 \text{ dollars} \div (14\frac{2}{3} =) 1\frac{1}{3} = (\times 8 \text{ and } \div 115) = 5\frac{2}{3} \text{ dollars, Ans.}$$

$$6. (31\frac{1}{2} =) \frac{63}{2} \text{ of a dollar} \div (10\frac{1}{2} =) 2\frac{1}{2} (\frac{2}{21} \text{ of } \frac{63}{2}) = 3 \text{ dollars per barrel, Ans.}$$

$$8. (\frac{1}{2} \text{ of } \frac{2}{3} =) \frac{1}{3} \div \frac{3}{4} (\frac{4}{3} \text{ of } \frac{1}{3}) = \frac{4}{9}; \frac{7}{8} \div (\frac{4}{7} \text{ of } \frac{2}{5} =) \frac{8}{35}$$

$$(\frac{35}{8} \text{ of } \frac{7}{8}) = \frac{245}{64} = 3\frac{53}{64}, \text{ Ans.}$$

9.  $(\frac{1}{2} \text{ of } \frac{4}{5} =) \frac{2}{5} \div (\frac{5}{3} \text{ of } \frac{2}{3} =) \frac{5}{9} (\frac{9}{5} \text{ of } \frac{2}{5} =) \frac{2}{3}, \text{ Ans.}$
10.  $(\frac{1}{5} \text{ of } \frac{4}{1} =) \frac{4}{5} \div \frac{4}{15} (\frac{15}{4} \text{ of } \frac{4}{5} =) 3, \text{ Ans.}$
11.  $(4\frac{1}{2} =) \frac{41}{9} \div (\frac{5}{9} \text{ of } \frac{4}{1} =) \frac{20}{9} (\frac{9}{20} \text{ of } \frac{41}{9} =) 2\frac{1}{2}, \text{ Ans.}$
12.  $(\frac{5}{9} \text{ of } \frac{4}{1} =) \frac{20}{9} \div (4\frac{1}{2} =) \frac{41}{9} (\frac{9}{41} \text{ of } \frac{20}{9} =) \frac{41}{20} = 2\frac{1}{4}, \text{ Ans.}$
13.  $(8\frac{3}{7} =) 4\frac{2}{7} \div (9\frac{2}{7} =) 4\frac{2}{7} = (\frac{5}{7} \times \frac{1}{7} \times) \frac{22}{49}; \frac{2}{7} \div 7$   
 $= \frac{2}{21}; \text{ then } \frac{295}{329} \div \frac{2}{21} = (\frac{295}{329} \times \frac{21}{2} =) \frac{885}{94} = 9\frac{39}{94}, \text{ Ans.}$

§ 86. REVIEW OF COMMON FRACTIONS.

EXERCISES.

1.  $\frac{5}{8} + \frac{3}{8} = \frac{40+12}{40} = \frac{52}{40} = 1\frac{13}{10}, \text{ Ans. } \frac{1}{2} \times \frac{2}{3} = \frac{2+2}{6} = \frac{4}{6},$   
*Ans.*  $(12\frac{1}{2} =) 12\frac{2}{4} + (3\frac{3}{4} =) 3\frac{6}{8} + (4\frac{1}{2} =) 4\frac{2}{4} = 20\frac{1}{2},$   
*Ans.*
2.  $\frac{1}{4} - \frac{1}{8} = \frac{2-1}{8} = \frac{1}{8}, \text{ Ans. } \frac{3}{10} - \frac{1}{5} = \frac{3-2}{10} = \frac{1}{10}, \text{ Ans.}$   
 $\frac{3}{14} - \frac{2}{20} = \frac{60-56}{280} = \frac{4}{280} = \frac{1}{70}, \text{ Ans. } (14\frac{1}{2} =) 14\frac{7}{14} - (4\frac{1}{2} =)$   
 $4\frac{2}{4} = 10\frac{5}{14}, \text{ Ans. } 6 - 4\frac{3}{8} = 1\frac{5}{8}, \text{ Ans. } 1\frac{1}{8} - (\frac{1}{2} \text{ of } \frac{2}{3}$   
 $\text{of } \frac{3}{4} =) \frac{1}{4} = \frac{218-56}{220} = \frac{162}{220}, \text{ Ans.}$
3.  $\frac{5}{8} - \frac{2}{8} = \frac{25-12}{40} = \frac{13}{40}, \text{ Ans.}$
4.  $\frac{3}{4} + \frac{1}{8} = \frac{24+5}{40} = \frac{29}{40}, \text{ Ans.}$
5.  $21 \times \frac{2}{4} = 15\frac{3}{4}, \text{ Ans.}$
6.  $\frac{1}{4} \div \frac{2}{3} = (\frac{1}{4} \times \frac{3}{2} =) \frac{3}{8}, \text{ Ans.}$
7. 12 must be the remaining  $\frac{2}{5}$  of the number.  $12 \div 3 = 4 =$  one fifth of the number, which  $\times 5 = 20, \text{ Ans.}$
8.  $(\frac{2}{5} \text{ of } \frac{5}{3} \text{ of } 1 =) \frac{2}{3} + \frac{3}{3} = \frac{5}{3}; 20 \text{ is } \frac{5}{3} \text{ of the number.}$   
 $20 \div 5 = 4 =$  one third of the number, which  $\times 3 = 12,$   
*Ans.*
9.  $9 \div 2 = 4\frac{1}{2} =$  one third of the number, which  $\times 3 = 13\frac{1}{2}, \text{ Ans.}$
10.  $\frac{2}{3}$  of 1 yard will cost  $\frac{2}{3}$  of  $\frac{1}{2}$  of a dollar  $= \frac{1}{3}$  of a dollar,  
*Ans.*

11.  $(5\frac{3}{4} =) 4\frac{1}{2} \times (18\frac{1}{2} =) \frac{37}{2} = \frac{16\frac{1}{2}}{1} = 108\frac{1}{2}$  dollars, *Ans.*

12.  $\frac{3}{2} \times 84 = \frac{252}{2} = 11\frac{5}{11}$  dollars, *Ans.*

13.  $\frac{5}{8} \times 45 = \frac{225}{8} = 28\frac{1}{8}$  dollars, *Ans.*

14.  $5 \times \frac{7}{8} = \frac{35}{8} = 2\frac{3}{8}$  dollars, *Ans.*

15.  $\frac{1}{15} \div \frac{1}{5} = (\frac{1}{15} \times \frac{5}{1}) = \frac{5}{15}$  of a dollar, *Ans.*

16.  $(73\frac{1}{5} =) \frac{369}{5} \div (7\frac{1}{5} =) \frac{36}{5} = (\frac{369}{5} \times \frac{5}{36} =) \frac{41}{4} = 10\frac{1}{4}$  dollars, *Ans.*

17.  $82\frac{2}{18} \div 4 = 20$ , and  $2\frac{2}{18} = \frac{1}{9}$  remain., which  $\div 4 = \frac{1}{18}$ ; then,  $20 + \frac{1}{18} = 20\frac{1}{18}$  dollars, *Ans.*

18.  $\frac{5}{12} \div 3\frac{1}{2} = (\frac{5}{12} \times \frac{2}{7} =) \frac{5}{42}$  of a dollar, *Ans.*

19.  $4\frac{1}{2} \div \frac{3}{20} = \frac{35}{8} \times \frac{20}{3} = \frac{175}{6} = 29\frac{1}{6}$  pounds, *Ans.*

20.  $82\frac{1}{4} \div 1\frac{2}{3} = \frac{331}{4} \times \frac{3}{2} = \frac{165\frac{1}{2}}{2} = 59\frac{1}{4}$  bushels, *Ans.*

21.  $8\frac{1}{4} \times 9 = 78\frac{1}{4}$  yards in 9 dresses; then  $80 - 78\frac{1}{4} = 1\frac{3}{4}$  yards in the remnant, *Ans.*

22.  $22 = 176$  eighths, which  $\div 7$  eighths  $= 25$ , and 1 remainder, which is  $\frac{1}{8}$  of a yard. *Ans.*, 25 vests. Remnant,  $\frac{1}{8}$  of a yard.

23.  $\frac{3}{4} \div 15 = \frac{3}{60} = \frac{1}{20}$ , *Ans.*

24.  $\frac{2}{8}$  of  $\frac{7}{10} = \frac{7}{40}$ , which  $\div 7 = \frac{1}{40}$ ;  $6 \div (3\frac{1}{4} =) \frac{37}{11} = \frac{6}{11}$   
 $\times \frac{11}{37} = \frac{66}{37}$ ; then,  $\frac{1}{40} \times \frac{66}{37} = \frac{33}{740}$ , *Ans.*

25.  $72 = 2 \times 2 \times 2 \times 3 \times 3$ .

$8 = 2 \times 2 \times 2$ , all the factors are factors of 72.

$9 = 3 \times 3$ , " " " " " " "

$11 = 11 \times 1$ , " " " not " " "

$12 = 2 \times 2 \times 3$ , " " " are " " "

$14 = 2 \times 7$ , " " " not " " "

$15 = 3 \times 5$ , " " " " " " "

$16 = 2 \times 2 \times 2 \times 2$ , " " " " " " "

$18 = 2 \times 3 \times 3$ , " " " are " " "

$20 = 2 \times 2 \times 5$ , " " " not " " "

$22 = 2 \times 11$ , " " " " " " "

$24 = 2 \times 2 \times 2 \times 3$ , " " " are " " "

*Ans.*, 8, 9, 12, 18, 24.

$$26. \frac{3}{4} \text{ of } 9\frac{3}{4} = \frac{3}{4} \text{ of } \frac{29}{3} = \frac{29}{4}, \frac{8}{11} \text{ of } 16 = \frac{128}{11}, \text{ and } \frac{29}{4} \div \frac{128}{11} = \frac{29}{4} \times \frac{11}{128} = \frac{319}{512}; \frac{2}{6} \text{ of } \frac{1}{3} \text{ of } (2\frac{1}{2}) = \frac{5}{2} = \frac{5}{18} \cdot \frac{1}{4} \text{ of } (19\frac{1}{2}) = \frac{39}{2} = \frac{39}{8}, \text{ and } \frac{5}{18} \div \frac{39}{8} = \frac{5}{18} \times \frac{8}{39} = \frac{20}{351}; \text{ then, } \frac{319}{512} \div \frac{20}{351} = \frac{319}{512} \times \frac{351}{20} = \frac{111989}{10240} = 10\frac{889}{10240}, \text{ Ans.}$$

**DECIMAL FRACTIONS.**

**¶ 92. EXAMPLES FOR PRACTICE.**

6.  $\frac{4}{11} = .496 +$ ;  $\frac{1}{3} = .0272 +$ ;  $\frac{1}{8} = .00186 +$ .
7.  $\frac{1}{3} = .333 +$ ;  $\frac{2}{3} = .666 +$ ;  $\frac{1}{11} = .090909 +$ ;  $\frac{4}{11} = .3636 +$ ;  $\frac{1}{8} = .00110011 +$ .
8.  $\frac{1}{4} = .25$ ;  $\frac{3}{8} = .375$ ;  $\frac{5}{8} = .625$ ;  $\frac{1}{2} = .5$ ;  $\frac{2}{5} = .4$ ;  $\frac{3}{5} = .6$ ;  $\frac{1}{4} = .25$ ;  $\frac{1}{20} = .05$ ;  $\frac{1}{25} = .04$ ;  $\frac{2}{25} = .08$ .

**Addition and Subtraction of Decimal Fractions.**

**¶ 95. EXAMPLES FOR PRACTICE.**

3.  $13.25 + 8.4 + 23.051 + 6 + .75 = 51.451$  bushels, *Ans.*
4.  $429 + 21.37 + 355.003 + 1.07 + 1.7 = 808.143$ , *Ans.*
5.  $.2 + .80 + .089 + .006 + .9 + .005 = 2$ , *Ans.*
6.  $329.7 + 37.162 + .16 = 367.022$ , *Ans.*
7.  $35000 - .035 = 34999.965$ , *Rem.*
12.  $29.3 + 374.000009 + 97.253 + 315.004 + 27 + 100.4 = 942.957009$ , *Ans.*

**Examples in Addition and Subtraction of Federal Money.**

1.  $\$6.75 + \$2.30 + \$92 + \$125 + \$06 = \$10.15\frac{1}{2}$ , *Ans.*
2.  $\$237.62 + \$350 + \$86.125 + \$9.625 + \$834 = \$684.204$ , *Ans.*
3.  $\$300 + \$50.60 + \$9.08 = \$359.68$ , *Ans.*

4.  $\$56.18 + \$7.375 + \$280 + \$287 + \$17 + \$90.413 = \$451.255$ , *Ans.*
5.  $\$76.50 + \$85 + \$17.25 = \$178.75$ , *Ans.*
6.  $\$.28 + \$.375 + \$.24 + \$.11 + \$1.625 + \$.06 + \$.04 = \$13.62$ , *Ans.*
7.  $\$21.375 - \$18 = \$3.37\frac{1}{2}$ , *Ans.*
8.  $\$82.00 - \$79.75 = \$2.25$ , *loss, Ans.*
9.  $\$176.00 - \$16.50 = \$159.50$ , *Ans.*
10.  $\$5400.000 - \$725.375 = \$4674.62\frac{1}{2}$ , *Ans.*
11.  $\$500.00 - \$.83 = \$499.17$ , *Ans.*
12.  $\$1200.00 - \$800.35 = \$399.65$ , *Ans.*
13.  $\$7.000 - \$.005 = \$6.995$ , *Ans.*
14.  $\$25.00 - \$16.82 = \$8.18$ , *Ans.*
15.  $\$250.00 - \$87.14 = \$162.86$ , *Ans.*
16.  $\$6.25 + \$1.41 = \$7.66$ , *cost of the articles purchased;*  
*then,  $\$10.00 - \$7.66 = \$2.34$ , *Ans.**

## MULTIPLICATION OF DECIMAL FRACTIONS.

### ¶ 96. EXAMPLES FOR PRACTICE.

3.  $.05 \times .007 = .00035$ , *Ans.*
5.  $3672 \times .85 = 3121.2$ , *Ans.*
6.  $.37 \times .0563 = .020831$ , *Ans.*
8.  $86 \times .04 = 3.44$ , *Ans.*
9.  $.0062 \times .0008 = .00000496$ , *Ans.*
10.  $4.7 \times 10.86 = 51.042$ , *Ans.*

- ¶ 97. 1.  $\$.09 \times .7 = \$.063$ , *Ans.*
2.  $\$.885 \times 250 = \$221.25$ , *Ans.*
  3.  $\$.6375 \times 87 = \$554.62\frac{1}{2}$ , *Ans.*
  4.  $\$.285 \times 63 = \$17.95\frac{1}{2}$ , *Ans.*
  5.  $\$.125 \times 365 = \$45.62\frac{1}{2}$ , *which  $\times 5 = \$228.12\frac{1}{2}$ ,*  
*Ans.*
  6.  $\$.3675 \times 17800 = \$654150$ , *Ans.*
  7.  $\$.367 \times 46 = \$16882$ , *Ans.*
  8.  $\$.273 \times 8600 = \$2347.80$ , *Ans.*
  11.  $\$.11 \times .13 = \$1.43$ , *Ans.*
  12.  $\$.2 \times .375 = \$.75$ , *Ans.*
  13.  $\$.75 \times 6 = \$4.50$ , *which  $\times 4 = \$18$ , *Ans.**

**DIVISION OF DECIMAL FRACTIONS.**

**¶ 98. EXAMPLES FOR PRACTICE.**

5.  $3156.293 \div 25.17 = 125.3 +$ , *Ans.*
6.  $173948 \div .375 = 463861 +$ , *Ans.*
7.  $5737 \div 13.3 = 431.353 +$ , *Ans.*
8.  $2464.8 \div .008 = 308100$ , *Ans.*
9.  $2.0060 \div 53.1 = .037 +$ , *Quot.*
10.  $.0120 \div .005 = 2.4$ , *Ans.*
11.  $.003 \div .04 = .075$ , *Ans.*
12.  $8.6 \div .094 = 91.489 +$ , *Ans.*
13.  $8 \div .17 = 47 +$ , *Ans.*

- ¶ 99.**
2.  $\$141.00 \div \$75 \left(1\frac{11}{15}\right) = 188$  bushels, *Ans.*
  3.  $\$37.000 \div \$125 \left(2\frac{11}{125}\right) = 296$  pounds, *Ans.*
  4.  $\$8.0000 \div \$0.0625 \left(\frac{8000}{128}\right) = 128$  oranges, *Ans.*
  5.  $\$5.000 \div .6 = \$8.333 +$ , *Ans.*
  6.  $\$468.75 \div 750 \left(1\frac{1}{2}\right) = \$0.625$ , *Ans.*
  7.  $\$181.25 \div 125 \left(1\frac{1}{4}\right) = \$1.45$ , *Ans.*
  8.  $\$1913.52 \div 536 \left(1\frac{1}{2}\right) = \$3.57$ , *Ans.*
  9.  $\$3213 \div 84 \left(2\frac{1}{4}\right) = \$38.25$ , *Ans.*

**¶ 100. Review of Decimal Fractions.**

**EXERCISES.**

2.  $(7\frac{3}{10} =) 7.3$  yds.  $+ (12\frac{5}{8} =) 12.625$  yds.  $= 19.925$  yds.; then,  $(36\frac{5}{8} =) 36.625$  yds.  $- 19.925$  yds.  $= 16.7$  yds., *Ans.*
3.  $\$33\frac{1}{3} = \$33.8461 +$ ,  $\$14\frac{4}{5} = \$14.40$ ,  $\$7\frac{1}{2} = \$7.5555 +$ ,  $\$8\frac{1}{3} = \$8.3333 +$ ; then,  $\$33.8461 + \$14.40 + \$7.5555 + \$8.3333 = \$56.634 +$ , *Ans.*
4.  $\$.125 \times 37.75 = \$4.718\frac{1}{2}$ , *Ans.*
5.  $\$17.37 \times 11.625$  tons  $= \$201.92\frac{1}{2}$ , *Ans.*
6.  $\$201.92625 \div 11.625 = \$17.37$ , *Ans.*
7.  $\$.9 \div .45$  ton  $= \$20$ , *Ans.*
8.  $\$.04 \times .25$  gal.  $= \$1$ , *Ans.*
9.  $\$.007 \times 2300 = \$16.10$ , *Ans.*
10.  $\$.18 \times 765.5 = \$137.79$ , *Ans.*
11.  $\$.165$  (price of 1 pound)  $\times 42$  (the number of pounds in a firkin)  $= \$6.93$ , cost of 1 firkin, which  $\times 23$  (the number of firkins)  $= \$159.39$ , cost of 23 firkins, *Ans.*
12. 
$$\begin{array}{r} 129 + 129 \text{ lbs. at } \$.05 = \$12.90 \\ 123 + 125 \text{ " " } .045 = 11.16 \\ 163 \text{ " " } .07 = 11.41 \end{array} \left. \vphantom{\begin{array}{r} 129 \\ 123 \\ 163 \end{array}} \right\} \$35.47, \text{ Ans.}$$



13. Dr. 25 lbs. clover seed, at \$11, . . . . .	\$275
3 pecks herds grass seed, . . . . .	225
1 barrel flour, . . . . .	650
13 lbs. sugar, at \$12½, . . . . .	162½
	<u>\$1312½</u>
Cr. 3 Cheeses, 27 lbs. each, at \$08½, . . . . .	\$688½
5 barrels cider, at \$125, . . . . .	625
	<u>\$1313½</u>

balance for the farmer, *Ans.*

14.  $\$71600 - \$39876\cdot74 = \$31723\cdot26$ , which  $\div 7 =$   
 $\$4531\cdot89 +$ , *Ans.*

15.  $\$87 \times 100 = \$87\cdot00$ , which  $\div \$25 = 348$  pounds,  
*Ans.*

16.  $126 \text{ pounds} \times 3 = 378 \text{ pounds}$ ; then,  $\$125 \times 378 =$   
 $\$47\cdot25$ , *Ans.*

17.  $\$86\cdot75 \times 650 = \$56387\cdot50$ , *Ans.*

18.  $\$0625 \times 275 = \$17\cdot1875$ , which  $\div \$50 = 34\cdot375$   
bushels, *Ans.*

19.  $\$9\cdot32 \times 18 = \$167\cdot76$ , which  $\div \$4\cdot66 = 36$  yards,  
*Ans.*

20.  $\$3\cdot75 \times 16 = \$60$ ;  $\$4\cdot50 \times 21 = \$94\cdot50$ ;  $\$5,12½$   
 $\times 35 = \$179\cdot37½$ ; then,  $\$60 + \$94\cdot50 + \$179\cdot37½ =$   
 $\$333\cdot87½$ , *Ans.*

## REDUCTION OF COMPOUND NUMBERS.

### ¶ 105. EXAMPLES FOR PRACTICE.

3.  $32\text{£} 15\text{s.} = 655\text{s.}$ , which  $+ 8\text{d.} = 7868\text{d.} = 31472\text{qrs.}$ ,  
*Ans.*

4. Reverse the foregoing process; thus,  $31472 \text{ qrs.} =$   
 $7868\text{d.} = 655\text{s.} + 8\text{d.}$ , and  $655\text{s.} = 32\text{£} + 15\text{s.}$ , together  
making  $32\text{£} 15\text{s.} 8\text{d.}$ , *Ans.* So in the following examples.

5.  $7\text{£} 14\text{s.} = 154\text{s.}$ , which  $+ 6\text{d.} = 1854\text{d.}$ , and  $1854\text{d.}$   
 $+ 1\text{qr.} = 7417\text{qrs.}$ , *Ans.*

6.  $7417\text{qrs.} = 1854\text{d.} + 1\text{qr.}$ ,  $1854\text{d.} = 154\text{s.} + 6\text{d.}$ , and  
 $154\text{s.} = 7\text{£} 14\text{s.}$ , together making  $7\text{£} 14\text{s.} 6\text{d.} 1\text{qr.}$ , *Ans.*

7.  $91\text{£} 11\text{s.} = 1831\text{s.}$ , which  $+ 3\text{d.} = 21975\text{d.}$ , and  
 $21975\text{d.} + 2\text{qrs.} = 87902\text{qrs.}$ , *Ans.*

10.  $9752\text{d.} = 812\text{s.} + 8\text{d.}$ , and  $812\text{s.} = 40\text{£} 12\text{s.}$ , together  
making  $40\text{£} 12\text{s.} 8\text{d.}$ , *Ans.*

11. 1£. 18s. = 38s., which + 4d. = 460d., and 460d. +  $\frac{1}{2}$ d. = 921 half pence, *Ans.*

12. 921 half pence = 460d. +  $\frac{1}{2}$ d., 460d. = 38s. + 4d., and 38s. = 1£. 18s., together making 1£. 18s.  $\frac{1}{2}$ d., *Ans.*

¶ 106. EXAMPLES FOR PRACTICE.

3. 7 T. = 14000 lbs., which + 665 lbs. = 14665 lbs., *Ans.*

5. 12 T. 15 cwt. = 255 cwt., 255 cwt. + 1 qr. = 1021 qrs., 1021 qrs. + 19 lbs. = 28607 lbs., which + 6 oz. = 457718 oz., and 457718 oz. + 12 drs. = 7323500 drs., *Ans.*

6. 7323500 drs. = 457718 oz. + 12 drs., 457718 oz. = 28607 lbs. + 6 oz., 28607 lbs. = 1021 qrs. + 19 lbs., 1021 qrs. = 255 cwt. + 1 qr., and 255 cwt. = 12 T. 15 cwt., together making 12 T. 15 cwt. 1 qr. 19 lbs. 6 oz. 12 drs., *Ans.*

7. 5 T. 9 cwt. = 109 cwt., which = 436 qrs.; and 436 qrs. + 12 lbs. = 12220 lbs.; then, 12220 lbs. + 26 (the number of lbs. in a package) = 470 packages, *Ans.*

¶ 107. EXAMPLES FOR PRACTICE.

3. 7 lbs. 11 oz. = 95 oz., which + 3 pwt. = 1903 pwt.; and 1903 pwt. + 9 grs. = 45681 grs., *Ans.*

6. 5605 grs. = 233 pwt. + 13 grs., and 233 pwt. = 11 oz. + 13 pwt., together making 11 oz. 13 pwt. 13 grs., *Ans.*

7. 28 lbs  $\times$  7000 = 196000 grs. Troy; 196000 grs. = 8166 pwt. 16 grs.; 8166 pwt. = 408 oz. 6 pwt., 408 oz. = 34 lbs.; whence, 34 lbs. 6 pwt. 16 grs., *Ans.*

8. 34 lbs. = 408 oz., which + 6 pwt. = 8166 pwt., and 8166 pwt. + 16 grs. = 196000 grs. Troy; then, 196000 grs.  $\div$  7000 = 28 lbs. Avoirdupois weight, *Ans.*

¶ 108. EXAMPLES FOR PRACTICE.

1. 9 lbs. 8  $\frac{3}{4}$  = 116  $\frac{3}{4}$ , 116  $\frac{3}{4}$  + 1  $\frac{3}{4}$  = 929  $\frac{3}{4}$ , which + 2  $\eth$  = 2789  $\eth$ ., and 2789  $\eth$  + 19 grs. = 55799 grs., *Ans.*

2. 55799 grs. = 2789  $\eth$  19 grs., 2789  $\eth$  = 929  $\frac{3}{4}$  2  $\eth$ ., 929  $\frac{3}{4}$  = 116  $\frac{3}{4}$  1  $\frac{3}{4}$ ., and 116  $\frac{3}{4}$  = 9  $\eth$  8  $\frac{3}{4}$ .; whence, 9  $\eth$  8  $\frac{3}{4}$  1  $\frac{3}{4}$  2  $\eth$  19 grs., *Ans.*

¶ 109. EXAMPLES FOR PRACTICE.

1. 360 deg. = 24900 mi. = 7968000 rds. = 131472000 ft. = 1577664000 in., *Ans.*

4. 30539520 in. = 2544960 ft. = 154240 rds. = 482 mi., *Ans.*

5. The circumference of the wheel being 16 ft. 6 in., (= 1 rod,) it will turn round as many times as there are rods in 40 miles. 40 mi. = 12800 rds.; whence, 12800 times, *Ans.*

7. 43 mi. = 13760 rds. = 227040 ft. = 2724480 in.; and 2 ft. 6 in. = 30 in.; then, 2724480 in. ÷ 30 in. = 90816 times = 90816 steps, *Ans.*

8. (2 ft. 6 in. =) 30 in. × 90816 = 2724480 in. = 227040 ft. = 13760 rds. = 43 mi., *Ans.*

### ¶ 110. EXAMPLES FOR PRACTICE.

1. 573 yds. 1 qr. = 2293 qrs., which ÷ 1 na. = 9173 na., *Ans.*

4. 5932 na. = 1483 qrs. = 296 E. E. 3 qrs., *Ans.*

5. 151 E. E. = 755 qrs. = 188 yds. 3 qrs., *Ans.*

7. 36 E. Fl. × 20 = 1044 E. Fl. = 3132 qrs. = 783 yds., *Ans.*

### ¶ 111. EXAMPLES FOR PRACTICE.

1. 17 A. 3 R. = 71 R., which ÷ 12 P. = 2852 P. = 776457 sq. ft., *Ans.*

2. 776457 sq. ft. = 2852 P. = 71 R. 12 P., and 71 R. = 17 A. 3 R.; whence, 17 A. 3 R. 12 P., *Ans.*

3. 64 M. = 40960 A. = 6553600 P. = 1784217600 sq. ft., *Ans.*

5. 6 × 6 = 36 M. = 23040 A., *Ans.*

7. 197663000 M. = 126504320000 A. = 20240691200000 P. = 5510528179200000 sq. ft., *Ans.*

### ¶ 112. EXAMPLES FOR PRACTICE.

1. 5 mi. 71 C. = 471 C., *Ans.*

3. 2 mi. 15 C. = 175 C., which ÷ 3 rds. = 703 rds., and 703 rds. ÷ 18 l. = 17593 l., *Ans.*

5. 75 C. = 4950 ft., *Ans.*

7. 8 A. 2 sq. C. = 82 sq. C., which ÷ 7 P. = 1319 P., and 1319 P. ÷ 456 sq. l. = 824831 sq. l., *Ans.*

9. 80 A. = 800 sq. C. = 8000000 sq. l., *Ans.*

### ¶ 113. EXAMPLES FOR PRACTICE.

1. 9 T. = 450 cu. ft. = 777600 cu. in., *Ans.*

3. 37 C. ft. = 592 cu. ft., *Ans.*

7. 16 C. = 128 C. ft. = 2048 cu. ft., *Ans.*

9. 25 C. 5 C. ft. = 205 C. ft., which + 9 cu. ft. = 3289 cu. ft., and 3289 cu. ft. + 1575 cu. in. = 5684967 cu. in., *Ans.*

¶ 114. EXAMPLES FOR PRACTICE.

1. 12 P. = 24 hhd. = 1512 gal. = 6048 qts. = 12096 pts.,  
*Ans.*

3. 9 P. 1 hhd. = 19 hhd., 19 hhd. 22 gal. = 1219 gal.,  
1219 gal. 3 qts. = 4879 qts. = 9758 pts. = 39032 gi., *Ans.*

5. 25 tier. = 1050 gal. = 4200 qts. = 8400 pts. = 33600 gi., *Ans.*

Beer Measure.

¶ 115. EXAMPLES FOR PRACTICE.

1. 47 bar. 18 gal. = 1710 gal. = 6840 qts. = 13680 pts.,  
*Ans.*

3. 29 hhds. = 1566 gal. = 6264 qts. = 12528 pts., *Ans.*

Dry Measure.

¶ 116. EXAMPLES FOR PRACTICE.

1. 75 bu. = 300 pks. = 2400 qts. = 4800 pts., *Ans.*

3. 42 ch. = 1512 bu. = 6048 pks., *Ans.*

5. 273 qrs. 6 bu. 2190 bu., 2190 bu. + 3 pks. = 8763 pks., which + 7 qts. = 70111 qts., and 70111 qts. + 1 pt. = 140223 pts., *Ans.*

Time.

¶ 117. EXAMPLES FOR PRACTICE.

1. From Jan. 1st, 1790, to Jan. 1st, 1804, was 14 yrs. = 5113 d. = 122712 h. = 7362720 m. = 441763200 s.; and from Jan. 1st to March 1st, 1804, including the two days named, was 61 d. = 1464 h. = 87840 m. = 5270400 s.; then, 441763200 s. + 5270400 s. = 447033600 s., *Ans.*

2. 447033600 s. = 7450560 m. = 124176 h. = 5174 d. = 739 wks. 1 d., *Ans.*

3. From July 4th, M., to Sept. 29th, 6 o'clock, P. M., is 87 d. 6 h. = 2094 h. = 125640 m., *Ans.*

4. 125640 m. = 2094 h. = 87 d. 6 h., which added to July 4th, M., gives the time to be Sept. 29th, 6 o'clock, P. M., *Ans.*

5. From 23 minutes past 4 o'clock, A. M., to 40 minutes past 7 o'clock, P. M., is 15 h. 17 m. = 917 m. = 55020 s., *Ans.*

6. 55020 s. = 917 m. = 15 h. 17 m., *Ans.*

7. From Apr. 19th, 1775, to Apr. 19th, 1782, was 7 yrs. = 2557 d. = 61368 h. = 3682080 mi.; and from Apr. 19th, 1782, to Jan. 20th, 1783, was 276 d. = 6624 h. = 397440 m.; then, 3682080 m. + 397440 m. = 4079520 m., *Ans.*

8. 4079520 m. = 67992 h. = 7 yrs. 276 d. 6 h., estimating 365 d. 6 h. as a year, or 7 yrs. 278 d., estimating 365 d. as a year, *Ans.*

### ¶ 118. EXAMPLES FOR PRACTICE.

1. 9 s. 13° = 283°; 283° 25' = 17005' = 1020300'', *Ans.*
3. 3 s. = 90° = 5400', *Ans.*

## Reduction of Fractional Compound Numbers.

### ¶ 120. EXAMPLES FOR PRACTICE.

**NOTE.** In performing the examples in this ¶, it will generally be found more expeditious, to write each given fraction, and all the multipliers or divisors necessary to perform the required reduction, either as one compound fraction, or as several fractions to be multiplied together; the operations then may frequently be contracted by cancelation. See ¶¶ 60 and 80.

$$3. \frac{3}{760} \text{ lb. Troy} \times \frac{12}{1} \times \frac{20}{1} \times \frac{24}{1} = \frac{432}{19} \text{ gr., } \textit{Ans.}$$

$$4. \frac{432}{19} \text{ gr.} \times \frac{1}{24} \times \frac{1}{20} \times \frac{1}{12} = \frac{3}{760} \text{ lb., } \textit{Ans}$$

$$5. \frac{1}{2740} \text{ hhd.} \times \frac{54}{1} \times \frac{4}{1} \times \frac{2}{1} = \frac{108}{685} \text{ pt., } \textit{Ans}$$

$$6. \frac{108}{685} \text{ pt.} \times \frac{1}{2} \times \frac{1}{4} \times \frac{1}{54} = \frac{1}{2740} \text{ hhd., } \textit{Ans.}$$

$$7. \frac{8}{45} \text{ hhd.} \times \frac{54}{1} \times \frac{1}{24} = \frac{4}{15} \text{ bar., } \textit{Ans}$$

$$8. \left(\frac{8}{30} = \right) \frac{4}{15} \text{ bar.} \times \frac{2}{1} \times \frac{1}{54} = \frac{8}{45} \text{ hhd., Ans.}$$

$$9. \frac{2}{22365} \text{ T.} \times \frac{2}{1} \times \frac{2}{1} \times \frac{63}{1} \times \frac{4}{1} \times \frac{2}{1} \times \frac{4}{1} = \frac{256}{355} \text{ gi., Ans.}$$

$$10. \left(\frac{16128}{22365} = \right) \frac{256}{355} \text{ gi.} \times \frac{1}{4} \times \frac{1}{2} \times \frac{1}{4} \times \frac{1}{63} \times \frac{1}{2} \times \frac{1}{2} = \frac{2}{22365} \text{ T., Ans.}$$

$$11. \frac{1}{10000000000} \text{ M.} \times \frac{410}{1} \times \frac{4}{1} \times \frac{410}{1} \times (272\frac{1}{2}) = \frac{1089}{4} \times \frac{144}{1} = \frac{156816}{390625} \text{ sq. in., Ans.}$$

NOTE. Cutting off the ciphers from 640 and 40 in the numerators, and two ciphers from the first denominator, in the above operation, divides the numerator and denominator of the product by 100.

$$12. \left(\frac{4014489600}{10000000000} = \right) \frac{1089}{390625} \text{ sq. in.} \times \frac{1}{44} \times \left(\frac{1}{272\frac{1}{2}} = \right) \frac{4}{1089} \times \frac{1}{40} \times \frac{1}{4} \times \frac{1}{640} = \frac{1}{10000000000} \text{ M., Ans.}$$

$$13. \frac{5}{2688} \text{ bu.} \times \frac{4}{1} \times \frac{8}{1} \times \frac{2}{1} = \frac{5}{42} \text{ pt., Ans.}$$

$$14. \frac{5}{42} \text{ pt.} \times \frac{1}{2} \times \frac{1}{8} \times \frac{1}{4} = \frac{5}{2688} \text{ bu., Ans.}$$

$$15. \frac{11}{1440} \text{ w.} \times \frac{7}{1} \times \frac{24}{1} = \frac{11}{60} \text{ h., Ans.}$$

$$16. \frac{11}{60} \text{ h.} \times \frac{1}{24} \times \frac{1}{7} = \frac{11}{10080} \text{ w., } \textit{Ans.}$$

$$17. \frac{1}{\frac{336}{10}} \text{ mi.} \times \frac{32}{1} \times (16\frac{1}{2}) = \frac{33}{2} = \frac{3}{2} \text{ ft., } \textit{Ans.}$$

$$18. \frac{4}{3} \text{ ft.} \times (\frac{1}{16\frac{1}{2}}) = \frac{2}{33} \times \frac{1}{\frac{320}{40}} = \frac{1}{3960} \text{ mi., } \textit{Ans.}$$

$$19. \frac{2}{9} \text{ of } \frac{1}{3} \text{ £.} \times \frac{20}{1} = \frac{20}{27} \text{ s., } \textit{Ans.}$$

20.  $\frac{20}{27} \text{ s.} \times \frac{1}{20} = \frac{1}{27} \text{ £.}$  Since  $\frac{1}{27} \text{ £.}$  is  $\frac{2}{9}$  of the required fraction,  $\frac{1}{2}$  of  $\frac{1}{27} = \frac{1}{54}$  is  $\frac{1}{9}$ , which  $\times 9 = (\frac{1}{54} \times \frac{9}{1}) = \frac{1}{6}$ , the required fraction, *Ans.*

$$21. \frac{1}{\frac{8}{4}} \text{ of } \frac{2}{11} \text{ of } \frac{3}{1} \text{ £.} \times \frac{20}{1} \times \frac{12}{1} = \frac{180}{11} \text{ d., } \textit{Ans.}$$

22. 1st question.  $\frac{15}{11} \text{ d.} \times \frac{1}{12} \times \frac{1}{\frac{20}{4}} = \frac{3}{44}$  of 1£., which  $+ 3 = \frac{1}{44}$  of 3£.. Since  $\frac{1}{44}$  of 3£. is  $\frac{1}{8}$  of the required fraction, 8 times  $\frac{1}{44} = (\frac{1}{44} \times \frac{8}{1}) = \frac{2}{11}$  of 3£., is the required fraction, *Ans.*

2d. question.  $\frac{15}{11} \text{ d.} \times \frac{1}{12} \times \frac{1}{\frac{20}{4}} = \frac{3}{44}$  of 1£., which  $+ 3 = \frac{1}{11}$  of 3£.. Since  $\frac{1}{11}$  of 3£. is  $\frac{3}{11}$  of the required fraction,

$\frac{1}{2}$  of  $\frac{1}{44} = \frac{1}{88}$  is  $\frac{1}{11}$ , which  $\times 11 = (\frac{1}{88} \times \frac{11}{1} =) \frac{1}{8}$  of 3*£.* is the required part, *Ans.*

3d. question.  $\frac{3}{11}$  d.  $\times \frac{1}{12} \times \frac{1}{20} = \frac{3}{44}$  of 1*£.* Since  $\frac{3}{44}$  *£.*

is  $\frac{1}{8}$  of  $\frac{3}{11} = \frac{1}{44}$  of the required number of pounds, 44 times

$\frac{3}{44}$  *£.*  $= (\frac{3}{44} \text{ *£.* } \times \frac{44}{1} =) 3$  *£.* is the required number of pounds, *Ans.*

## ¶ 121. EXAMPLES FOR PRACTICE.

5.  $\frac{3}{4}$  lb.  $= \frac{36}{5}$  oz.  $= 7\frac{1}{5}$  oz.,  $\frac{1}{5}$  oz.  $= \frac{20}{5}$  pwt.  $= 4$  pwt. *Ans.*, 7 oz. 4 pwt.

6. 7 oz. 4 pwt.  $= 144$  pwt., the numerator; 1 lb.  $= 12$  oz.  $= 240$  pwt., the denominator; then,  $\frac{144}{240}$  lb.  $= \frac{3}{5}$  lb., *Ans.*

7.  $\frac{5}{8}$  lb.  $= \frac{40}{8}$  oz.  $= 8\frac{4}{8}$  oz.,  $\frac{4}{8}$  oz.  $= \frac{12}{8}$  dr.  $= 1\frac{4}{8}$  dr. *Ans.*, 8 oz.  $1\frac{4}{8}$  dr.

8. 8 oz.  $1\frac{4}{8}$  dr.  $= 142\frac{4}{8}$  dr.  $= \frac{1220}{8}$  dr.; 1 lb.  $= 16$  oz.  $= 256$  dr.  $= \frac{2304}{8}$  dr.; then,  $\frac{1220}{2304}$  lb.  $= \frac{5}{8}$  lb., *Ans.*

9.  $\frac{1}{4}$  mi.  $= 4\frac{1}{4}$  fur.,  $\frac{1}{4}$  fur.  $= 125\frac{1}{4}$  yds.,  $\frac{1}{4}$  yd.  $= 2\frac{1}{4}$  ft.,  $\frac{1}{4}$  ft.  $= 1\frac{1}{4}$  in., and  $\frac{1}{4}$  in.  $= 2\frac{1}{4}$  bar. *Ans.*, 4 fur. 125 yds. 2 ft. 1 in.  $2\frac{1}{4}$  bar.

10. 4 fur. 125 yds.  $= 1005$  yds., 1005 yds. 2 ft.  $= 3017$  ft., 3017 ft. 1 in.  $= 36205$  in., 36205 in.  $2\frac{1}{4}$  bar.  $= 108617\frac{1}{4}$  bar.  $= \frac{760320}{1330560}$  bar.; 1 mi.  $= \frac{1330560}{1330560}$  bar.; then,  $\frac{760320}{1330560}$  mi.  $= \frac{1}{2}$  mi., *Ans.*

11.  $\frac{1}{4}$  w.  $= 5\frac{1}{2}$  d.,  $\frac{1}{2}$  d.  $= 14\frac{1}{2}$  h., and  $\frac{1}{2}$  h.  $= 24$  m. *Ans.*, 5 d. 14 h. 24 m.

12. 5 d. 14 h. 24 m.  $= 8064$  m.; 1 w.  $= 10080$  m.; then,  $\frac{8064}{10080}$  w.  $= \frac{1}{2}$  w., *Ans.*

13.  $\frac{1}{7}$  A.  $= 1\frac{1}{2}$  R., and  $\frac{1}{2}$  R.  $= 30$  P. *Ans.*, 1 R. 30 P.

14. 1 R. 30 P.  $= 70$  P.; 1 A.  $= 160$  P.; then,  $\frac{70}{160}$  A.  $= \frac{7}{16}$  A., *Ans.*

15.  $\frac{1}{10}$  yd.  $= 2\frac{1}{10}$  ft.,  $\frac{1}{10}$  ft.  $= 8\frac{1}{10}$  in., and  $\frac{1}{10}$  in.  $= 1\frac{1}{10}$  bar. *Ans.*, 2 ft. 8 in.  $1\frac{1}{10}$  bar.

16. 2 ft. 8 in.  $1\frac{1}{10}$  bar.  $= 48\frac{1}{10}$  bar.; 1 yd.  $= 36\frac{0}{10}$  bar.; then,  $\frac{48\frac{1}{10}}{36\frac{0}{10}}$  yds.  $= \frac{11}{9}$  yd., *Ans.*



17. 3 R.  $17\frac{1}{2}$  P. =  $27\frac{1}{2}$  P.; 1 A. =  $32\frac{0}{10}$  P.; then,  $37\frac{5}{10}$  A.  $8\frac{1}{2}$  A., *Ans.*

18. 27 gal. 3 qts. 1 pt. = 223 pts.; 1 hhd. = 504 pts.; then,  $22\frac{3}{4}$  hhd., *Ans.*

19.  $\frac{1}{13}$  of  $\frac{7}{13}$  cwt. =  $\frac{7}{169}$  cwt. =  $2\frac{8}{13}$  cwt.,  $\frac{8}{13}$  cwt. =  $21\frac{9}{13}$  qrs.,  $\frac{9}{13}$  qrs. =  $21\frac{7}{13}$  lbs., and  $\frac{7}{13}$  lb.  $8\frac{8}{13}$  oz. *Ans.*, 2 cwt. 2 qrs. 21 lbs.  $8\frac{8}{13}$  oz.

*The foregoing reversed.* 2 cwt. 2 qrs. 21 lbs.  $8\frac{8}{13}$  oz. is  $\frac{5}{13}$  of how many cwt.? 2 cwt. 2 qrs. 21 lbs.  $8\frac{8}{13}$  oz. =  $227\frac{20}{13}$  oz.; 1 cwt. =  $232\frac{8}{13}$  oz.; then,  $\frac{227\frac{20}{13}}{232\frac{8}{13}}$  cwt.  $\div \frac{5}{13}$  =  $(\frac{227\frac{20}{13}}{232\frac{8}{13}} \times \frac{13}{5})$   $\frac{7}{13}$  cwt. = 7 cwt., that is,  $\frac{5}{13}$  of 7 cwt., *Ans.*

20. 13 h. 42 m.  $51\frac{1}{2}$  s. =  $345\frac{600}{7}$  s.; 1 d. =  $864\frac{800}{7}$  s.; then,  $34\frac{1}{2}$  d. =  $\frac{1}{2}$  d., *Ans.*

### Reduction of Decimal Compound Numbers.

#### ¶ 122. EXAMPLES FOR PRACTICE.

3. '213 T. = 4'26 cwt., '26 cwt. 1'04 qr., '04 qr. = 1'12 lb., '12 lb. = 1'92 oz., and '92 oz. = 14'72 dr. *Ans.*, 4 cwt. 1 qr. 1 lb. 1 oz. 14'72 drs.

4. 1 oz. 14'72 drs. = 1'92 oz., 1 lb. 1'92 oz. = 1'12 lb., 1 qr. 1'12 lb. = 1'04 qr., and 4 cwt. 1'04 qr. = 4'26 cwt. = '213 T., *Ans.*

5. 6 lb. = 7'2 z., '2 z. = 1'6 z., '6 z. = 1'8 D, and '8 D = 16 grs. *Ans.*, 7 z. 1 z. 1 D. 16 grs.

6. 16 grs. = '8 D., 1'8 D. = '6 z., 1'6 z. = '2 z., and 7'2 z. = 6 lb., *Ans.*

7. '76754 M. = 491'2256 A., '2256 A. = 36'096 P., '096 P. = 26'136 sq. ft., and '136 sq. ft. = 19'584 sq. in. *Ans.*, 491 A. 36 P. 26 sq. ft. 19'584 sq. in.

8. 19'584 sq. in. = '136 sq. ft., 26'136 sq. ft. = '096 P., 36'096 P. = '2256 A., and 491'2256 A. = '76754 M., *Ans.*

9. '3958 bar. = 12'4677 gal., '4677 gal. = 1'8708 qt., '8708 qt. = 1'7416 pt., and '7416 pt. = 2'9664 gi. *Ans.*, 12 gal. 1 qt. 1 pt. 2'9664 gi.

10. 2'9664 gi. = '7416 pt., 1'7416 pt. = '8708 qt., 1'8708 qt. = '4677 gal., and 12'4677 gal. = '3958 bar. of wine, *Ans.*

11. '73 C. = 5'84 C. ft., 84 C. ft. = 13'44 cu. ft., and '44 cu. ft. = 760'32 cu. in. *Ans.*, 5 C. ft. 13 cu. ft. 760'32 cu. in.

12. 760'32 cu. in. = '44 cu. ft., 13'44 cu. ft. = '84 C. ft., and 5'84 C. ft. = '73 C., *Ans.*

13. '648 qr. = 5'184 bu., '184 bu. = 5'888 qts., and '888 qts. = 1'776 pts. *Ans.*, 5 bu. 5 qts. 1'776 pts.
14. 1'776 pts. = '888 qt., 5'888 qts. = '184 bu., and 5'184 bu. = '648 qr., *Ans.*
15. '125 lb. Troy = 1'5 oz., and '5 oz. = 10 pwt. *Ans.*, 1 oz. 10 pwt.
16. 10 pwt. = '5 oz., and 1'5 oz. = '125 lb. Troy, *Ans.*
17. '72 hhd. = 38'88 gal., and '88 gal. = 3'52 qts. *Ans.*, 38 gal. 3'52 qts.
18. 3'52 qts. = '88 gal., and 38'88 gal. = '72 hhd., *Ans.*
19. '375 yd. = 1'5 qrs., and '5 qr. = 2 na. *Ans.*, 1 qr. 2 na.
20. 2 na. = '5 qr., and 1'5 qrs. = '375 yd., *Ans.*
21. '713 d. = 17'112 h., '112 h. = 6'72 m., and '72 m. = 43'2 s. = 43½ s. *Ans.*, 17 h. 6 m. 43½ s.
22. 43½ s. = 43'2 s. = '72 m., 6'72 m. = '112 h., and 17'112 h. = '713 d., *Ans.*
23. 4 P. = '025 A., *Ans. Reversed*, '025 A. = 4 P.
24. '7 lb. Troy = 8'4 oz., and '4 oz. = 8 pwt. *Ans.*, 8 oz. 8 pwt.
25. 50'4 s. = '84 m., 15'84 m. = '264 h., and 18'264 h. = '761 d., *Ans.*
26. 2 ft. = '6 yd., 3'6 yds. = '6 rd., 2'6 rds. = '06 fur., 6'06 fur. = '7583 mi., and 11'7583 mi. = '169 deg., *Ans.*

### ¶ 123. Review of Reduction of Compound Numbers.

#### EXERCISES.

1. 46£. 4s. = 924s., which  $\times 24\frac{1}{2}$  (the number of cents in 1s.) = \$223'608.
2. 3 lb. 5 oz. 16 pwt. 2 grs. = 20066 grs.; 5 pwt. 7 grs. = 127 grs.; then, 20066 grs.  $\div$  127 grs. = 158 times = 158 rings, *Ans.*
3. 212 rds. = 41976 in.; and 18 ft. 6 in. = 222 in.; then, 41976 in.  $\div$  222 in. = 189 $\frac{3}{7}$  times, *Ans.*
4. 10 lbs. = 2400 pwt.; 5 oz. 10 pwt. = 110 pwt.; then, 2400 pwt.  $\div$  110 pwt. = 21 $\frac{9}{11}$  times = 21 $\frac{9}{11}$  spoons, *Ans.*
5. 6 sq. in.  $\times$  4 (4 rows of 6 squares each) = 24 sq. in. covered by 1 shingle, and 144 sq. in. (= 1 sq. ft.)  $\div$  24 sq. in. (= 1 shingle) = 6 shingles to cover 1 sq. ft.; 40 ft.  $\times$  24 ft. (length  $\times$  breadth) = 960 sq. ft., (the area of the roof.)  
3\*

which  $\times 6$  (the number of shingles on 1 sq. ft.) = 5760 shingles, *Ans.*

6. 26 ft. (long)  $\times 4$  ft. (wide)  $\times 6$  ft. (high) = 624 cu. ft. = 39 C. ft. = 4 C. 7 C. ft., *Ans.*

7.  $18 + 18 + 16 + 16 = 68$  ft. (length of all the walls,) which  $\times 8 = 544$  sq. ft. (to be covered;) (11 yds. =) 33 ft.  $\times 2$  ft. = 66 sq. ft. (in 1 piece of paper;) then, 544 sq. ft.  $\div 66$  sq. ft. =  $8\frac{8}{3}$  times =  $8\frac{8}{3}$  rolls, *Ans.*

8.  $6\frac{1}{2}$  ft.  $\times 2$  ft.  $\times 5$  ft. = 65 cu. ft. =  $4\frac{1}{8}$  C. ft., *Ans.*

9. 3 w. 4 d. 16 h. = 616 h., and 7 mi.  $\times 616 = 4312$  mi., *Ans.*

10.  $\$2.75 \times 63$  (gal. = 1 hhd.) =  $\$173.25$ , cost of 1 hhd.; and  $\$173.25 \times 12 = \$2079$ , cost of 12 hhds., *Ans.*

11. 10£. 8s. = 2496d., and 5s. 4d. = 64d.; then, 2496d.  $\div 64$ d. = 39 times = 39 oz. = 3 lbs. 3 oz., *Ans.*

12. 2 lbs. 8 oz. 16 pwt. = 656 pwt.; 3d.  $\times 656 = 1968$ d. = 8£. 4s., *Ans.*

13. 9 qts.  $\times 365 = 3285$  qts. = 15 hhds. 11 gal. 1 qt., *Ans.*

14. 14445 E. Fl. = 43335 qrs. = 8667 E. E., *Ans.*

15.  $44\frac{1}{2} \times 3 = 133\frac{1}{2}$  shingles to lay 1 course; 20 ft.  $\times 3 = 60$  courses on one side;  $133\frac{1}{2} \times 60 = 8010$  shingles to cover one side;  $8010 \times 2 = 16020$  shingles to cover both sides, *Ans.*

16.  $54\frac{1}{2}$  mi. = 3453120 in., which  $\div 30$  in. = 115104 times = 115104 steps, *Ans.*

17. 40 yrs. = 14610 d. Since he redeems  $\frac{1}{2}$  hour (= 30 minutes) in 1 day, in 14610 days he would redeem  $14610\frac{1}{2}$  hours = 438300 m. = 26298000 s., *Ans.*

18. 45 yrs. = 16436 days, which — 2348 (Sundays) = 14088 working days; 4s.  $\times 14088 = 56352$  s., which  $\times 24\frac{1}{2} = \$13637.184$ , *Ans.*

19. 9 candles  $\times 24 = 216$  candles, which  $\div 12 = 18$  doz., *Ans.*

20. 4 lbs. 6 oz. = 70 oz. Since 16 oz. make 60 knots, 1 oz. will make  $\frac{1}{16}$  of 60 knots =  $\frac{3}{8} = 3\frac{3}{8}$  knots, and 70 oz. will make 70 times  $3\frac{3}{8}$  knots =  $262\frac{1}{2}$  knots =  $26\frac{1}{4}$  skeins, *Ans.*

21. From the commencement of the Christian era till 12 o'clock at noon of Dec. 10th, 1847, would be 1846 years 343 days 12 hours.

In 1846 yrs. are 447 leap yrs., (consult ¶ 117, Note 1.) 1846 — 447 = 1399 yrs.  $\times 365$  d. = 510635 d.; and 447 yrs.  $\times 366$  d. = 163602 d. Then 510635 d. + 163602 d. + 343 d. =

674580 d., which, + 12 h. = 16189932 h., and 16189932 h. = 96368  $\frac{2}{14}$  w, *Ans.*

22. (Consult ¶ 120, Note.)  $\frac{7}{1920}$  lb. Troy  $\times \frac{12}{1} \times \frac{20}{1} = \frac{1}{8}$  pwts., *Ans.*

23.  $\frac{3}{4}$  qr.  $\times \frac{1}{4} \times \frac{1}{12} \times \frac{1}{20} = \frac{1}{1280}$  £., *Ans.*

24. 4 qrs.  $1\frac{1}{2}$  na. =  $17\frac{1}{2}$  na. =  $3\frac{1}{2}$  na.; 1 E. E. = 20 na. =  $4\frac{1}{2}$  na.; then,  $\frac{2}{3}$  E. E. =  $\frac{1}{3}$  E. E., *Ans.*

25. 2 qrs.  $2\frac{2}{3}$  na. =  $10\frac{2}{3}$  na. =  $3\frac{2}{3}$  na.; 1 yd. =  $4\frac{1}{2}$  na.; then,  $\frac{2}{3}$  yd. =  $\frac{2}{3}$  yd., *Ans.*

26. 16 h. 36 m.  $55\frac{1}{3}$  s. =  $177600$  s.; 1 d. =  $115200$  s.; then,  $177600$  d. =  $1\frac{2}{3}$  d., *Ans.*

27. 6 fur. 26 r. 11 ft. = 4400 ft.; 1 mi. = 5280 ft.; then,  $\frac{4400}{5280}$  mi. =  $\frac{5}{6}$  mi., *Ans.*

28.  $\frac{3}{13}$  T. =  $4\frac{8}{13}$  cwt.,  $\frac{8}{13}$  cwt. =  $2\frac{8}{13}$  qrs.,  $\frac{8}{13}$  qr. =  $12\frac{8}{13}$  lbs.,  $\frac{1}{3}$  lb. =  $14\frac{2}{3}$  oz., and  $\frac{1}{3}$  oz. =  $12\frac{4}{13}$  drs. *Ans.*, 4 cwt. 2 qrs. 12 lbs. 14 oz.  $12\frac{4}{13}$  drs.

29. 37 s. = 616 m.,  $55\cdot616$  m. = 92694 h. = 0386226851 d., *Ans.*

30. 9 grs. = 375 pwt., 13375 pwt. = 66875 oz., and 1066875 oz. = 8890625 lb., *Ans.*

31. 397 yd. = 1588 qrs., and 588 qr. = 2352 na. *Ans.*, 1 qr. 2352 na.

### Addition of Compound Numbers.

#### ¶ 124. EXAMPLES FOR PRACTICE.

7. 11 s. + 18 s. + 5 s. = 34 s., 55 m. + 42 m. + 18 m. = 1 h. 55 m., 1 h. + 23 h. + 16 h. + 5 h. = 1 d. 21 h., 1 d. + 6 d. + 5 d. = 1 w. 5 d., 1 w. + 47 w. + 38 w. + 24 w. = 110 w. = 2 yrs. 5 w. 4 d. 12 h. 22 m. 24 s., and 2 yrs. + 57 yrs. + 84 yrs. + 32 yrs. = 175 yrs.; then, 175 yrs. 0w. 5 d. 21 h. 55 m. 34 s. + 5 w. 4 d. 12 h. 22 m. 24 s. = 175 yrs. 6 w. 3 d. 10 h. 17 m. 58 s., *Ans.*

NOTE. The above conforms to the example as presented in the 1st edition of the Arithmetic. To simplify the operation, in later editions, the sum of the weeks will be found to be less than one year.

8. 10 drs. + 15 drs. + 9 drs. = 2 oz. 2 drs., 2 oz. + 5 oz. + 9 oz. + 11 oz. = 1 lb. 11 oz., 1 lb. + 16 lbs. + 11 lbs. + 25 lbs. = 1 qr. 25 lbs., 1 qr. + 1 qr. + 2 qrs. = 1 cwt., which +

11 cwt. + 18 cwt. = 1 T. 10 cwt., and 1 T. + 14 T. + 25 T. + 7 T. = 47 T. *Ans.*, 47 T. 10 cwt. 25 lbs. 11 oz. 2 drs.

11. (9576 lbs. =) 4 T. 1576 lbs. + 11 T. + (7 T. 18 cwt. 27 lbs. = 17723 lbs. =) 8 T. 1723 lbs. = 24 T. 1299 lbs., *Ans.*

26.  $3^{\circ} 8' 45'' + 2^{\circ} 36' + 4^{\circ} 52'' + 1^{\circ} 48' 52'' + 1^{\circ} 19' + 59' 30'' = 13^{\circ} 52' 59''$  South.  $1^{\circ} 51' + 2^{\circ} 1' 15'' + 1^{\circ} + 3^{\circ} 16' 22'' + 48' 29'' + 3^{\circ} 52' 11'' = 12^{\circ} 49' 17''$  East, *Ans.*

27. 116 sq. yds. 7 sq. ft. 96 sq. in. + 116 sq. yds. 7 sq. ft. 96 sq. in. + 178 sq. yds. 138 sq. in. + 178 sq. yds. 138 sq. in. + 439 sq. yds. 6 sq. ft. 78 sq. in. = 1029 sq. yds. 5 sq. ft. 114 sq. in., *Ans.*

29. 4 bar. 176 lbs. 8 oz. + 18 bar. (40½ lbs. =) 40 lbs. 8 oz. + 1 bar. 164 lbs. 7 oz. + (181½ bar. =) 181 bar. 147 lbs. = 206 bar. 76 lbs. 7 oz., *Ans.*

30. (2¼ bu. =) 2 bu. 15 lbs. + 2 bu. 21 lbs. 7 oz. + (1½ bu. 18 lbs. =) 1 bu. 48 lbs. + 2 bu. 50 lbs. + 1 bu. (58½ lbs. =) 58 lbs. 12 oz. = 11 bu. 13 lbs. 3 oz., *Ans.*

31. 35 bar. 27 gal. 3 qts. + 19 bar. 5 gal. 1 qt. + 7 bar. 13 gal. 3 qts. = 62 bar. 14½ gal. 3 qts. = 62 bar. 15 gal. 1 qt., *Ans.*

32. 12 rds. 9 ft. 4 in. + 15 rds. 7 ft. 8 in. + 6 rds. 4 ft. 5 in. = 34 rds. 4½ ft. 5 in. = 34 rds. 4 ft. 11 in., *Ans.*

33. 59 deg. 46 mi. 6 fur. 39 rds. 15 ft. 10 in. + 216 deg. 39 mi. 7 fur. 39 rds. 4 ft. 7 in. + 78 deg. 63 mi. 7 fur. 38 rds. 9 ft. 8 in. = 355 deg. 1¾ mi. 6 fur. 37 rds. 13½ ft. 1 in. = 355 deg. 2 mi. 4 fur. 11 rds. 2½ ft. 1 in. = 355 deg. 2 mi. 4 fur. 11 rds. 2 ft. 7 in., *Ans.*

34. 2 A. 75 P. 248 sq. ft. 72 sq. in. + 3 A. 120 P. 177 sq. ft. 85 sq. in. + 15 A. 17 P. 84 sq. ft. 80 sq. in. = 21 A. 53 P. 237½ sq. ft. 93 sq. in. = 21 A. 53 P. 238 sq. ft. 57 sq. in., *Ans.*

35. 25 gr. gr. 9 gr. 7 doz. 11 + 15 gr. gr. 7 gr. 8 doz. + 40 gr. gr. 4 doz. = 81 gr. gr. 5 gr. 7 doz. 11 screws, *Ans.*

### ADDITION OF FRACTIONAL COMPOUND NUMBERS.

¶ 125. 2. ⅔ £. = 17s. 6d.; ¾ s. = 9d.; and 17s. 6d. + 9d. = 18s. 3d., *Ans.*

3. ⅔ gal. = 3 qts. ⅔ pt., which + ⅔ pt. = 3 qts. 1½ pts., *Ans.*

4. ½ lb. Troy = 6 oz.; ⅓ oz. = 11 pwt. 16 grs.; and 6 oz. + 11 pwt. 16 grs. = 6 oz. 11 pwt. 16 grs., *Ans.*

5.  $\frac{3}{4}$  mi. = 192 rds.,  $\frac{2}{11}$  rd. = 4 ft. 6 in.; and 192 rds. + 47 rds. 4 ft. 6 in. = 239 rds. 4 ft. 6 in., *Ans.*

6.  $\frac{3}{8}$  of  $(20\frac{1}{2} =)$   $4\frac{1}{2}$  yds. =  $14\frac{3}{8}$  yds. =  $7\frac{1}{8}$  yds. = 7 yds. 2 qrs. 3 na.;  $\frac{3}{8}$  of  $(9\frac{1}{4} =)$   $2\frac{1}{4}$  yds. =  $1\frac{3}{8}$  yds. =  $7\frac{1}{8}$  yds. = 7 yds. 2 qrs.  $3\frac{1}{4}$  na.; and 7 yds. 2 qrs. 3 na. + 7 yds. 2 qrs.  $3\frac{1}{4}$  na. = 15 yds. 1 qr.  $2\frac{1}{4}$  na., *Ans.*

### Subtraction of Compound Numbers.

#### ¶ 126. EXAMPLES FOR PRACTICE.

7. 136£. 7s. 6d. 2qrs. — 50£. 10s. 4d. 3qrs. = 86£. 17s. 1d. 3 qrs., *Ans.*

8. 1256£. 10s. — 87£. 10s. 6d. = 1168£. 19s. 6d., *Ans.*

9. 118 gal. — 97 gal. 3 qts. 1 pt. = 20 gal. 0 qt. 1 pt., *Ans.*

10. 3 lb. 4 oz. — 5 oz. 7 pwt. 13 grs. = 2 lb. 10 oz. 12 pwt. 11 grs., *Ans.*

11. 256 A. 1 R. 10 P. — 87 A. 6 P. 10 sq. yds. = 169 A. 1 R. 3 P. 20 sq. yds. 2 sq. ft. 36 sq. in., *Ans.*

12. 15 lb. 2 oz. 5 pwt. — 9 oz. 8 pwt. 10 grs. = 14 lb. 4 oz. 16 pwt. 14 grs., *Ans.*

13. 10 yds. 3 qrs. 2 na. + 18 yds. 3 qrs. 3 na. = 29 yds. 3 qrs. 1 na.; then, 36 yds. 2 qrs. — 29 yds. 3 qrs. 1 na. = 6 yds. 2 qrs. 3 na., *Ans.*

14. 13 A. 3 R. + 14 A. 3 R. = 28 A. 2 R.; 26 A. 2 R. 27 P. + 45 A. 2 R. 33 P. = 72 A. 1 R. 20 P.; then, 72 A. 1 R. 20 P. — 28 A. 2 R. = 43 A. 3 R. 20 P., *Ans.*

17. 19 P. 55 sq. ft. 126 sq. in. — 7 P. 92 sq. ft. 11 sq. in. = 11 P. 235 $\frac{1}{2}$  sq. ft. 115 sq. in. = 11 P. 236 sq. ft. 7 sq. in., *Ans.*

18. 64 A. 2 R. 11 P. 29 sq. ft. — 26 A. 7 R. 34 P. 132 sq. ft. = 36 A. 2 R. 16 P. 169 sq. ft. 36 sq. in., *Ans.*

*NOTE.* In subtracting 7 R. from 1 R., we must borrow 2 A. from 64 A.

19. (9 rds. 5 yds. 2 ft. 11 in. =) 10 rds. 0 yd. 1 ft. 5 in. — 10 rds. 0 yd. 1 ft. 2 in. = 3 in., *Ans.*

20. (8 C. 76 cu. ft. =) 8 C. 4 C. ft. 12 cu. ft. + 5 C. 7 C. ft. = 14 C. 3 C. ft. 12 cu. ft.; then, 21 C. — 14 C. 3 C. ft. 12 cu. ft. = 6 C. 4 C. ft. 4 cu. ft. = 6 C. 68 cu. ft., *Ans.*

#### ¶ 127. Distance of Time from one date to another.

4. 1847th yr. 9th mo. 1st. d. — 1842d yr. 4th mo. 14th d. = 5 yrs. 4 m. 17 d., the whole time. 1843d yr. 10th mo.

30th d. — 1842d yr. 4th mo. 14th d. = 1 yr. 6 mo. 16 d., time without interest. 1847th yr. 9th mo. 1st d. — 1843d yr. 10th mo. 30th d. = 3 yrs. 10 mo. 1 d., time with interest.

### Subtraction of Fractional Compound Numbers.

¶ 128. 2.  $\frac{3}{4}$  oz. Troy = 12 pwt.;  $\frac{1}{4}$  pwt. = 21 grs.; and 12 pwt. — 21 grs. = 11 pwt. 3 grs., *Ans.*

3.  $\frac{3}{4}$  bu. = 3 pks. 5 qts.;  $\frac{1}{4}$  pk. = 7 qts. 1 pt.; and 3 pks. 5 qts. — 7 qts. 1 pt. = 2 pks. 5 qts. 1 pt., *Ans.*

4.  $\frac{1}{4}$  mi. = 13 rds. 5 ft. 6 in.;  $\frac{1}{8}$  fur. = 6 rds. 11 ft.; and 13 rds. 5 ft. 6 in. — 6 rds. 11 ft. = 6 rds. 11 ft., *Ans.*

5.  $\frac{4}{5}$  of  $(19\frac{1}{4}) = \frac{77}{4}$  gal. =  $\frac{77}{5}$  gal. =  $15\frac{2}{5}$  gal. = 15 gal. 1 qt.

1 pt.  $\frac{4}{5}$  gi.;  $\frac{1}{2}$  of  $(3\frac{1}{2}) = 1\frac{3}{4}$  qts. =  $1\frac{3}{8}$  qts. =  $1\frac{3}{8}$  qts. = 1 qt. 1 pt.  $3\frac{1}{4}$  gi.; then, 15 gal. 1 qt. 1 pt.  $\frac{4}{5}$  gi. — 1 qt. 1 pt.  $3\frac{1}{4}$  gi. = 14 gal. 3 qts. 1 pt.  $1\frac{3}{8}$  gi., *Ans.*

### Multiplication and Division of Compound Numbers.

#### ¶ 129. EXAMPLES FOR PRACTICE.

7. 6d.  $\times 5 = 30$ d. = 2s. 6d., and 10s.  $\times 5 = 50$ s., which + 2s. = 52s. = 2£. 12s. *Ans.*, 2£. 12s. 6d.

8. (2£. 12s. =) 52s.  $\div 5 = 10$ s. and 2s. remainder; (2s. 6d. =) 30d.  $\div 5 = 6$ d. *Ans.* 10s. 6d.

¶ 130. 3.  $4 \times 6 = 24$ ; then, 2£. 12s. 4d.  $\times 4 = 10$ £. 9s. 4d., which  $\times 6 = 62$ £. 16s., *Ans.*

4. 62£. 16s.  $\div 6 = 10$ £. 9s. 4d., which  $\div 4 = 2$ £. 12s. 4d., *Ans.*

5.  $8 \times 7 \times 2 = 112$ ; then, 2 bu. 1 pk.  $\times 8 = 18$  bu., 18 bu.  $\times 7 = 126$  bu., which  $\times 2 = 252$  bu., *Ans.*

6. 252 bu.  $\div 2 = 126$  bu., 126 bu.  $\div 7 = 18$  bu., which  $\div 8 = 2$  bu. 1 pk., *Ans.*; or, 252 bu.  $\div 8 = 31$  bu. 2 pks., which  $\div 7 = 4$  bu. 2 pks., and 4 bu. 2 pks.  $\div 2 = 2$  bu. 1 pk., *Ans.*, as before.

NOTE. We see from the last operation, that the quotient is not altered by changing the order of the factors of the divisor.

7.  $7 \times 12 = 84$ ; 112 gal. 2 qts. 1 pt. 3 gi.  $\times 7 = 789$  gal. 1 gi., which  $\times 12 = 9468$  gal. 1 qt. 1 pt., *Ans.*

9.  $3 \times 9 \times 5 = 135$ ; 2 bu. 3 pks.  $\times 8 = 8$  bu. 1 pk., 8 bu. 1 pk.  $\times 9 = 74$  bu. 1 pk., which  $5 = 371$  bu. 1 pk., *Ans.*

11.  $5 \times 5 = 25$ ; 32 yds. 2 qrs. 1 na.  $\times 5 = 162$  yds. 3 qrs. 1 na., which  $\times 5 = 814$  yds. 1 na., *Ans.*

### ¶ 131. EXAMPLES FOR PRACTICE.

3. 75 A. 2 R. 25 P.  $\times 10 = 756$  A. 2 R. 10 P. in 10 lots, 756 A. 2 R. 10 P.  $\times 10 = 7565$  A. 2 R. 20 P. in 100 lots, which  $\times 2 = 15131$  A. 1 R. in 200 lots; 756 A. 2 R. 10 P.  $\times 4 = 3026$  A. 1 R. in 40 lots; then,  $15131$  A. 1 R.  $+$   $3026$  A. 1 R.  $+$   $75$  A. 2 R. 25 P.  $= 18233$  A. 25 P., in 241 lots, *Ans.*

4.  $18233$  A. 25 P.  $\div 241 = 75$  A. 2 R. 25 P., *Ans.*

5. 78 lbs. 9 oz.  $\times 10 = 785$  lbs. 10 oz. in 10 chests, which  $\times 2 = 1571$  lbs. 4 oz. in 20 chests; 78 lbs. 9 oz.  $\times 3 = 235$  lbs. 11 oz. in 3 chests; then,  $1571$  lbs. 4 oz.  $+$   $235$  lbs. 11 oz.  $= 1806$  lbs. 15 oz. in 23 chests, *Ans.*

7. 9£. 11s. 6d.  $\times 10 = 95$ £. 15s., cost of 10 bales; 95£. 15s.  $\times 10 = 957$ £. 10s., cost of 100 bales, which  $\times 3 = 2872$ £. 10s., cost of 300 bales; 95£. 15s.  $\times 7 = 670$ £. 5s., cost of 70 bales; and 9£. 11s. 6d.  $\times 5 = 47$ £. 17s. 6d., cost of 5 bales; then,  $2872$ £. 10s.  $+$   $670$ £. 5s.  $+$   $47$ £. 17s. 6d.  $= 3590$ £. 12s. 6d., cost of 375 bales, *Ans.*

NOTE. 375 in the above operation  $= 5 \times 5 \times 5 \times 3$ .

9. 22 bu. 3 pks. 5 qts.  $\times 10 = 229$  bu. 2 qts. on 10 acres, which  $\times 10 = 2290$  bu. 2 pks. 4 qts. on 100 acres; 229 bu. 2 qts.  $\times 2 = 458$  bu. 4 qts. on 20 acres; and 22 bu. 3 pks. 5 qts.  $\times 5 = 114$  bu. 2 pks. 1 qt. on 5 acres; then,  $2290$  bu. 2 pks. 4 qts.  $+$   $458$  bu. 4 qts.  $+$   $114$  bu. 2 pks. 1 qt.  $= 2863$  bu. 1 pk. 1 qt. on 125 acres, *Ans.*

NOTE. In the above operation  $125 = 5 \times 5 \times 5$ .

### ¶ 132. Difference in Longitude and Time between different places.

3.  $1^\circ$  of longitude  $= 4$  m. of time, and  $11^\circ = 4$  m.  $\times 11 = 44$  m. of time; and 12 h.  $\rightarrow 44$  m.  $= 11$  h. 16 m., that is, 16 minutes past 11 o'clock, *Ans.*

4. 4 m. of time  $= 1^\circ$  of longitude, and 44 m.  $= \frac{44}{4} = 11^\circ$ , the difference in longitude, *Ans.*

5. A meteor is transient in its appearance, and in all places where seen, must be seen at the same instant of time;



the question, therefore, is the same as if it had been, "At 47 minutes past 11 o'clock, P. M., of Dec. 31st, 1847, at Washington, what is the time at Boston? at the Sandwich Islands?" The difference between the Washington and Boston time (26 m. 40 s.) must be added to the Washington time to find the Boston time, = 13 m. 40 s., A. M., of Jan. 1st, 1848; and the difference between the Washington and the Sandwich Island time (5 h. 9 m. 8 s.) must be subtracted from the Washington time, to give the Sandwich Island time, = 37 m. 52 s. past 6 o'clock, P. M., of Dec. 31st., 1847, *Ans.*

### ¶ 133. Review of Compound Numbers.

#### EXERCISES.

1. 3 oz. 5 pwt.  $\times 3 \times 6 = 4$  lb. 10 oz. 10 pwt.; 15 pwt. 14 gr.  $\times 4 \times 6 = 1$  lb. 6 oz. 14 pwt.; 9 oz. 7 pwt.  $\times 3 = 2$  lb. 4 oz. 1 pwt.; 1 lb. 9 oz. 15 pwt.  $\times 2 = 3$  lb. 7 oz. 10 pwt.; 11 oz. 18 pwt.  $\times 6 = 5$  lb. 11 oz. 8 pwt.; the several products added = 18 lb. 4 oz. 3 pwt., *Ans.*

2. 27 yds. 3 qrs.  $\times 5 \times 7 = 971$  yds. 1 qr., *Ans.*

3. 45 gal. 3 qts. 1 pt.  $\times 9 = 412$  gal. 3 qts. 1 pt. *Ans.*

5. 869 bu. 2 pks. 6 qts.  $\div 365 = 2$  bu. 1 pk. 6 qts., the quantity which 8 horses will consume in 1 day; and 2 bu. 1 pk. 6 qts.  $\div 8 = 1$  pk. 1 qt. 1 pt. 2 gi., the quantity which 1 horse will consume in 1 day, *Ans.*

6. 61£. 5s. + 195£. 13s. 11d. = 256£. 18s. 11d., and 735£. 11s. 6d. - 256£. 18s. 11d. = 478£. 12s. 7d., *Ans.*

7. 4s. 6d.  $\times 10 = 2$ £. 5s.; 5s.  $\times 12 = 3$ £.; 5s. 6d.  $\times 4 = 2$ £. 2s.; 10s.  $\times 4 = 2$ £.; 11s.  $\times 4 = 2$ £. 4s.; 12s.  $\times 6 = 3$ £. 12s.; 14s.  $\times 6 = 4$ £. 4s.; and the sum of the several products + 1£. 4s. = 19£. 11s., *Ans.*

8. 16 bar. 23 gal. 3 qts.  $\div 5 = 3$  bar. 10 gal.  $4\frac{1}{2}$  qts. = 3 bar. 11 gal.  $\frac{1}{2}$  qt., *Ans.*

9.  $3 \times 7 = 21$ . 3 P. 112 sq. ft. 81 sq. in.  $\times 3 \times 7 = 1$  R. 31 P. 185 sq. ft. 117 sq. in.; then, (1 A. =) 4 R. - 1 R. 31 P. 185 sq. ft. 117 sq. in. = 2 R. 8 P.  $86\frac{1}{2}$  sq. ft. 27 sq. in. = 2 R. 8 P. 86 sq. ft. 63 sq. in., *Ans.*

10. 3 rds. 9 ft. 7 in.  $\times 3 \times 5 = 53$  rds. 11 ft. 9 in., *Ans.*

11.  $3^\circ 18' 45'' \times 10 \times 3 = 99^\circ 22' 30''$ , *Ans.*

12. 30 d. + 31 d. + 30 d. = 91 d. = 13 w.; then, 1 gr. 7 doz.  $\times 13 = 20$  gr. 7 doz., *Ans.*

13.  $\$1000000 \div \$100 = 10000$  times = 10000 m. =  $166\frac{2}{3}$  h. =  $16\frac{2}{3}$  d. of 10 hours each, *Ans.*

14.  $\$100000000 + \$100 = 10000000$  times = 10000000

m. =  $\frac{166666\frac{2}{3}}{241\frac{2}{3}}$  h. =  $\frac{16666\frac{2}{3}}{241\frac{2}{3}}$  d. of 10 hours each = 45 yrs. 241 $\frac{2}{3}$  d., *Ans.*

15.  $\$1000000000000000 \div (\$100 \times 1000) = \$100000 = 10000000000$  times =  $\frac{10000000000}{166666666\frac{2}{3}}$  h. =  $\frac{166666666\frac{2}{3}}{166666666\frac{2}{3}}$  d. of 10 hours each = 45662 yrs. 36 $\frac{2}{3}$ , *Ans.*

## ANALYSIS.

### ¶ 134. EXAMPLES FOR PRACTICE.

1. 1 hhd. 15 gal. 3 qts. = '3125 T.; then,  $\$302\cdot40 \times '3125 = \$94\cdot50$ , *Ans.*

2.  $\$94\cdot50 \div '3125 = \$302\cdot40$ , *Ans.*

3.  $\$94\cdot50 \div \$302\cdot40 = '3125$  T. = 1 hhd. 15 gal. 3 qts., *Ans.*

4.  $3\frac{1}{4}$  qts. = '8125 gal.; then,  $\$2\cdot215 \times '8125 = \$1\cdot80$ , *Ans.*

5.  $\$1\cdot80 \div '8125 = \$2\cdot215$ , *Ans.*

6.  $\$1\cdot80 \div 2\cdot215 = '8125$  gal. =  $3\frac{1}{4}$  qts., *Ans.*

7.  $\$96\cdot72 \times \frac{5}{8} = \$60\cdot45$ , *Ans.*

8.  $\$60\cdot45 \div \frac{5}{8} = \$96\cdot72$ , *Ans.*

9.  $\$60\cdot45 \div \$96\cdot72 = \frac{5}{8} = \frac{5}{8}$  ton, *Ans.*

10.  $\$2\cdot5 \times '8 = \$2$ , *Ans.*

11.  $\$2 \div '8 = \$2\cdot5$ , *Ans.*

12.  $\$2 \div \$2\cdot5 = '8$  yd., *Ans.*

13. 14 cwt. = '7 T.; then,  $(27\text{£. } 10\text{s.}) \times '7 = 19\cdot25\text{£.} = 19\text{£. } 5\text{s.}$ , *Ans.*

14.  $(19\text{£. } 5\text{s.}) \div '7 = 27\cdot5\text{£.} = 27\text{£. } 10\text{s.}$ , *Ans.*

15.  $(19\text{£. } 5\text{s.}) \times '7 = 19\cdot25\text{£.} \div (27\text{£. } 10\text{s.}) = 27\cdot5\text{£.} \times '7$  T. = 14 cwt., *Ans.*

16. 1 pk. 4 qts. = '375 bu.; then,  $\$1\cdot92 \times '375 = \$\cdot72$ , *Ans.*

18.  $\$72 \div \$1\cdot92 = '375$  bu. = 1 pk. 4 qts., *Ans.*

19. 16 yds. 2 qrs. 3 na. =  $16\cdot6875$  yds.; then,  $\$6 \times 16\cdot6875 = \$100\cdot125$ , *Ans.*

21.  $\$100\cdot125 \div \$6 = 16\cdot6875$  yds. = 16 yds. 2 qrs. 3 na., *Ans.*

22. 1850 lbs. = '925 T.; then,  $\$13 \times '925 = \$12\cdot025$ , *Ans.*

24.  $\$12\cdot025 \div \$13 = '925$  T. = 1850 lbs., *Ans.*

27. 31 lbs. 2 oz. 1 pwt. 6 grs. = 179550 grs.; 11 pwt. 6 grs. = 270 grs.; and  $179550 \text{ grs.} \div 270 \text{ grs.} = 665$  times = 665 eagles, *Ans.*

28.  $\$200 + \$1\cdot75 = 114\frac{3}{4}$  times =  $114\frac{3}{4}$  bu. = 11 qrs. 2 bu. 1 pk. 1 $\cdot$ 1428 $\frac{3}{4}$  qts., *Ans.*

29. 3 qrs. 2 na. = 875 yd.; then,  $\$6 \times 875 = \$525$ ,  
*Ans.*

30. 6500 lbs. = 3.25 T.; then,  $\$22.10 \div 3.25 = \$6.80$ ,  
*Ans.*

31. 9 oz. 4 pwt. 16 grs. =  $9\frac{7}{10}$  oz.; then,  $\$11.08 \div 9\frac{7}{10} =$   
 $(\frac{1108}{100} \times \frac{30}{277} =) \frac{3324}{2770} = \$1.20$ , *Ans.*

32.  $\$1.25 \div \$20 = .0625$  oz. = 1 pwt. 6 grs., *Ans.*

35.  $28\frac{1}{2}$  d.  $\times 16 = 453\frac{1}{2}$  d., the time it would take 1 man,  
 which  $\div 12 = 37\frac{7}{12}$  d., the time it will take 12 men, *Ans.*

36. 20 yds.  $\times \frac{3}{4}$  yd. = 15 sq. yds., the contents of the cas-  
 simere, and 15 sq. yds.  $\div (1\frac{1}{2} =) \frac{1}{2} = 12$  yds. of alpaca,  
*Ans.*

37. If we knew how much 1 horse consumed in 1 week,  
 it would be easy to find how much 12 horses would consume  
 in 8 weeks.

$2\frac{3}{4} = \frac{1}{4}$  tons. If 7 horses consume  $\frac{1}{4}$  tons in 6 weeks, 1  
 horse will consume  $\frac{1}{7}$  of  $\frac{1}{4} = \frac{1}{28}$  of a ton in 6 weeks; and if  
 a horse consume  $\frac{1}{28}$  of a ton in 6 weeks, he will consume  $\frac{1}{7}$   
 of  $\frac{1}{28} = \frac{1}{196}$  of a ton in 1 week. 12 horses will consume 12  
 times  $\frac{1}{196} = \frac{12}{196}$  in 1 week, and in 8 weeks they will consume  
 8 times  $\frac{12}{196} = \frac{1}{21} = 6\frac{2}{7}$  tons, *Ans.*

38. If 5 persons drink  $(7\frac{1}{2} =) \frac{15}{2}$  gal. in 1 week, 1 person  
 would drink  $\frac{1}{5}$  of  $\frac{15}{2} = \frac{3}{2}$  gal. in 1 week; 8 persons would  
 drink 8 times  $\frac{3}{2} = \frac{12}{2}$  gal. in 1 week, and in  $(22\frac{1}{2} =) \frac{45}{2}$

weeks they would drink  $\frac{312}{25} \times \frac{15}{2} = \frac{1404}{5} = 280\frac{4}{5}$  gal., *Ans.*

39.  $\$11$  for 7 yds. is  $\frac{1}{7}$  of  $\$11 = \$1\frac{4}{7}$  for 1 yard sold, and  
 $\$7$  for 5 yds. is  $\frac{1}{5}$  of  $\$7 = \$1\frac{2}{5}$  for 1 yd. bought; now,  $(\$1\frac{4}{7} =)$   
 $\$1\frac{4}{7} - (\$1\frac{2}{5} =) \$1\frac{2}{35} = \$\frac{6}{35} =$  gain on 1 yard; then,  
 $\$200 \div \$\frac{6}{35} = 7000 = 1166\frac{2}{3}$  yds.; and  $1166\frac{2}{3} (\frac{2}{3} =) \frac{1}{3} \div$   
 $129\frac{1}{3} = 9$  bales, *Ans.*

40. If  $(\frac{1}{2} =) \frac{3}{4} - \frac{1}{4} = \frac{1}{2}$  lb. cost  $(13\frac{1}{2} =) \frac{27}{2}$  s.d., then 1 lb.  
 $(= \frac{2}{3})$  will cost 6 times as much =  $\frac{27}{3}$  s.d.;  $(14$  lbs.  $=) 70$   
 lb.  $-(\frac{1}{2}$  of  $\frac{7}{2} =) \frac{7}{4}$  lb.  $= \frac{27}{4}$  s.d., and  $\frac{27}{4}$  s.d.  $(\text{cost of 1 lb.}) \times \frac{27}{4}$   
 $= 26\frac{3}{4}$  s.d. = 4£. 9s. 9 $\frac{3}{4}$  d., *Ans.*

41. 26 qrs. 2 bu. = 210 bu.;  $5.25$  A.  $\div 210 = .025$  A., (to  
 produce 1 bushel.) which  $\times 380$  (the number of bushels in  
 47 qrs. 4 bu.) =  $9.5$  A. = 9 A. 2 R., *Ans.*

42. If 9 students spend  $(10\frac{7}{9} =) \frac{97}{9}$  £. in 18 days, 1 stu-  
 dent will spend  $\frac{1}{9}$  of  $\frac{97}{9}$  £. =  $\frac{97}{81}$  £. in 18 days, and  $\frac{1}{18}$  of  $\frac{97}{81}$  £.

$= \frac{11}{144} \text{£.}$  in 1 day; 20 students will spend 20 times  $\frac{11}{144} \text{£.}$   
 $= \frac{121}{72} \text{£.}$  in 1 day, and in 30 days 30 times  $\frac{121}{72} \text{£.} =$   
 $\frac{1820}{72} \text{£.} = 39 \text{£. } 18\text{s. } 4\frac{2}{3}\text{d.}, \text{ Ans.}$

43.  $\frac{1}{5}$  yd. will cost  $\frac{1}{5}$  of  $\$7 = \$\frac{7}{5}$ , which  $\times 5 = \$7$ ,  
 cost of 1 yd.;  $\$2\frac{1}{2} \times (40\frac{1}{2} = \frac{81}{2}) = \$206\frac{1}{4} = \$206.25, \text{ Ans.}$

44. If  $(\frac{7}{15} =) \frac{1}{3}$  of the ship cost  $\$251$ , then  $\frac{1}{2}$  part of it  
 will cost  $\frac{1}{4}$  of  $\$251 = \$62\frac{1}{4}$ , and  $\frac{3}{2}$  of it will cost 3 times  
 as much  $= \$93\frac{3}{4} = \$93.75, \text{ Ans.}$

45. 1 cwt. = 112 lb.; then, 1 lb. will cost  $\frac{1}{112}$  of  $(3\frac{1}{2} \text{£.} =)$   
 $2\frac{1}{2} \text{£.} = \frac{25}{8} \text{£.}$ ; and  $(9\frac{3}{4} =) 2\frac{3}{4}$  lb. will cost  $2\frac{3}{4}$  as much, that  
 is,  $2\frac{3}{4}$  of  $\frac{25}{8} \text{£.} = \frac{156\frac{1}{4}}{8} \text{£.} = 6\text{s. } 3\frac{1}{4}\text{d.}, \text{ Ans.}$

46.  $\frac{2}{3}$  of  $\frac{1}{2} = \frac{1}{3}$  = the part of the vessel sold; then, if  $\frac{2}{15}$   
 of the vessel cost  $\$957$ ,  $\frac{1}{3}$  of it will cost  $\frac{1}{2}$  of  $\$2917 = \$1458\frac{1}{2}$ ,  
 and  $\frac{1}{2}$  will cost 15 times as much  $= \$1458\frac{1}{2} \times 15 = \$21877\frac{1}{2}, \text{ Ans.}$

47. If  $(\frac{1}{2}$  yd. =  $2\frac{1}{2}$  qr. =  $\frac{1}{2}$  E. E. =  $\frac{1}{2}$ )  $\frac{1}{3}$  E. E. cost  
 $\frac{1}{3} \text{£.}$ , then  $\frac{1}{15}$  E. E. will cost  $\frac{1}{15}$  of  $\frac{1}{3} \text{£.} = \frac{1}{45} \text{£.}$ , and  $(\frac{9}{15} =)$   
 $\frac{1}{3}$  E. E. will cost 18 times as much  $= \frac{18}{45} \text{£.} = 17\text{s. } 1\text{d. } 2\frac{1}{2}\text{qr.}, \text{ Ans.}$

## PRACTICE.

### ¶ 135. EXAMPLES FOR PRACTICE.

8.  $12\frac{1}{2}$  cents =  $\frac{1}{8}$  of a dollar, and  $\$264 \div 8 = \$33, \text{ Ans.}$

10.  $\$1 \cdot 12\frac{1}{2} = 1$  dollar and  $\frac{1}{2}$  of another dollar; 1 time  
 $\$8460$  and  $\frac{1}{2}$  of another time =  $\$9517 \cdot 50, \text{ Ans.}$  At  $\$4 \cdot 06\frac{1}{2}$   
 $= 4$  dollars and  $\frac{1}{16}$  part of another dollar;  $\$8460 \times 4 =$   
 $\$33840$ ; and  $\$3460 \div 16 = \$528 \cdot 75$ ; then,  $\$33840 +$   
 $\$528 \cdot 75 = \$34368 \cdot 75, \text{ Ans.}$

¶ 136. 3.  $3460 \times \$4 = \$13840$ , (removing the separ-  
 atrix two places,) *Ans.*

4.  $24650 \times \$5 = \$12325$ , (... three places,) *Ans.*

5.  $4750 \times \$12 \cdot 25 = \$58187\frac{1}{2}$ , (... three places,) *Ans.*

6.  $38600 \times \$4 \cdot 75 = \$18335$ , (... three places,) *Ans.*

7.  $46590 \times \$10 \cdot 625 = \$49501\frac{1}{4}$ , (... three places,) *Ans.*

8.  $75 \times \$4 = \$3$ , (... two places,) *Ans.*

9.  $4000 \times \$3 = \$12$ , (... three places,) *Ans.*

ORDER. In ¶ 136 the sums expressed in Federal Money must precede the  
 sign  $\times$ , and the other numbers follow it.

¶ 137. 2.  $\$7 \cdot 50 \div 2 = \$3 \cdot 75 =$  price of 1000 lbs.,

which  $\times 15742 = \$59'032+$ , (removing the separatrix three places,) *Ans.*

### ¶ 138. EXAMPLES FOR PRACTICE.

2.  $1873\text{£.} \div 3 = 624\text{£. } 6\text{s. } 8\text{d.}$ , *Ans.*

5.  $14\text{s.} = 10\text{s.} (= \frac{1}{2}\text{£.}) + 4\text{s.} (= \frac{1}{5}\text{£.};)$   $866\text{£.} \div 2 = 433\text{£.}$ , and  $866\text{£.} \div 5 = 173\text{£. } 4\text{s.}$ ; then,  $433\text{£.} + 173\text{£. } 4\text{s.} = 606\text{£. } 4\text{s.}$ , *Ans.*

6.  $7\text{ T. } 8\text{ cwt.} = 148\text{ cwt.};$   $16\text{s. } 8\text{d.} = 10\text{s.} (= \frac{1}{2}\text{£.}) + 6\text{s. } 8\text{d.} (= \frac{1}{3}\text{£.};)$   $148\text{£.} \div 2 = 74\text{£.}$ , and  $148\text{£.} \div 3 = 49\text{£. } 6\text{s. } 8\text{d.}$ ; then,  $74\text{£.} + 49\text{£. } 6\text{s. } 8\text{d.} = 123\text{£. } 6\text{s. } 8\text{d.}$ , *Ans.*

### ¶ 139. EXAMPLES FOR PRACTICE.

1.  $4\text{d.} = \frac{1}{3}\text{s.}$  and  $348216\text{s.} \div 3 = 116072\text{s.} = 5803\text{£. } 12\text{s.}$ , *Ans.*

2.  $9\text{d.} = 6\text{d.} + 3\text{d.};$   $2490\text{s.} \div 2 = 1245\text{s.} = 62\text{£. } 5\text{s.}$ , and  $2490\text{s.} \div 4 = 622\text{s. } 6\text{d.} = 31\text{£. } 2\text{s. } 6\text{d.}$ ; then,  $62\text{£. } 5\text{s.} + 31\text{£. } 2\text{s. } 6\text{d.} = 93\text{£. } 7\text{s. } 6\text{d.}$ , *Ans.*

3.  $4\frac{1}{2}\text{d.} = 3\text{d.} + 1\frac{1}{2}\text{d.};$   $4000\text{s.} \div 4 = 1000\text{s.} = 50\text{£.};$  and  $4000\text{s.} \div 8 = 500\text{s.} = 25\text{£.}$ ; then,  $50\text{£.} + 25\text{£.} = 75\text{£.}$ , *Ans.*

### ¶ 140. EXAMPLES FOR PRACTICE.

2.  $3\text{ qts.} = 2\text{ qts.} + 1\text{ qt.};$   $\$94 \div 2 = \$47$ , the price of 2 qts., and  $\$94 \div 4$ , or  $\$47 \div 2 = \$235$ , the price of 1 qt.; then,  $\$47 + \$235 = \$70\frac{1}{2}$ , *Ans.*

3.  $90\text{ rds.} = 80\text{ rds.} (= \frac{1}{4}\text{ mi.}) + 10\text{ rds.} (= \frac{1}{2}\text{ mi.} = \frac{1}{4}\text{ of } \frac{1}{2}\text{ mi.};)$   $\$1200 \div 4 = \$300$ , and  $\$1200 \div 32$ , or  $\$300 \div 8 = \$37'50$ ; then,  $\$300 + \$37'50 = \$337'50$ , *Ans.*

4.  $65\text{ lbs.} = 40\text{ lbs.} (= \frac{1}{2}\text{ bar.}) + 25\text{ lbs.} (= \frac{1}{4}\text{ bar.};)$   $\$17'25 \div 5 = \$3'45$ , and  $\$17'25 \div 8 = \$2'15+$ ; then,  $\$3'45 + \$2'15+ = \$5'60+$ , *Ans.*

5.  $14\text{ quires} = 10\text{ quires} (= \frac{1}{2}\text{ ream}) + 4\text{ quires} (= \frac{1}{4}\text{ ream};)$   $\$3'00 \div 2 = \$1'50$ , and  $\$3'00 \div 5 = \$60$ ; then,  $\$1'50 + \$60 = \$2'10$ , *Ans.*

8.  $8\text{ mo.} = 6\text{ mo.} (= \frac{1}{2}\text{ yr.}) + 2\text{ mo.} (= \frac{1}{3}\text{ of } \frac{1}{2}\text{ yr.};)$  and  $21\text{ d.} = 15\text{ d.} (= \frac{1}{2}\text{ of } 2\text{ mo.}) + 6\text{ d.} (= \frac{1}{10}\text{ of } 2\text{ mo.};)$   $\$400 \div 2 = \$200$ ,  $\$200 \div 3 = \$66\frac{2}{3}$ ,  $\$66\frac{2}{3} \div 4 = \$16\frac{2}{3}$ , and  $\$66\frac{2}{3} \div 10 = \$6\frac{2}{3}$ ; then,  $\$200 + \$66\frac{2}{3} + \$16\frac{2}{3} + \$6\frac{2}{3} = \$290$ , *Ans.*

9.  $5\text{ C. ft.} = 4\text{ C. ft.} (= \frac{1}{2}\text{ C.}) + 1\text{ C. ft.} (= \frac{1}{2}\text{ of } \frac{1}{2}\text{ C.};)$  and  $12\text{ cu. ft.} = 8\text{ cu. ft.} (= \frac{1}{2}\text{ C. ft.}) + 4\text{ cu. ft.} (= \frac{1}{2}\text{ of } \frac{1}{2}$

C. ft.)  $\$2.50 \div 2 = \$1.25$ ,  $\$1.25 \div 4 = \$31\frac{1}{4}$ ,  $\$31\frac{1}{4} \div 2 = \$15\frac{1}{8}$ , which  $\div 2 = \$7\frac{1}{16}$ ; then,  $\$1.25 + \$31\frac{1}{4} (= \frac{1}{8} + \$15\frac{1}{8}) = \frac{1}{8} + \$15\frac{1}{8} = \$15\frac{1}{8}$ , *Ans.*

10. 11 oz. = 8 oz. ( $= \frac{1}{2}$  lb.) + 2 oz. ( $= \frac{1}{4}$  of  $\frac{1}{2}$  lb.) + 1 oz. ( $= \frac{1}{2}$  of 2 oz.)  $\$12 \div 2 = \$6$ ,  $\$6 \div 4 = \$1.50$ , which  $\div 2 = \$0.75$ ; then,  $\$6 + \$1.50 + \$0.75 = \$8.25$ , *Ans.*

11. 3 yds. = 3 times 1 yd., and  $\frac{3}{4}$  yd. =  $\frac{1}{2}$  yd. +  $\frac{1}{4}$  yd. ( $= \frac{1}{4}$  of  $\frac{1}{2}$  yd.)  $\$4.00 \times 3 = \$12.00$ ,  $\$4.00 \div 2 = \$2.00$ , which  $\div 4 = \$0.50$ ; then,  $\$12.00 + \$2.00 + \$0.50 = \$14.50$ , *Ans.*

¶ 141. EXAMPLES FOR PRACTICE.

1. 9s. = '45£., and 7d. = '029£. *Ans.* '479£. — 12s. = '6£., and  $\frac{3}{4}$ d. = '003£. *Ans.*, '603£.

2. 15s. = '75£., and 3d. = '012£.; 8s. = '4£., and  $11\frac{1}{2}$ d. = '048£.; 10s. = '5£., and  $6\frac{1}{2}$ d. = '026£.; 1s. = '05£., and  $8\frac{1}{2}$ d. = '035£.;  $\frac{1}{2}$ d. = '002£.;  $2\frac{1}{2}$ d. = '009£. *Amount*, £1'833.

¶ 142. 1. *It will be most convenient to decompose the fraction in the following manner*: '5£. = 10s., and '023£. = 22 (abating 1) = 22qr. =  $5\frac{1}{2}$ d. *Ans.*, 10s.  $5\frac{1}{2}$ d. — '694£. ( $=$  '65£.) = 13s. + ('044£. =) 42 (abating 2) = 42 qr. =  $10\frac{1}{2}$ d. *Ans.*, 13s.  $10\frac{1}{2}$ d.

2. '45£. = 9s., and '020£. =  $4\frac{1}{2}$ d. *Ans.*, 9s.  $4\frac{1}{2}$ d.

3. '75£. = 15s., and '035£. = 34qr. =  $8\frac{1}{2}$ d.; '35£. = 7s., and '007£. =  $1\frac{1}{2}$ d.; '9£. = 18s., and '016£. =  $3\frac{1}{2}$ d.; '7£. = 14s., and '040£. =  $9\frac{1}{2}$ d.; '5£. = 10s.; '25£. = 5s.; '05£. = 1s., and '040£. =  $9\frac{1}{2}$ d.; '008£. = 2d. *Amount*, 3£. 12s. 11d.

PERCENTAGE.

¶ 143. EXAMPLES FOR PRACTICE.

4. 895 lbs.  $\times$  '09 = 80'55 lbs., and 895 lbs. — 80'55 lbs. = 814'45 lbs., *Ans.*

5. 725 bar.  $\times$  '28 = 203 bar. thrown overboard, and 725 bar. — 203 bar. = 522 bar. saved, *Ans.*

6. '125 of any sum or number =  $\frac{1}{8}$  of the sum or number; hence,  $\$692.75 \div 8 = \$86.59\frac{3}{8}$ , *Ans.*

7.  $33\frac{1}{2}$  per cent. =  $\frac{1}{3}$  of the whole number; hence, 639 sheep + ( $\frac{2}{3}$ ) 213 sheep = 852 sheep, *Ans.*

8.  $\$1942\cdot715 \times '16375 = \$318\cdot1195+$ , the sum paid, and  $\$1942\cdot715 - \$318\cdot1195+ = \$1624\cdot595+$ , *Ans.*

9.  $\$4861 \times '285 = \$1385\cdot385$ , *Ans.*

10.  $\$115 \times '0075 = \$862\frac{1}{2}$ , *Ans.*

11.  $\$376 \times '00875 = \$3\cdot29$ , *Ans.*

13.  $\$1960 \times '22 = \$431\cdot20$ , due in 3 mo., and  $\$1960 - \$431\cdot20 = \$1528\cdot80$ , due in 6 mo., *Ans.*

15. 100 per cent. — 63 per cent. = 37 per cent., the loss; then,  $\$3615 \times '37 = \$1337\cdot55$ , *Ans.*

16. At each transaction he saves 85 per cent. of what he has before the transaction.  $\$5000 \times '85 = \$4250$ , the value of the farm;  $\$4250 \times '85 = \$3612\cdot50$ , what he receives for the farm;  $\$3612\cdot50 \times '85 = \$3070\cdot625$ , what he has left after his excursion to the west;  $\$3070\cdot625 \times '85 = \$2610\cdot031\frac{1}{4}$ , what he has left after speculating in railroad stocks; and  $\$2610\cdot031\frac{1}{4} \times '85 = \$2218\cdot526+$ , what he has left on quitting trade, *Ans.*

### • Mutual Insurance.

#### ¶ 145. EXAMPLES FOR PRACTICE.

2.  $\$2845 \times '12 = \$341\cdot40$ , am't of the premium note,  $10\frac{1}{2}$  per cent. of which =  $\$35\cdot847$ , *Ans.*

3.  $\$2845 \times '15 = \$426\cdot75$ , am't of premium note,  $10\frac{1}{2}$  per cent. of which =  $\$44\cdot808\frac{1}{4}$ , *Ans.*

4.  $\$5000 \times '22 = \$1100$ , am't of premium note, 7 per cent. of which =  $\$77$ , cost of 5 years insurance, and  $\$77 \div 5 = \$15\cdot40$ , cost per year, *Ans.*

5.  $\$3200 \times '11 = \$352$ , am't of premium note,  $10\frac{1}{2}$  per cent. of which =  $\$35\cdot49\frac{1}{4}$ , the whole sum paid, *Ans.*

6.  $\frac{1}{2}$  per cent. of  $\$3200 = \$16$ , the cost of insurance for 1 year, and  $\$16 \times 5 = \$80$ , the cost for 5 years; then  $\$80 - \$35\cdot49\frac{1}{4} = \$44\cdot50\frac{3}{4}$ , *Ans.*

7.  $\$750 \times '06 = \$45$ , am't of premium note,  $13\frac{1}{2}$  per cent. of which =  $\$6\cdot07\frac{1}{2}$ , cost of 5 years' insurance, and  $\$6\cdot07\frac{1}{2} \div 5 = \$1\cdot21\frac{1}{2}$ , cost of 1 year's insurance, *Ans.*

8.  $\$900 \times '05 = \$45$ , am't of premium note, 6 per cent. of which =  $\$2\cdot70$ , *Ans.*

### Stocks.

#### ¶ 146. EXAMPLES FOR PRACTICE.

1.  $\$100 \times 35 \times (\frac{1}{100} =) 1\cdot20 = \$4200$ , *Ans.*

2. 100 per cent.  $+ 7\frac{1}{2}$  per cent.  $= 107\frac{1}{2}$  per cent.; then,  
 $\$100 \times 15 \times 1.075 = \$1612.50$ , *Ans.*

3.  $(100 - 1\frac{1}{4}) = 98\frac{3}{4}$  per cent.; then,  $\$2000 \times .9875 =$   
 $\$1975$ , *Ans.*

4.  $(100 - 11\frac{1}{4}) = 88\frac{3}{4}$  per cent.; then,  $\$2800 \times .8875 =$   
 $\$2485$ , *Ans.*

6.  $(100 + 9\frac{1}{2}) = 109\frac{1}{2}$  per cent.;  $\$3000 \times 1.095 = \$3285$ ,  
*Ans.*

7.  $(100 - 1\frac{1}{2}) = 98\frac{1}{2}$  per cent.;  $\$5000 \times .985 = \$4925$ ,  
*Ans.*

### Brokerage.

#### ¶ 147. EXAMPLES FOR PRACTICE.

4.  $\$5000 \times .0025 = \$12.50$ , the brokerage, and  $\$5000$   
 $+ \$12.50 = \$5012.50$ , *Ans.*

6.  $\$6000 \times 1.01 = \$60$ , *Ans.*

7.  $\$5200 \times .005 = \$26$ , and  $\$5200 - \$26 = \$5174$ ,  
*Ans.*

### Profit and Loss.

#### ¶ 148. EXAMPLES FOR PRACTICE.

2.  $\$60 \times .20 = \$12$ , the gain, and  $\$60 + \$12 = 72$ ,  
*Ans.*; or, I must sell it for  $\frac{12}{100}$  of what it cost me, that is, for  
 120 per cent. of  $\$60$ ;  $\$60 \times 1.20 = \$72$ , *Ans.*, as before.

3. I must sell it for  $(100 - 12) = 88$  per cent. of what it  
 cost me;  $\$2.50 \times .88 = \$2.20$ , *Ans.*

4. To gain 5 per cent., I must sell it for 105 per cent. of  
 what it cost me, that is for 5 per cent. advance;  $\$20 \times 1.05$   
 $= \$21$ , *Ans.*, &c. To gain 10 per cent., I must sell it for  
 110 per cent. of  $\$20 = \$22$ , *Ans.* To gain 15 per cent., I  
 must sell it for 115 per cent. of  $\$20 = \$23$ , *Ans.* To lose  
 20 per cent., I must sell it for  $(100 - 20) = 80$  per cent. of  
 $\$20 = \$16$ , *Ans.*

### Interest.

#### ¶ 150. EXAMPLES FOR PRACTICE.

2.  $\$450 \times .05 = \$22.50$ , the interest for 1 year, which  $\div$   
 $4 = \$5.62\frac{1}{2}$ , the interest for ( $\frac{1}{4}$  yr.  $=$ ) 3 months, and  $\$5.62\frac{1}{2}$   
 $\times 3 = \$16.87\frac{1}{2}$ , the interest for ( $\frac{3}{4}$  yr.  $=$ ) 9 months; then,  
 $\$450 + \$16.87\frac{1}{2} = \$466.87\frac{1}{2}$ , the amount, *Ans.*

3.  $\$87.50 \times .08 = \$7$ , interest for 1 yr., which  $\div 2 =$



\$3.50, interest for 6 mo.; and  $\$3.50 \div 6 = \$583+$ , interest for 1 mo.; then,  $\$3.50 + \$583+ = \$4.083+$ , interest for 7 mo., and  $\$87.50 + \$4.083+ = \$91.583+$ , *Ans.*

4.  $\$163 \times .07 = \$11.41$ , interest for 1 yr., which  $\div 3 = \$3.803+$ , interest for 4 mo., *Ans.*

5.  $\$850 \times .06 = \$51$ , interest for 1 yr., which  $\div 6 = \$8.50$ , interest for 2 mo., and  $\$8.50 \times 5 = \$42.50$ , interest for 10 mo., *Ans.*

### ¶ 151. EXAMPLES FOR PRACTICE.

2.  $\$400 \times .08 = \$32$ , interest for 1 yr.;  $\$32 \div 4 = \$8$ , interest for 3 mo.; and  $\$8 \div 10 = \$80$ , interest for 9 days, *Ans.* NOTE. 9 days  $= \frac{9}{30} = \frac{1}{10}$  of 3 months.

3.  $\$75 \times .08 = \$6$ , for 1 yr.;  $\$6 \div 12 = \$50$ , for 1 mo.;  $\$50 \div 2 = \$25$ , for 15 d.;  $\$50 \div 15 = \$3.33\frac{1}{3}$ , for 2 d.; which  $\times 2 = \$6.66\frac{2}{3}$ , for 4 d.; then,  $\$25 + \$6.66\frac{2}{3} = \$31\frac{2}{3}$ , for 19 d., *Ans.*

4.  $\$500 \times .08 = \$40$ , for 1 yr.;  $\$40 \div 12 = \$3.33\frac{1}{3}$ , for 1 mo.;  $\$3.33\frac{1}{3} \div 6 = \$55\frac{1}{3}$ , for 5 d., which  $\times 5 = \$2.777+$  for 25 d., *Ans.*

### ¶ 152. EXAMPLES FOR PRACTICE.

1.  $\$84 \times .08 = \$6.72$ , for 1 yr.;  $\$6.72 \div 4 = \$1.68$ , for 3 mo., which  $\times 3 = \$5.04$ , for 9 mo.;  $\$1.68 \div 9 = \$18\frac{2}{3}$ , for 10 d., which  $\times 2 = \$37\frac{1}{3}$ , for 20 d.; then,  $\$6.72 + \$5.04 + \$37\frac{1}{3} = \$12.133+$ , *Ans.*

2.  $\$147 \times .07 = \$10.29$ , for 1 yr., which  $\times 2 = \$20.58$ , for 2 yrs.;  $\$10.29 \div 6 = \$1.71\frac{1}{2}$ , for 2 mo., which  $\times 4 = \$6.86$ , for 8 mo.;  $\$1.71\frac{1}{2} \div 5 = \$343$ , for 12 d.; then,  $\$20.58 + \$6.86 + \$343 = \$27.783$ , *Ans.*

3.  $\$248 \times .09 = \$22.32$ , for 1 yr., which  $\times 2 = \$44.64$ , for 2 yrs.;  $\$22.32 \div 2 = \$11.16$ , for 6 mo.; and  $\$11.16 \div 9 = \$1.24$ , for 20 d.; then,  $\$44.64 + \$11.16 + \$1.24 = \$57.04$ , *Ans.*

4.  $\$161.08 \times .07 = \$11.2756$ , for 1 yr.;  $\$11.2756 \div 12 = \$9396\frac{1}{3}$ , for 1 mo., which  $\times 11 = \$10.3359\frac{2}{3}$ , for 11 mo.;  $\$9396\frac{1}{3} \div 2 = \$4698\frac{1}{3}$ , for 15 d.;  $\$9396\frac{1}{3} \div 10 = \$9396\frac{1}{3}$  for 3 d., which  $\div 3 = \$03132\frac{1}{3}$ , for 1 d.; the sum of the interests for 11 mo., 15 d., 3 d. and 1 d.  $= \$10.931+$ , *Ans.*

5.  $\$73.25 \times .08 = \$5.86$ , for 1 yr.;  $\$5.86 \div 4 = \$1.465$ , for 3 mo., which  $\times 3 = \$4.395$ , for 9 mo.;  $\$5.86 \div 6 = \$976\frac{2}{3}$ , for 2 mo., which  $\div 5 = \$195\frac{1}{3}$ , for 12 d.; the sum of the interest for 1 yr. 9 mo. 12 d.  $= \$10.45+$ , *Ans.*

6.  $\$910.50 \times .07 = \$63.735$ , for 1 yr., which  $\times 3 =$

\$191.205, for 3 yrs.;  $\$63.735 \div 4 = \$15.933\frac{1}{4}$ , for 3 mo., which  $\times 3 = \$47.801\frac{1}{4}$ , for 9 mo.;  $\$15.933\frac{1}{4} \div 3 = \$5.311\frac{1}{4}$ , for 1 mo., which  $\div 3 = \$1.770\frac{1}{2}$ , for 10 d.; and  $\$1.770\frac{1}{2} \times 2 = \$3.540\frac{1}{2}$ , for 20 d., and  $\$5.311\frac{1}{4} \div 5 = \$1.062\frac{1}{4}$ , for 6 d.; the sum of the interest for 3 years 9 mo. 20 d. and 6 d. =  $\$243.609+$ , *Ans.*

7.  $\$185.26 \times .075 = \$13.894\frac{1}{2}$ , for 1 yr., which  $\times 2 = \$27.789$ , for 2 yrs.;  $\$13.894\frac{1}{2} \div 4 = \$3.473\frac{3}{8}$ , for 3 mo.;  $\$3.473\frac{3}{8} \div 9 = \$385\frac{1}{2}$ , for 10 d., which  $\div 10 = \$038+$ , for 1 d.; the sum of the interests for 2 yrs. 3 mo. 10d. and 1 d. =  $\$31.687+$ , which  $+ \$185.26 = \$216.947+$ , *Ans.*

9.  $\$46.28 \times .05 = \$2.314$ , for  $\frac{1}{2}$  yr., which  $\times 2 = \$4.628$ , for 2 yrs.;  $\$2.314 \div 4 = \$5785$ , for 3 mo.;  $\$5785 \div 9 = \$06427+$ , for 10 d., which  $\div 10 = \$006427+$ , for 1 d.; and the interest for 1 d.  $\times 23 = \$1478+$ , for 23 d.; the sum of the interests for 2 yrs. 3 m. and 23 d. =  $\$5354+$ , *Ans.*

10.  $\$175.25 \times .06 = \$10.515$ , for 1 yr., which  $\times 5 = \$52.575$ , for 5 yrs.;  $\$10.515 \div 12 = \$876\frac{1}{4}$ , for 1 mo., which  $\times 8 = \$7.01$ , for 8 mo.;  $\$876\frac{1}{4} \div 5 = \$175\frac{1}{4}$ , for 6 d., which  $\times 3\frac{1}{2}$  (6 d.  $\times 3\frac{1}{2} = 21$  d.) =  $\$613\frac{3}{8}$ , for 21 d.; the sum of the interests for 5 yrs. 8 mo. and 21 d.  $+ \$175.25 = \$235.448+$ , *Ans.*

11.  $\$96.50 \div 8 = \$12.06\frac{1}{4}$ , for 1 yr., which  $\times 2 = \$24.12\frac{1}{2}$ , for 2 yrs.;  $\$12.06\frac{1}{4} \div 12 = \$1.0052\frac{1}{2}$ , for 1 mo., which  $\div 30 = \$0335+$ , for 1 d.; then,  $\$24.125 - \$0335 = \$24.091+$ , for 1 yr. 11 mo. 29 d.; and  $\$96.50 + \$24.091 = \$120.591+$ , *Ans.*

12.  $\$54.81 \times .05 = \$2.7405$ , for 1 yr., which  $\div 2 = \$1.37025$ , for 6 mo.; whence,  $\$4.11+$ , *Ans.*

13.  $\$500 \times .08 = \$40$ , for 1 yr.;  $\$40 \div 4 = \$10$ , for 3 mo., which  $\times 3 = \$30$ , for 9 mo.;  $\$10 \div 10 = \$1$ , for 9 days; then,  $\$30 + \$1 = \$31$ , *Ans.*

14.  $\$62.12 \times .04 = \$2.4848$ , for 1 yr., which  $\div 12 = \$2070\frac{2}{3}$ , for 1 mo.; and  $\frac{2}{3}$  of  $\$2070\frac{2}{3} = \$1380\frac{1}{3}$ , for 20 d.; then,  $\$2070\frac{2}{3} + \$1380\frac{1}{3} = \$345+$ , *Ans.*

15.  $\$85 \div 8 = \$10.625$ , for 1 yr.; 10 mo. 15 d. =  $\frac{7}{8}$  of 1 yr.; then,  $\$10.625 - (\frac{1}{8} \text{ of } \$10.625) = \$1.328\frac{1}{8} = \$9.296+$ , *Ans.*

16.  $\$53 \times .10 = \$5.30$ , for 1 yr., which  $\div 2 = \$2.65$ , for 6 mo.;  $\$2.65 \div 6 = \$441\frac{2}{3}$ , for 1 mo.; and  $\$2.65 + \$441\frac{2}{3} + \$53 = \$56.091+$ , *Ans.*

23.  $\$57.78 \times .04 = \$2.3112$ , for 1 year;  $\$2.3112 \div 3 = \$7704$ , for 4 mo.;  $\$7704 \div 8 = \$963$ , for 15 d.,  $\frac{1}{8}$  of

which = \$01284, for 2 d.; the sum of the interest for 1 yr. 4 mo. 15 d. and 2 d. = \$3'19+, *Ans.*

24. From May 19th, 1847, till Aug. 11th, 1848, is 1 yr. 2 mo. 22 d.;  $\$298'59 \times '08 = \$23'8872$ , for 1 yr.;  $\$23'8872 \div 6 = \$3'9812$ , for 2 mo.;  $\$3'9812 \div 3 = \$1'32706+$ , for 20 d., which  $\div 10 = \$1327+$ , for 2 d.; the sum of the interests for 1 yr. 2 mo. 20 d. and 2 d. =  $\$29'328+$ , which +  $\$298'59 = \$327'918+$ , *Ans.*

25. From June 14th, 1847, till April 29th, 1848, is 10 mo. 15 d. =  $\frac{7}{8}$  yr.;  $\$196 \times '0575 = \$11'27$ , for 1 yr.; and  $\$11'27 - (\frac{1}{8} \text{ of } \$11'27) = \$1'40\frac{7}{8} = \$9'86\frac{1}{2}$ , for 10 mo. 15 d.; then,  $\$196 + \$9'86\frac{1}{2} = \$205'861\frac{1}{2}$ , *Ans.*

### ¶ 154. EXAMPLES FOR PRACTICE.

3.  $\$194 \times '022 = \$4'268$ , *Ans.*
4.  $\$263'48 \times '0135 = \$3'556+$ , *Ans.*
5.  $\$985 \times '34 = \$334'90$ , which +  $\$985 = \$1319'90$ ,  
*Ans.*
6.  $\$87'19 \times '075 = \$6'539+$ , *Ans.*
7.  $\$116'08 \times '058\frac{1}{2} = \$6'751+$ , *Ans.*
8.  $\$200 \times '040\frac{3}{4} = \$8'133+$ , *Ans.*
9.  $\$.85 \times '095 = '08+$ , *Ans.*
10.  $\$.8'50 \times '107 = \$909+$ , *Ans.*
11.  $\$.675 \times '0085 = \$5'737+$ , *Ans.*
12.  $\$.8673 \times '001\frac{3}{4} = \$14'455$ , *Ans.*
13.  $\$.73 \times '05 = \$036+$ , *Ans.*
14.  $\$.126'46 \times '045 = \$5'69+$ , *Ans.*
15.  $\$.318 \times '052\frac{3}{4} = \$16'748$ , *Ans.*
16.  $\$.418 \times '097\frac{3}{8} = \$40'894+$ , *Ans.*
17.  $\$.268'44 \times '209\frac{1}{2} = \$56'193+$ , *Ans.*
18.  $\$.658 \times '045 = \$29'61$ , *Ans.*
19.  $\$.96 \times '0005 = \$048$ ; or,  $\$.096 \div 2 = \$048$ , *Ans.*,  
as before.
20.  $\$.73'50 \times '000\frac{1}{2} = \$0245$ ; or,  $\$.0735 \div 3 = \$0245$ ,  
*Ans.*, as before.
21. 5 days =  $\frac{1}{2} + \frac{1}{2}$  of 6 days; therefore, \$180 (making no account of the cents)  $\div 3$  and by 2 (and uniting the two quotients) = \$15, *Ans.*
22.  $\$.15000 \times '000\frac{1}{2} = \$2'50$ ; or,  $\$.15 \div 6 = \$2'50$ , *Ans.*,  
as before.

¶ 155. 2.  $\$1000 \times '06 = \$60$ , which  $\times 120 = \$7200$ ,  
*Ans.*

3. The int. for 10 years is \$240;  $\$400 \times .016 = \$6.40$  for 3 mo. 6 days.; then,  $\$240 + 6.40 = \$246.40$ , *Ans.*

6. The int. for 9 yrs. is \$405;  $\$750 \times .0221\frac{1}{2} = \$16.75$  for 4 mo. 14 d.; then,  $\$750 + \$405 + \$16.75 = \$1171.75$ , *Ans.*

¶ 156. 1.  $36.477\text{£.} \times .06 = 2.188 + \text{£.} = 2\text{£.}$  3s. 9d., *Ans.*

2.  $36.5\text{£.} \times .093\frac{1}{2} = 3.406 + \text{£.} = 3\text{£.}$  8s. 1½d., *Ans.*

4.  $18.6\text{£.} \times .0505 = .939 + \text{£.}$ , which +  $18.6\text{£.} = 19.539 + \text{£.} = 19\text{£.}$  10s. 9½d., *Ans.*

7.  $640.4\text{£.} \times .06 = 38.424\text{£.}$ , (int. for 1 yr.,) which +  $640.4\text{£.} = 678.824\text{£.} = 678\text{£.}$  16s. 5¼d., amount for 1 yr.;  $38.424\text{£.} \times 2\frac{1}{2} = 96.06\text{£.}$ , (int. for 2½ yrs.,) which +  $640.4\text{£.} = 736.46\text{£.} = 736.$  9s. 2½d., amount for 2 yrs. 6 mo., &c.

8.  $391.85\text{£.} \times .045 = 17.63325\text{£.}$ , (int. for 1 yr.,) which  $\times 3 = 52.89975\text{£.}$ , (int. for 3 yrs.,)  $17.63325\text{£.} \div 4 = 4.40831 +$ , (interest for 3 mo.,) then,  $391.85\text{£.} + 52.89975\text{£.} + 4.40831\text{£.} = 449.158 + \text{£.} = 449\text{£.}$  3s. 2d.

9. 8 mo. 18 d. = the time;  $235.188\text{£.} \times .0525 = 12.34737\text{£.}$ , (int. for 1 yr.,)  $\frac{2}{3}$  of which =  $8.23158\text{£.}$ , (int. for 8 mo.,)  $\frac{2}{7}$  of  $12.34737\text{£.} = 6.1736 + \text{£.}$ , (int. for 18 d.,) then,  $235.188\text{£.} + 8.23158\text{£.} + 6.1736\text{£.} = 244.036 + \text{£.} = 244\text{£.}$  8½d., *Ans.*

¶ 157. *To calculate interest on notes, &c., when partial payments have been made.*

2. First principal on int. from March 8th, 1843,		\$867.33
Payment, Apr. 16th, 1843, (exceeding		
int. due,)	\$136.44	
Int. to time of 1st payment, (1 mo. 8 d.,)	6.408	130.032
	<hr/>	<hr/>
Remainder for a new principal,		\$737.298
Payment, Apr. 16th, 1845,	\$319	
Int. to time of 2d payment, (2 yrs.,)	103.221	215.779
	<hr/>	<hr/>
Remainder for a new principal,		\$521.519
Payment, Jan. 1st, 1846,	\$518.68	
Int. to time of 3d payment, (8 mo. 15 d.,)	25.858	492.822
	<hr/>	<hr/>
Remainder for a new principal,		\$28.697
Int. to July 11th, 1847, (1 yr. 6 mo. 10 d.,)		3.068
	<hr/>	<hr/>
Balance due July 11th, 1747,		\$31.765 +.

3. First principal on int. from Jan. 1st, 1840,		\$1000
Payment, Apr. 1st, 1840,	\$24	
Int. to time of 1st payment, (3 mo.),	15	9
	—	—
Remainder for a new principal,		\$991
Payment, Aug. 1st, 1840, less than int. then due,	\$4	
Payment, Dec. 1st, 1840, less than int. then due,	6	
Payment, Feb. 1st, 1841,	60	
	—	—
Amount, exceeding int. due,	\$70	
Int. to time of 4th payment, (10 mo.),	49'55	20'45
	—	—
Remainder for a new principal,		\$970'55
Payment, July 1st, 1841,	\$40	
Int. to time of 5th payment, (5 mo.),	24'263	15'737
	—	—
Remainder for a new principal,		\$954'813
Payment, June 1st, 1844,	\$300	
Int. to time of 6th payment, (2 yrs. 11 mo.),	167'092	\$132'908
	—	—
Remainder for a new principal,		\$821'905
Payment, Sept. 1st, 1844, less than int. then due,	\$12	
Payment, Jan. 1st, 1845, less than int. then due,	15	
Payment, Oct. 1st, 1845,	50	
	—	—
Amount, exceeding int. due,	\$77	
Int. to time of 9th payment, (1 yr. 4 mo.),	65'752	11'248
	—	—
Remainder for a new principal,		\$810'657
Int. to June 1st, 1846, (8 mo.),		32'426
		—
Balance due June 1st, 1846,		\$843'083 +.
4. Amount of \$300, for 11 mo. 22 d.,		\$323'466
Amount of \$116, for 4 mo. 12 d.,	\$119'402	
Amount of \$49'50, for 3 mo.,	50'49	
Amount of \$85, for 1 mo. 6 d.,	85'68	255'572
	—	—
Balance due June 2d, 1847,		\$67'894 +.

† 158. CONNECTICUT METHOD.

First principal on int. from Jan 1st, 1841,		\$1100
Payment, Sept. 1st, 1841, less than int. then due,	\$30	
Payment, Apr. 1st, 1842,	200	
	<hr/>	
Amount, exceeding int. due,	\$230	
Int. to time of 2d payment, (1 yr. 3 mo.,)	82 <sup>60</sup>	147 <sup>50</sup>
	<hr/>	
Remainder for a new principal,		\$952 <sup>50</sup>
Payment, Dec. 1st, 1842,	\$180	
Int on 3d payment, (4 mo.,)	3 <sup>60</sup>	
	<hr/>	
Amount of 3d payment,	\$183 <sup>60</sup>	
Int. on prin. to Apr. 1st, 1843, (1 yr.,)	57 <sup>15</sup>	126 <sup>45</sup>
	<hr/>	
Remainder for a new principal,		\$828 <sup>05</sup>
Payment, March 1st, 1844,	\$195	
Int. on 4th payment, (1 mo.,)	9 <sup>75</sup>	
	<hr/>	
Amount of 4th payment,	\$195 <sup>975</sup>	
Int. on prin. to Apr. 1st, 1844, (1 yr.,)	49 <sup>563</sup>	146 <sup>412</sup>
	<hr/>	
Remainder for a new principal,		\$679 <sup>638</sup>
Payment, Sept. 16th, 1844,	\$250	
Int. on 5th payment, (6 mo. 15 d.,)	8 <sup>125</sup>	
	<hr/>	
Amount of 5th payment,	\$258 <sup>125</sup>	
Int. on prin. to Apr. 1st, 1845, (1 yr.,)	40 <sup>778</sup>	217 <sup>347</sup>
	<hr/>	
Remainder for a new principal,		\$462 <sup>291</sup>
Payment, May 16th, 1846,	\$100	
Int. on prin. to May 16, 1846, (1 yr. 1½ mo.,)	31 <sup>204</sup>	68 <sup>796</sup>
	<hr/>	
Remainder for a new principal,		\$393 <sup>495</sup>
Payment, July 16th, 1846,	\$170	
Int. on 7th payment, (6 mo.,)	5 <sup>10</sup>	
	<hr/>	
Amount of 7th payment,	\$175 <sup>10</sup>	
Int. on prin. to Jan. 16th, 1847, (8 mo.,)	15 <sup>720</sup>	159 <sup>361</sup>
	<hr/>	
Balance due Jan. 16th, 1847,		\$234 <sup>134</sup> +

¶ 159. For calculating interest on a note in Vermont.

EXAMPLE. Amount of \$800, for 5 years,		\$1040
Amount of \$200, for 3 yrs. 2 mo.,	\$238	
“ “ \$200, “ 1 yr. 8 mo.,	220	
“ “ \$300, “ 1 “	318	776
		<hr/>
Balance due Sept. 1st, 1845,		\$264

### ¶ 161. Compound Interest.

2. \$1 at 6 per cent., by the table, for 4 years, is \$1·26247+, which  $\times 40\cdot20$  (a decimal number = to the principal) = \$50·751+, the amount of \$40·20 for 4 yrs., &c. \$3,20173+ (the amount of \$1 for 20 yrs. at 6 per cent.)  $\times 40\cdot20$  = \$128·9266+, (amount of 40·20 for 20 yrs.,) which  $\times 1\cdot033$  (the amount of \$1 for 6 mo. 18 d.) = \$133·181+, *Ans.*

3. The amount of \$1, at 7 per cent., by the table, for 16 years, is \$2·95216+, which  $\times 750$  = \$2214·12, *Ans.*

4. The amount of \$1, at 8 per cent., for 20 years, is \$4·629219+, which  $\times 150$  = \$694·382+, *Ans.*

### ¶ 162. Annual Interest.

2. Interest on the principal, \$1000, 5 yrs. 3 mo.,	\$315
“ “ 1st year's int. (\$60) 4 “ 3 “	15·30
“ “ 2d “ “ “ 3 “ 3 “	11·70
“ “ 3d “ “ “ 2 “ 3 “	8·10
“ “ 4th “ “ “ 1 yr. 3 “	4·50
“ “ 5th “ “ “ 3 “	‘90

Amount of interest, \$355·50

Then, \$1000 + \$355·50 = \$1355·50, amount due, *Ans.*

*Time, rate, and amount given, to find the principal.*

¶ 163. 2. \$85·12  $\div$  \$1·12 (amount of \$1, at given rate and time) = \$76, *Ans.*

3. \$99·311  $\div$  \$1·0565 = \$94, *Ans.*

4. \$1500  $\div$  \$1·05 (amount of \$1 for 4 mo., at 15 per cent.) = \$1428·571+, value of the wheat, *Ans.*

### Discount.

¶ 164. 3. \$18  $\div$  \$1·075 = \$16·744+, *Ans.*

4. \$56·20  $\div$  \$1·10 = \$51·09+, present worth, discount-

ing at 6 per cent. —  $\$56.20 \div \$1.15 = \$48.869+$ , present worth, discounting at 9 per cent., *Ans.*

5.  $\$834 \div \$1.112$  (amount of \$1, at given rate and time) =  $\$750$ , *Ans.*

6.  $\$321.63 \div \$1.24 = \$259.379+$ , (the present worth,) and  $\$321.63 - \$259.379 = \$62.25+$ , *Ans.*

7.  $\frac{1}{2}$  of  $\$650 = \$325$ , which  $\div \$1.02$  (am't of \$1 for 4 mo.) =  $\$318.6274+$ , and  $\$325 \div \$1.04$  (am't of \$1 for 8 mo.) =  $\$312.50$ ; then,  $\$318.6274 + \$312.50 = \$631.1274$  and  $\$650 - \$631.1274 = \$18.872+$ , *Ans.*

8.  $\$5378 \div \$1.06 = \$5073.5849+$ , the value of the goods;  $\$5073.584 \times .035 = \$177.575+$ , the interest on the purchase money 6 mo., at 7 per cent.;  $\$5378 - \$5073.5849 = \$304.415+$ , the difference between the cash price of the goods and the sum paid for them on 6 mo. credit;  $\$304.415 - \$177.575 = \$126.84$ , gain on one purchase, which  $\times 50$  (the number of purchases in 20 years) =  $\$6342$ , *Ans.*

### Commission.

¶ 165. 2.  $\$2475 \div \$1.05 = \$2357.1428+$ , to be paid out, and  $\$2475 - \$2357.1428 = \$117.857+$ , *Ans.*

3.  $\$4820 \div \$1.075 = \$4483.72+$ , to be paid out, and  $\$4820 - \$4483.72 = \$336.28$ , amount of his commission, *Ans.*

### ¶ 166. EXAMPLES FOR PRACTICE.

2.  $\$4.52 \div \$08 = \$56.50$ , *Ans.*

3.  $\$20 \div \$06 = \$333.333\frac{1}{3}$ , *Ans.*

4.  $\$562 \div \$10 = \$5620$ , *Ans.*

¶ 167. *Principal, interest, and time given, to find the rate per cent.*

### EXAMPLES FOR PRACTICE.

2. The interest of \$468 1 year, at 1 per cent., is \$4.68, which  $\div 12 = \$39$ , the interest, at 1 per cent., 1 month; then,  $\$2.34 \div \$39 = 6$  per cent., *Ans.*

3.  $\$46.80 \div \$10.40 = 4\frac{1}{2}$  per cent., *Ans.*

4. 1 per cent. of \$1000 (the value of the stock) = \$10; then, \$100 (yearly dividend)  $\div \$10 = 10$  per cent., *Ans.*

5. 1 per cent. of \$5400 = \$54; then,  $\$324 \div \$54 = 6$  per cent., *Ans.*



## ¶ 168. EXAMPLES FOR PRACTICE.

2. The interest on \$226<sup>50</sup>, 1 year, is \$13<sup>59</sup>; therefore, \$31<sup>71</sup> ÷ \$13<sup>59</sup> = 2<sup>33</sup> $\frac{1}{2}$  years = 2 years and 4 months, *Ans.*
3. \$20 ÷ \$48 (int. 1 year) = 4<sup>16</sup> $\frac{2}{3}$  years = 5 months, *Ans.*
4. \$28<sup>242</sup> ÷ \$8<sup>69</sup> = 3<sup>25</sup> years, very nearly = 3 years 3 months, *Ans.*

## ¶ 169. EXAMPLES FOR PRACTICE.

2.  $\frac{66}{550} = .12 = 12$  per cent., *Ans.*
3.  $\frac{2500}{35000} = .07 = 7$  per cent.;  $\frac{2475}{55000} = .045 = 4\frac{1}{2}$  per cent.;  $\frac{215}{41000} = .005 = \frac{1}{2}$  per cent., *Ans.*
4. \$1<sup>0032</sup> - \$96 = \$<sup>0432</sup>, (gain per gal.) which × 114 = \$4<sup>924</sup>+, the whole gain; and  $\frac{432}{1000} = .045 = 4\frac{1}{2}$  per cent., *Ans.*
5. \$26 × 30 = \$780, which - \$698<sup>33</sup> (first cost and charges) = \$81<sup>67</sup>; then,  $\frac{8167}{69833} = .11695 = 11\cdot695$  per cent., *Ans.*
7.  $\frac{250}{100000} = .0025 = \frac{1}{4}$  per cent., *Ans.*

## Bankruptcy.

## ¶ 170. EXAMPLES FOR PRACTICE.

1. If \$300000 be divided into 800000 equal parts, 1 of the parts will be the sum paid on \$1. \$300000 ÷ 800000 = \$<sup>37</sup> $\frac{1}{2}$ , that is, 37 $\frac{1}{2}$  per cent., *Ans.*
3. \$4653 ÷ \$6755<sup>50</sup> (amount of his debts) = \$<sup>68</sup> $\frac{11111}{100000}$  = the sum paid on \$1; this sum, (which is the rate per cent. paid to his creditors,) multiplied by the amount of each man's claim, will give his respective share. *Ans.*, A will receive \$172<sup>193</sup>; B, \$220<sup>407</sup>; C, \$344<sup>386</sup>; D, \$123<sup>978</sup>; E, \$482<sup>14</sup>; F, \$268<sup>621</sup>; G, \$45<sup>114</sup>; H, \$895<sup>403</sup>; I, \$1515<sup>298</sup>; and J, \$585<sup>456</sup>.

## ¶ 171. General Average.

\$3476<sup>22</sup> + \$197 + \$160 = \$3833<sup>22</sup>, the whole loss, which ÷ \$38538 (total value of the ship, cargo and  $\frac{3}{4}$  of the freight) =  $\frac{994433}{99233} = 99\cdot999$  per cent. of the whole loss; \$6870 ×  $\frac{994433}{99233} = 683\cdot331$ +, Goodrich & Co.'s loss, and \$6870 - \$683<sup>331</sup> = \$6186<sup>669</sup>, what they realize for their flour; \$10232 ×  $\frac{994433}{99233} = 1017\cdot735$ +, ship's portion of the loss; \$3200 ×  $\frac{994433}{99233} = 318\cdot291$ +, freight's portion of the loss; \$4000 ×  $\frac{994433}{99233} = 397\cdot863$ +, M. H. New-

man & Co.'s loss;  $\$5236 \times '09\frac{1}{2}\frac{1}{2}\frac{1}{2} = \$520'803+$ , D. Appleton's loss;  $\$9000 \times '09\frac{1}{2}\frac{1}{2}\frac{1}{2} = \$895'193+$ , Hyde & Duren's loss, *Ans.*

Partnership.

¶ 172. EXAMPLES FOR PRACTICE.

2. A's loss will be ( $\frac{1}{3}\frac{1}{2} =$ )  $\frac{1}{6}$  of  $\$250 = \$50$ ; B's loss will be ( $\frac{2}{3}\frac{1}{2} =$ )  $\frac{1}{3}$  of  $\$250 = \$83\frac{1}{3}$ ; and C's loss will be ( $\frac{1}{3}\frac{1}{2} =$ )  $\frac{1}{6}$  of  $\$250 = \$41\frac{2}{3}$ , *Ans.*

3. The 1st person will have  $\frac{1}{3}$  of  $\$600 = \$200$ ; the 2d,  $\frac{2}{3}$  of  $\$600 = \$400$ ; and the 3d,  $\frac{1}{3}$  of  $\$600 = \$200$ , *Ans.*

4. A must lose ( $\frac{2}{3}\frac{1}{2} =$ )  $\frac{1}{3}$  of 100 hhd. = 33 hhd., and B must lose ( $\frac{1}{3}\frac{1}{2} =$ )  $\frac{1}{6}$  of 100 hhd. = 16 hhd., *Ans.*

5. Since  $\$45$  is  $\frac{3}{4}$  of the stock,  $\frac{1}{4}$  of  $\$45 = \$11\frac{1}{4}$  is  $\frac{1}{4}$  of it, which  $\times 2 = \$22\frac{1}{2}$ , B's share of the stock, *Ans.*

6. A put in  $\$1$  as often as B put in  $\$2$ ; hence, the whole stock consisted of 3 parts, 1 of which was A's share, and 2 were B's;  $\frac{1}{3}$  of  $\$400 = \$133\frac{1}{3} =$  A's stock, and  $\frac{2}{3}$  of  $\$400 = \$266\frac{2}{3} =$  B's stock, *Ans.*

7. A's gain was  $\frac{2}{3}$  of  $\$164 = \$109\frac{2}{3}$ , B's was  $\frac{1}{3}$  of  $\$164 = \$54\frac{2}{3}$ , and A received  $\$117\frac{1}{3} - \$54\frac{2}{3} = \$62\frac{1}{3}$  for his trouble, *Ans.*

8.  $\$120 (= 1 \text{ share}) \times '15 = \$18$ , profit to 1 share;  $\$18 \times 2 = \$36$ , to 2 shares;  $\$18 \times 25 = \$450$ , to 25 shares, *Ans.*

9.  $\$340 \div 100$  (no. of shares) =  $\$3\frac{4}{10}$ , tax on 1 share;  $\$3\frac{4}{10} \times 10 = \$34$ , tax on 10 shares, *Ans.*

10. A should pay ( $\frac{2}{3} =$ )  $\frac{2}{3}$  of  $\$10 = \$6\frac{2}{3}$ , and B should pay ( $\frac{1}{3} =$ )  $\frac{1}{3}$  of  $\$10 = \$3\frac{1}{3}$ , *Ans.*

¶ 173.

2. A, $\$100$ for 6 mo. = $\$600$ for 1 mo.	} $\$1500$	} = $\$3260$ .
" $\$150$ " 6 " = $\$900$ " 1 "		
B, $\$200$ " 4 " = $\$800$ " 1 "		
" $\$120$ " 8 " = $\$960$ " 1 "		

Then, A would receive ( $\frac{1}{2}\frac{1}{3} =$ )  $\frac{1}{6}$  of  $\$95 = \$15\frac{5}{6}$ , and B would receive ( $\frac{1}{2}\frac{1}{3} =$ )  $\frac{1}{6}$  of  $\$95 = \$15\frac{5}{6}$ , *Ans.*

3. A, $\$500$ for 12 mo. = $\$6000$ for 1 mo.	} $\$16800$ .
B, $\$600$ " 10 " = $\$6000$ " 1 "	
C, $\$800$ " 6 " = $\$4800$ " 1 "	

Then, A's share will be ( $\frac{2}{3}\frac{1}{3} =$ )  $\frac{2}{9}$  of  $\$700 = \$155\frac{5}{9}$ ; B's  $\frac{1}{3}$  of  $\$700 = \$233\frac{1}{3}$ ; and C's ( $\frac{1}{3}\frac{1}{3} =$ )  $\frac{1}{9}$  of  $\$700 = \$77\frac{2}{9}$ , *Ans.*

### Banking.

#### ¶ 174. EXAMPLES FOR PRACTICE.

1. \$5, int. for 60 days, \$2.50, int. for 30 days, and \$25, int. for 3 days of grace;  $\$5 + \$2.50 + \$25 = \$7.75$ , discount for 90 days and grace at 6 per cent., and  $\$7.75 + (\frac{1}{4} \text{ of } \$7.75 =) \$1.29\frac{1}{4} = \$9.0416$ , discount at 7 per cent.; then,  $\$500 - \$9.04\frac{1}{4} = \$490.95\frac{3}{4}$ , *Ans.*

2. \$3, int. 60 d., \$1.50, int. 30 d., and \$15, int. 3 d.; then,  $\$3 + \$1.50 + \$15 = \$4.65$ , discount at 6 per cent., and  $\$4.65 - (\frac{1}{4} \text{ of } \$4.65 =) \$775 = \$3.875$ , *Ans.*

3. \$6, int. 60 d., \$3, int. 30 d., and \$30, int. 3 d.; then,  $\$9.30 + (\frac{1}{4} \text{ of } \$9.30 =) \$3.10 = \$12.40$ , *Ans.*

4. \$7.40, int. 60 d., \$3.70, int. 30 d., and \$37, int. 3 d.;  $\$7.40 + \$3.70 + \$37 = \$11.47$ , discount, and  $\$740 - \$11.47 = \$728.53$ , *Ans.*

5.  $\$1000 - \$15.50 = \$984.50$ , the avails of the note;  $\$984.50 \times .0155 = \$15.259\frac{1}{2}$ , int. on the avails of the note for 3 mo. 3 d.; and  $\$15.50 - \$15.259\frac{1}{2} = \$24$ , *Ans.*

### Taxes.

¶ 175. 3.  $\$874 + \$210 = \$1084$ , value of B's property; \$30 (tax on \$1000) + \$2.40 (tax on \$80) + \$12 (tax on \$4) + (3 polls at \$60 each =)  $\$1.80 = \$34.32$ , *Ans.*

4. \$90 (tax on \$3000) + \$12 (tax on \$400) + \$2.40 (tax on \$80) + \$0.6 (tax on \$2) + \$1.20 (poll tax) =  $\$105.66$ , C's tax; — \$120 (tax on \$4000) + \$18 (tax on \$600) + \$2.10 (tax on \$70) + \$15 (tax on \$5) + \$60 (poll tax) =  $\$140.85$ , D's tax, *Ans.*

### Duties.

#### ¶ 177. EXAMPLES FOR PRACTICE.

2. 83 lbs.  $\times 75 = 6225$  lbs. gross, which — 597 lbs. tare = 5628 lbs. net; then,  $\$.04 \times 5628 = \$225.12$ , *Ans.*

3. 420 doz. = 5040, which —  $(5040 \times .10 =) 504 = 4536$  bottles; then,  $\$.05\frac{1}{2} \times 4536 = \$249.48$ , *Ans.*

4. 10 cwt. 2 qrs.  $\times 8 = 84$  cwt. = 9408 lbs. gross, which —  $(14 \text{ lbs.} \times 84) = 1176$  lbs. tare = 8232 lbs. net; then,  $\$.02\frac{1}{4} \times 8232 = \$185.22$ , *Ans.*

5. 171 lbs. + 125 lbs. + 109 lbs. + 99 lbs. = 504 lbs. gross, which —  $(4 \text{ lbs. draft} + 64 \text{ lbs. tare} =) 68$  lbs. = 436 lbs. net; then,  $\$.06\frac{1}{4} \times 436 = \$27.25$ , *Ans.*

¶ 178. EXAMPLES FOR PRACTICE.

2. 115 lbs.  $\times$  40 = 4600 lbs.;  $\$11\frac{1}{4} \times 4600 = \$517\cdot50$ , 18 per cent. of which =  $\$93\cdot15$ , *Ans.*

3.  $33\frac{1}{3}$  per cent. =  $\frac{1}{3}$  of the principal; hence,  $\$256\cdot80 \div 3 = \$85\cdot60$ , *Ans.*

4.  $\$1\cdot92 \times 140 = \$268\cdot80$ , which  $\times$  '20 =  $\$53\cdot76$ , duty on the whole;  $\$53\cdot76 \div 140 = \$384$ , duty on 1 yard;  $\$1\cdot92 + \$384 = \$2\cdot304$ , which  $\div$  (25 per cent., or  $\frac{1}{4}$  of  $\$2\cdot304 =$ )  $\$576 = \$2\cdot88$ , *Ans.*

¶ 179. Review of Percentage.

EXERCISES.

1.  $\$273\cdot51 \times \cdot07 = \$19\cdot1457$ , int. for 1 yr., which  $\div$  36 (10 d. =  $\frac{1}{36}$  of 1 yr.) =  $\$5318+$ , int. for 10 d.; then,  $\$19\cdot1457 + \$5318 = \$19\cdot677+$ , *Ans.*

2.  $\$486 \times \cdot08 = \$38\cdot88$ , int. for 1 yr., which  $\div$  4 =  $\$9\cdot72$ , int. for 3 mo., and  $\frac{1}{8}$  of  $\$9\cdot72 = \$2\cdot052$ , int. for 19 d.; then,  $\$38\cdot88 + \$9\cdot72 + \$2\cdot052 = \$50\cdot652$ , *Ans.*

5.  $\$2\cdot29 \times \cdot008\frac{1}{2} = \$0\cdot189$ , int. at 6 per cent., which  $\div$  2 =  $\$0\cdot09+$ , int. at 3 per cent., *Ans.*

6.  $\$18 \times \cdot07 = \$1\cdot26$ , int. for 1 yr., which  $\times$  2 =  $\$2\cdot52$ , int. for 2 yrs.;  $\$1\cdot26 \div 12 = \$1\cdot05$ , int. for 1 mo., and  $\frac{1}{12}$  of  $\$1\cdot05 = \$0\cdot049$ , int. for 14 d.; then,  $\$2\cdot52 + \$0\cdot049 = \$2\cdot569$ , *Ans.*

8.  $\$20$ , int. for 6 d., which  $\div$  6 =  $\$0\cdot33\frac{2}{3}$ , int. for 1 d., and  $\$0\cdot33\frac{2}{3} \times 5 = \$1\cdot66+$ , int. for 5 d., *Ans.*

9.  $\$0\cdot0005 \times \cdot06 = \$0\cdot003$ , which  $\times$  567 =  $\$0\cdot17+$  *Ans.*

10.  $\$61 \times \$122\frac{1}{2} = \$9\cdot909$ , int. at 6 per cent., which  $\div$  6 =  $\$1\cdot6515$ , int. at 1 per cent.;  $\$1\cdot6515 \times \frac{1}{2}, \frac{2}{3}, \frac{1}{3}, 2, 3, 4\frac{1}{2}, 5, 6, 7, 7\frac{1}{2}, 8, 9, 10, 12$ , and  $12\frac{1}{2}$ , respectively, will give the required results.

11.  $\$09 \times 2\cdot736\frac{1}{2} = \$246+$ , *Ans.*

12. Whole time 4 yrs. 25 d., which  $-$  1 yr. = 3 yrs. 25 d.;  $\$175 \times \cdot07 = \$12\cdot25$ , which  $\times$  3 =  $\$36\cdot75$ , int. for 3 yrs.;  $\$12\cdot25 \div 12 = \$1\cdot02\frac{1}{2}$ , int. for 1 mo., which  $\times$   $\frac{1}{4} = \$85+$ , int. for 25 d.; then,  $\$175 + \$36\cdot75 + \$85 = \$212\cdot60$ , *Ans.*

13.  $\$56\cdot75 \times \cdot025\frac{1}{2}$  (5 mo. 3 d.) =  $\$1\cdot447+$ , which  $\div$   $\$56\cdot75 = \$58\cdot197+$ , *Ans.*

14. Time to payment 2 yrs. 6 mo. 4 d.;  $\$365\cdot37 \times \cdot05 = \$18\cdot2685$ , which  $\times$  2 =  $\$36\cdot537$ , int. for 2 yrs.;  $\$18\cdot268 \div 2 = \$9\cdot134$ , int. for 6 mo., which  $\div$  45 =  $\$203$ , (nearly,) int. for 4 d.;  $\$97\cdot16 - \$45\cdot874 = \$51\cdot286$ ;  $\$365\cdot37 -$

$\$51'286 = \$314'084$ , new principal; remaining time 3 mo. 4 d.;  $\$314'084 \times '05 = \$15'7042$ , which  $\div 4 = \$3'92605$ , int. for 3 mo., which  $\times \frac{2}{5} = \$1744+$ , int. for 4 d.; then,  $\$314'084 + \$3'926 + \$174 = \$318'184$ , *Ans.*

15.  $\$203'17 - \$50 = \$153'17$ ;  $\$153'17 \times '139\frac{1}{2}$  (2 yrs. 3 mo. 27 d.) =  $\$21'367+$ , which  $+ \$153'17 = \$174'537+$ , *Ans.*

16. Whole time 6 yrs. 10 mo. 6 d.;  $\$870'05 \times '411 = \$357'59+$ , which  $+ \$870'05 = \$1227'64+$ , and this sum  $- \$186'06 = \$1041'58+$ , *Ans.*

17.  $\$208'04$  (1st payment)  $- \$48'712$  (int. for 2 yrs. 2 mo. 8 d.) =  $\$159'328$ , and  $\$317'92 - \$159'328 = \$158'592$ , remainder for a new principal;  $\$76$  (2d payment)  $- \$5'458$  (int. 5 mo. 27 d.) =  $\$70'542$ , and  $\$158'592 - \$70'542 = \$88'05$ , remainder for a new principal, which  $+ \$4'982$  (int. 9 mo. 21 d.) =  $\$93'032$ , *Ans.*

23.  $\$422'40 \div \$1'056$  (am't of \$1, at the given rate and time) =  $\$400$ , *Ans.*

24.  $\$426 \div \$1'20167 = \$354'507+$ , *Ans.*

25.  $\$300 \div \$1'045 = \$287'081+$ , which  $- \$250 = \$37'081+$ , gain, *Ans.*

26.  $\frac{1}{2}$  of  $\$3120 = \$1560$ , which  $+ \$1'015$  (3 mo.) =  $\$1536'9454+$ , and  $\$1560 + \$1'03$  (6 mo.) =  $\$1514'563+$ ; then,  $\$3120 - (\$1536'9454 + \$1514'563) = \$3051'5084 = \$68'491+$ , *Ans.*

27.  $\$49'875 \div \$105$  (int. on \$1) =  $\$475$ , *Ans.*

28.  $\$35 \div \$'07$  (int. on \$1, at 5 per cent.) =  $\$500$ , *Ans.*

29.  $15'50 + \$3'875$  (int. on \$500, 9 mo. 9 d., at 1 per cent.) =  $'04 = 4$  per cent., *Ans.*

30.  $\$'20 - \$'167 = \$'033$ ; then,  $\frac{33}{100} = '1976+$  = 19  $\frac{76}{100}$  per cent., which is  $\$19'76+$  on \$100, *Ans.*

31.  $\$1'10 \times 37 = \$40'70$ , (cost,) which  $- \$40 = \$'70$ , (loss; )  $\frac{70}{100} = '07 = 7\frac{1}{2}$  per cent. loss =  $\$1'75$  on \$100, *Ans.*

32.  $\$4'48 \times '125 = \$'56$ , (gain,) which  $+ \$4'48 = \$5'04$ , *Ans.*

33.  $\$'92 \times 50 = \$46$ , (cost,) which  $\times '10$  (10 per cent.) =  $\$4'60$ , (gain,) and this sum  $+ \$46 = \$50'60$ ; then,  $\$50'60 + 40 = \$1'265$  per gal., *Ans.*

34.  $\$950 + \$145 + \$25 = \$1120$ , (cost,) which  $\times '20$  (per cent.) =  $\$224$ , (gain,) and  $\$1120 + \$224 = \$1344$ ; then,  $\$1344 \div 2240$  (lbs. = 10 tons,) =  $\$'06$  per lb., *Ans.*

35. First principal, on int. from Dec. 1st, 1841, \$2000		
Payment, June 1st, 1842,	\$163	
Int to time of 1st payment, (6 mo.,)	60	103
	—	<hr/>
Remainder for a new principal,		\$1897
Payment, Feb. 1st, 1843, less than int.		
then due,	\$12	
Payment, Jan. 1st, 1844,	300	
	<hr/>	
Amount exceeding int. due,	\$312	
Int. to time of 3d payment, (1 yr. 7 mo.,)	180·215	131·785
	<hr/>	<hr/>
Remainder for a new principal,		\$1765·215
Payment, Apr. 1st, 1845, less than int.		
then due,	\$20	
Payment, June 1st, 1845, less than int.		
then due,	20	
Payment, Aug. 1st, 1845,	400	
	<hr/>	
Amount exceeding int. due,	\$440	
Int. to time of 6th payment, (1 yr. 7 mo.,)	167·695	272·305
	<hr/>	<hr/>
Remainder for a new principal,		\$1492·91
Payment, Jan. 1st, 1846,	\$100	
Int to time of 7th payment, (5 mo.,)	37·322	62·678
	<hr/>	<hr/>
Remainder for a new principal,		\$1430·232
Payment, Aug. 1st, 1847,	\$150	
Int. to time of 8th payment, (1 yr.		
7 mo.,)	135·872	14·128
	<hr/>	<hr/>
Remainder for a new principal,		\$1416·104
Payment, Oct. 1st, 1847,	\$75	
Int. to time of 9th payment, (2 mo.,)	14·161	60·839
	<hr/>	<hr/>
Remainder for a new principal,		\$1355·265
Int. to Dec. 1st, 1847, (2 mo.,)		13·552
	<hr/>	<hr/>
Balance due Dec. 1st, 1847, by U. S. rules,		\$1368·817+

2D. BY THE CONNECTICUT RULE.

First principal, on int. from Dec. 1st, 1841, \$2000		
Payment, June 1st, 1842,	\$163	
Int on payment, (6 mo.,)	4·89	
	<hr/>	
Amount of 1st payment,	\$167·89	

<i>Amount brought forward,</i>	\$167 <sup>59</sup>	\$2000
Int. on prin. to Dec. 1st, 1842, (1 yr.)	120	47 <sup>59</sup>
	<hr/>	<hr/>
Remainder for a new principal,		\$1952 <sup>11</sup>
Payment, Feb. 1st, 1843, less than int. then due,	\$12	
Payment, Jan. 1st, 1844,	300	
	<hr/>	
Amount exceeding int. due,	\$312	
Int. on prin. to Jan. 1st, 1844, (1 yr. 1 mo.),	126 <sup>837</sup>	185 <sup>113</sup>
	<hr/>	<hr/>
Remainder for a new principal,		\$1768 <sup>997</sup>
Payment, Apr. 1st, 1845, less than int. then due,	\$20	
Payment, June 1st, 1845, less than int. then due,	20	
Payment, Aug. 1st, 1845,	400	
	<hr/>	
Amount exceeding int. due,	\$440	
Int. on prin. to Aug. 1st, 1845, (1 yr. 7 mo.),	167 <sup>864</sup>	272 <sup>136</sup>
	<hr/>	<hr/>
Remainder for a new principal,		\$1494 <sup>861</sup>
Payment, Jan. 1st, 1846,	\$100	
Int on payment, (7 mo.),	3 <sup>50</sup>	
	<hr/>	
Amount of 7th payment,	\$10 <sup>350</sup>	
Int. on prin. to Aug. 1st, 1846, (1 yr.)	89 <sup>691</sup>	13 <sup>809</sup>
	<hr/>	<hr/>
Remainder for a new principal,		\$1481 <sup>052</sup>
Payment, Aug. 1st, 1847,	\$150	
Int. on prin. to time of 8th payment, (1 year),	88 <sup>863</sup>	61 <sup>137</sup>
	<hr/>	<hr/>
Remainder for a new principal,		\$1419 <sup>915</sup>
Payment, Oct. 1st., 1847,	\$75	
Int. on payment, (2 mo.),	7 <sup>5</sup>	
	<hr/>	
Amount of 9th payment,	\$75 <sup>75</sup>	
Int. on prin. to Dec. 1st, 1847, (4 mo.),	28 <sup>398</sup>	47 <sup>352</sup>
	<hr/>	<hr/>
Balance due Dec. 1st, 1847,		\$1372 <sup>563+</sup>

3D. BY THE VERMONT RULE.

Amount of \$2000 for 6 yrs.,		\$2720
" " \$163 for 5 yrs. 6 mo.,	\$216·79	
" " \$12 " 4 " 10 "	\$15·48	
" " \$300 " 3 " 11 "	\$370·50	
" " \$20 " 2 " 8 "	\$23·20	
" " \$20 " 2 " 6 "	\$23	
" " \$400 " 2 " 4 "	\$456	
" " \$100 " 1 yr. 11 "	\$111·50	
" " \$150 " 4 "	\$153	
" " \$75 " 2 "	\$75·75	\$1445·22
<hr/>		
Balance due Dec. 1st, 1847,		\$1274·78

EQUATION OF PAYMENTS.

¶ 181. EXAMPLES FOR PRACTICE.

4. \$200 for 5 mo. is the same as \$1000 for 1 mo.  
 \$325·50 " 3 " " " " " \$976·50 " 1 " "  
 \$413·37 " 2 " " " " " \$826·74 " 1 " "  
 Then,  $\$2803·24 \div \$938·87 = 2·985+$  months = 2 months  
 and 29+ days, *Ans.*

5.  $\$369·50 \times 8 + \$161 \times 5\frac{1}{2} + \$63·25 \times 10\frac{1}{2} =$   
 $\$4033·291+$ , which  $\div \$533·75 = 7·556+$  mo. = 7 mo.  
 16+d., mean time; then,  $\$533·75 \div \$1·037\frac{3}{4}$  (am't of \$1,  
 for 7 mo. 16 d., at 6 per cent.) =  $\$514·375+$ , *Ans.*

6.  $\$50 \times 2 + \$100 \times 5 + \$150 \times 8 = \$1800$ , which  
 $\div \$300 = 6$  months, *Ans.*

7.  $\$136 \times 10 + \$96 \times 7 + \$250 \times 4 = \$3072$ , which  
 $\div \$492 = 6$  mo. 7+ d., *Ans.*

8.  $\$200 \times 4 + \$200 \times 8 = \$2400$ , which  $\div \$600 = 4$   
 mo., *Ans.*

9.  $\$100 \times 3 + \$75 \times 4 + \$125 \times 6 = \$1350$ , which  $\div$   
 $\$300 = 4\frac{1}{2}$  mo., *Ans.*



PROPORTION.

¶ 191. EXAMPLES FOR PRACTICE.

2.  $\overset{2}{20}$  horses :  $\overset{3}{6}$  ::  $\overset{7}{70}$  bushels : —  
 $7 \times 3 = 21$  bushels, *Ans.*
5.  $(13^\circ 10' 35'' =) 47435''$  :  $(360^\circ =) 1296000''$  :: 1 day : —  
 $1 \times 1296000 = 1296000$ , which  $\div 47435 = 27$  days 7 h. 43 m. 6 s., *Ans.*
6.  $\$145$  :  $\$378$  ::  $\$12^{\cdot}63$ , taxes :  $\$32^{\cdot}925$ +, *Ans.*
7.  $\$75$  :  $\$6$  :: 7 lbs. : 56 lbs., *Ans.*
8.  $\$100$  :  $\$357^{\cdot}82$  ::  $\$6$  :  $\$21^{\cdot}469$ +, *Ans.*
9. 6 ft. : 153 ft. :: (5 ft. 8 in. =) 68 in. : (1734 in. =)  $144\frac{1}{2}$  ft., *Ans.*
10.  $\overset{3}{10}$  persons :  $\overset{3}{30}$  persons :: 3 bu. : 9 bu., *Ans.*
11.  $\overset{4}{2}$  mo. :  $\overset{4}{8}$  mo. :: 120 men : 480 men, *Ans.*
12.  $\overset{4}{24}$  m. : (10 h. =)  $\overset{100}{600}$  m. : 1 pipe : 25 pipes, *Ans.*
13.  $\overset{4}{1600}$  men :  $\overset{3}{1200}$  men : 9 mo. :  $6\frac{1}{2}$  mo., *Ans.*
14.  $\overset{5}{25}$  rds. long :  $\overset{8}{40}$  rds. long :: 4 rds. wide :  $6\frac{1}{2}$  rds wide, *Ans.*
15.  $\overset{2}{10}$  h. :  $\overset{6}{12}$  h. ::  $\overset{3}{15}$  d. : 18d., *Ans.*
16.  $\overset{7}{21}$  cows :  $\overset{2}{6}$  cows ::  $\overset{13}{91}$  days : 26 days, *Ans.*
17.  $\$806$  :  $\$292$  :: 6 mo. : 2 mo. 5+ d., *Ans.*
18. 7 lb. : 12 lb. ::  $\$3\frac{1}{2}$  : —  
 $\$3\frac{1}{2} \times 12 = \$42$ , which  $\div 7 = 6 = \$12$ , *Ans.*
19.  $(6\frac{1}{2} =) 1\frac{1}{2}$  yd. :  $(9\frac{1}{2} =) 3\frac{1}{2}$  yd. ::  $\$3$  : —  
 $\$3 \times 1\frac{1}{2} = \$4\frac{1}{2}$ , which  $\div \frac{1}{2}$  ( $\frac{2}{3}$  of  $1\frac{1}{2}$ ) =  $\$2\frac{1}{2}$  =  $\$4^{\cdot}269$ +, *Ans.*
20. 2 oz. : 75 oz. ::  $\$2^{\cdot}24$  : —  
 $\$2^{\cdot}24 \times 75 = \$16800$ , which  $\div 2 = \$84$ , *Ans.*
21.  $\frac{1}{4}$  oz. : 1 oz. ::  $\$1\frac{1}{2}$  : —  
 $\$1\frac{1}{2} \times 4 = \$6$ , which  $\div \frac{1}{2}$  ( $\frac{1}{2}$  of  $1\frac{1}{2}$ ) =  $\$12$  =  $\$1^{\cdot}233$ +, *Ans.*
22.  $\frac{1}{2}$  yd. :  $(40\frac{1}{2} =) 81$  yd. ::  $\$7\frac{1}{2}$  : —  
 $\$7\frac{1}{2} \times 81 = \$607\frac{1}{2}$ , which  $\div \frac{1}{2}$  ( $\frac{1}{2}$  of  $81\frac{1}{2}$ ) =  $\$1215$  =  $\$59^{\cdot}062$ +, *Ans.*

23. ( $\frac{3}{4}$  of  $\frac{1}{2}$  =)  $\frac{3}{8}$  ves. : 1 ves. :: \$957 : —  
 $\$957 \times 1 = \$957$ , which  $\div \frac{3}{8} = \$1794\frac{3}{4}$ , *Ans.*
24. (12 A, 3 R. =) 2040 P. : (35 A. 1 R. 20 P. =) 5660 P. : : (78 qrs. 3 pks. =) 2499 pks. : 6933 $\frac{1}{2}$  pks. = 216 qrs. 5 bu. 1 pk. 4 qts., *Ans.*

NOTE. By cancelation the proportion may become, 34 P. : 283 P. :: 833 pks. : —

25.  $\frac{1}{3} + \frac{1}{6} + \frac{1}{6} + \frac{1}{6} = \frac{1}{2}$  of the cistern in 1 minute; then,  
 $\frac{1}{2}$  eightieths :  $\frac{1}{80}$  eightieths :: 1 minute : 5 $\frac{1}{2}$  minutes, *Ans.*
26. \$ bar. : 17\$ bar. :: \$33 : \$979, *Ans.*
27. 2\$ lbs. : 185 lbs. :: \$7\$ : \$55.50, *Ans.*
28. 1 hhd. : 15 hhd. :: \$2.39 : \$35.85, *Ans.*
29. 15 hhd. : 1 hhd. :: \$3585 : \$2.39, *Ans.*
30. \$972 : \$11 $\frac{1}{2}$  :: \$607.50 : \$7.083 $\frac{1}{2}$ , *Ans.*
31. \$1.24 : \$93 :: 12 oz. : 9 oz., *Ans.*
32. 6 oz.  $\times$  16 = 96 oz. = 6 lbs., their daily allowance;  
 224 lbs.  $\div$  28 = 8 lbs., to be added to their daily allowance;  
 then, 6 lbs. : 14 lbs. :: 6 oz. : 14 oz., *Ans.*

### Compound Proportion.

#### ¶ 193. EXAMPLES FOR PRACTICE.

1. 16 days, being of the same kind as the answer required, must be made the 3d term; then,

<i>Inverse,</i>	$\frac{2}{4}$	men	:	6	men	}	:: 16 days : —
				5			
				10			
<i>Direct,</i>	20	ft. long	:	20	ft. long		
				2			
<i>Direct,</i>	6	ft. high	:	6	ft. high		
<i>Direct,</i>	4	ft. thick	:	6	ft. thick		

Reducing the compound ratio to a simple one, shortening the process by cancelation, we have the simple proportion —  
 1 : 5 :: 16 days : 80 days, *Ans.*

2. 1200 lbs.  $\times$  9 = 10800 lbs., the weight of the hogsheads; and 250 lbs.  $\times$  50 = 12500 lbs., the weight of the tierces; then,

$\begin{matrix} 27 \\ \text{Direct, } 100|00 \text{ lbs.} : 125|00 \text{ lbs.} \\ \text{Direct, } 2|0 \text{ mi.} : 2|0 \text{ mi.} \end{matrix} \left. \vphantom{\begin{matrix} 27 \\ \text{Direct, } 100|00 \text{ lbs.} : 125|00 \text{ lbs.} \\ \text{Direct, } 2|0 \text{ mi.} : 2|0 \text{ mi.} \end{matrix}} \right\} :: 4 \\ \text{and } \$4 \times 5 \times 125 = \$2500, \text{ which } \div 27 = \$92.592+, \\ \text{Ans.}$

$\begin{matrix} 3 \\ \text{3. Direct, } 7 \text{ men} : 21 \text{ men} \\ \text{Direct, } 14 \text{ days} : 3 \text{ days} \end{matrix} \left. \vphantom{\begin{matrix} 3 \\ \text{3. Direct, } 7 \text{ men} : 21 \text{ men} \\ \text{Direct, } 14 \text{ days} : 3 \text{ days} \end{matrix}} \right\} :: 4 \\ \text{and } 4 \text{ lbs.} \times 3 \times 3 = 36 \text{ lbs., Ans.}$

$\begin{matrix} \$92 & & \$6.44 \\ \text{4. Direct, } \$11.04 : \$103.04 \\ \text{Inverse, } 16 \text{ d.} : 3 \text{ d.} \end{matrix} \left. \vphantom{\begin{matrix} \$92 & & \$6.44 \\ \text{4. Direct, } \$11.04 : \$103.04 \\ \text{Inverse, } 16 \text{ d.} : 3 \text{ d.} \end{matrix}} \right\} :: 4 \text{ men} : \text{---} \\ \text{and } 1 \text{ man} \times 6.44 \text{ and the product } \div 92 = 7 \text{ men, Ans.}$

$\begin{matrix} 3 \\ \text{5. Direct, } \$96 : \$18 \\ \text{Inverse, } \$9|0 : \$76 \end{matrix} \left. \vphantom{\begin{matrix} 3 \\ \text{5. Direct, } \$96 : \$18 \\ \text{Inverse, } \$9|0 : \$76 \end{matrix}} \right\} :: (7 \text{ oz. } 8 \text{ drs.} =) 12|0 \text{ drs.} : \text{---} \\ \text{and } 4 \text{ drs.} \times 76 = 304 \text{ drs.} = 1 \text{ lb. } 3 \text{ oz., Ans.}$

$\begin{matrix} 3 \\ \text{6. Direct, Prin. } \$1|00 : \$4|00 \\ \text{Direct, Time, } 12 \text{ mo.} : 9 \text{ mo.} \end{matrix} \left. \vphantom{\begin{matrix} 3 \\ \text{6. Direct, Prin. } \$1|00 : \$4|00 \\ \text{Direct, Time, } 12 \text{ mo.} : 9 \text{ mo.} \end{matrix}} \right\} :: \$6 \text{ int.} : \$18 \text{ int., Ans.}$

$\begin{matrix} 3 \\ \text{7. Inverse, Prin. } \$4|00 : \$1|00 \\ \text{Direct, Int. } \$6 : \$18 \end{matrix} \left. \vphantom{\begin{matrix} 3 \\ \text{7. Inverse, Prin. } \$4|00 : \$1|00 \\ \text{Direct, Int. } \$6 : \$18 \end{matrix}} \right\} :: 12 \text{ mo.} : 9 \text{ mo., Ans.}$

$\begin{matrix} 3 \\ \text{8. Direct, Prin. } \$3|00 : \$1|00 \\ \text{Direct, Time, } 9 \text{ mo.} : 12 \text{ mo.} \end{matrix} \left. \vphantom{\begin{matrix} 3 \\ \text{8. Direct, Prin. } \$3|00 : \$1|00 \\ \text{Direct, Time, } 9 \text{ mo.} : 12 \text{ mo.} \end{matrix}} \right\} :: \$18 \text{ int.} : \$6 \text{ int., Ans.}$

$\begin{matrix} 3 & & 4 \\ \text{9. Inverse, Time, } 9 \text{ mo.} : 12 \text{ mo.} \\ \text{Direct, Int. } \$6 & : & \$18 \end{matrix} \left. \vphantom{\begin{matrix} 3 & & 4 \\ \text{9. Inverse, Time, } 9 \text{ mo.} : 12 \text{ mo.} \\ \text{Direct, Int. } \$6 & : & \$18 \end{matrix}} \right\} :: \$100 \text{ prin.} : \$400 \\ \text{prin., Ans.}$

$\begin{matrix} 3 & & 4 \\ \text{10. Direct, Prin. } \$75 : \$100 \\ \text{Direct, Time, } 2 \text{ mo.} : 4 \text{ mo.} \end{matrix} \left. \vphantom{\begin{matrix} 3 & & 4 \\ \text{10. Direct, Prin. } \$75 : \$100 \\ \text{Direct, Time, } 2 \text{ mo.} : 4 \text{ mo.} \end{matrix}} \right\} :: \$4 \text{ int.} : \$8 \text{ int.} = 8 \\ \text{per cent., Ans.}$

¶ 194. Review of Proportion.

EXERCISES.

1. 76 yds.  $\times 4 = 304$  qrs., which  $\div 5 = 60.8$  E. E.; then, 60.8 E. E. : 1 E. E. :: \$113.17 : \$1.861+, Ans.
2. 24 E. E.  $\times 4 = 96$  E. E. = 120 yds.; then,

$$120 \text{ yds.} : 1 \text{ yd.} :: \overset{5}{\$96} : \overset{4}{\$80}, \text{ Ans.}$$

$$3. \text{ Inverse, } \overset{1 \cdot 9}{9\frac{1}{2}} \text{ mo.} : 8 \text{ mo.} :: \overset{3}{16} \text{ oz.} : 12\frac{1}{2} \text{ oz.}, \text{ Ans.}$$

$$4. \overset{15}{\$250} : \overset{52}{\$375} :: 360 \text{ acres} : 540 \text{ acres}, \text{ Ans.}$$

$$5. \text{ Inverse, } \overset{57}{200} \text{ d.} : \overset{57}{225} \text{ d.} :: 185 \text{ qrs.} : 202\frac{1}{2} \text{ qrs.}, \text{ Ans.}$$

$$6. (\frac{2}{3} \text{ of } \frac{2}{3} =) \frac{2}{7} \text{ mine} : 1 \text{ mine} :: 171\text{£.} : 390\text{£.}, \text{ Ans.}$$

$$7. \frac{5}{9} \text{ T. } \frac{4}{1} \times \frac{63}{1} = 140 \text{ gal.}; \text{ then, } \frac{1}{3} \text{ gal.} : 140 \text{ gal.} :: \frac{3}{4} : \$140, \text{ Ans.};$$

or, the first and third terms being the same number, they may be dropped, and the second term taken to express the answer, thus, \$140, as before.

$$8. 1 \text{ cwt.} = 112 \text{ lbs.}, 3\frac{1}{2} \text{ lbs.} = \frac{1}{2} \text{ lb.}, \text{ and } 1\frac{1}{2}\text{£.} = \frac{3}{4}\text{£.};$$

then,  $112 \text{ lbs.} : \frac{1}{2} \text{ lb.} :: \frac{3}{4}\text{£.} : \frac{1}{112}\text{£.} = 10\frac{1}{2} \text{ d.}, \text{ Ans.}$

$$9. 20 \text{ mi.} : 36 \text{ mi.} :: (4\frac{1}{2} \text{ cwt.} =) 504 \text{ lbs.} : 907\frac{1}{2} \text{ lbs.}, \text{ Ans.}$$

$$10. 24 \text{ h.} : 1 \text{ h.} :: 360^\circ : 15^\circ, \text{ Ans.}; 60 \text{ m.} : 1 \text{ m.} :: 15^\circ : 4', \text{ Ans.}; 60 \text{ s.} : 1 \text{ s.} :: 4' : 15'', \text{ Ans.}$$

$$11. \left. \begin{array}{l} \text{Direct, } 9 \text{ persons} : 14 \text{ persons} \\ \text{Direct, } 8 \text{ mo.} : 8 \text{ mo.} \end{array} \right\} :: \frac{10}{\$450} : \$1120, \text{ Ans.}$$

ALLIGATION — Medial.

¶ 195. EXAMPLES FOR PRACTICE.

$$2. \begin{array}{l} 5 \text{ lbs. at } 10 \text{ cts. cost } 50 \text{ cts.} \\ 8 \text{ " " } 12 \text{ " " } 96 \text{ " } \\ 20 \text{ " " } 14 \text{ " " } 280 \text{ " } \end{array} \quad \frac{121}{23} = 12\frac{1}{2} \text{ cts.}, \text{ Ans.}$$

$$3. \begin{array}{l} 33 \text{ lbs.} \quad 426 \text{ cts.} \\ 3 \text{ oz. } 20 \text{ carats} = 60 \text{ carats.} \\ 5 \text{ " } 22 \text{ " } = 110 \text{ " } \end{array} \quad \frac{170}{8} = 21\frac{1}{2} \text{ carats}, \text{ Ans.}$$

$$4. \begin{array}{l} 8 \text{ oz.} \quad 170 \text{ carats.} \\ 40 \text{ gals. at } 42 \text{ cts. cost } 1680 \text{ cts.} \\ 6 \text{ " " } 0 \text{ " " } 0 \text{ " } \end{array} \quad \frac{1210}{10} = 26\frac{1}{2} \text{ cts.}, \text{ Ans.}$$

$\frac{1680}{40} \text{ gals.} \quad 1680 \text{ cts.}$

5. 5 h. at  $64^\circ = 320^\circ$   
 4 h. "  $70^\circ = 280^\circ$   
 2 h. "  $75^\circ = 150^\circ$   
 3 h. "  $73^\circ = 219^\circ$

$$\frac{288^\circ}{14} = 69\frac{3}{14} \text{ deg., Ans.}$$

14 h. 969°

6. 16 A. at \$90, cost \$1440  
 22 " " \$75 " \$1650  
 18 " " \$64 " \$1152  
 10 " " \$55 " \$ 550  
 30 " " \$36 " \$1080  
 42 " " \$25 " \$1050

$$\frac{\$6822}{138} = \$50\cdot159\frac{1}{3}, \text{ Ans.}$$

138 A. \$6922

7. 3 cows at \$35 cost \$105  
 4 " " \$30 " \$120  
 6 " " \$24 " \$144  
 4 " " \$20 " \$ 80  
 2 " " \$18 " \$ 36  
 1 " " \$13 " \$ 13

$$\frac{\$420}{170} = \$24\cdot90, \text{ Ans.}$$

20 cows, \$498

### Alligation Alternate.

#### ¶ 197. EXAMPLES FOR PRACTICE.

1. 12 cts.  $\left\{ \begin{array}{l} 8 \text{ cts.} \\ 10 \text{ cts.} \\ 14 \text{ cts.} \end{array} \right.$   $\left\{ \begin{array}{l} 2 \text{ lbs.} = 2 \text{ lbs. of the 1st kind.} \\ 2 \text{ lbs.} = 2 \text{ lbs. " " 2d kind.} \\ 4 \text{ lbs.} + 2 \text{ lbs.} = 6 \text{ lbs. 3d kind.} \end{array} \right.$

2. 10 cts.  $\left\{ \begin{array}{l} 7 \text{ cts.} \\ 9 \text{ cts.} \\ 12 \text{ cts.} \end{array} \right.$   $\left\{ \begin{array}{l} 2 \text{ lbs.} = 2 \text{ lbs. of the 1st kind.} \\ 2 \text{ lbs.} = 2 \text{ lbs. " " 2d kind.} \\ 3 \text{ lbs.} + 1 \text{ lb.} = 4 \text{ lbs. 3d kind} \end{array} \right.$

3. The proportions of the 1st and 2d kinds are alike. To find what will be the proportion of the 3d kind, using

- 1 lb. of 1st kind, 2 lbs. : 1 lb. :: 4 lbs. : 2 lbs. of 3d kind  
 4 lbs. " " " 2 lbs. : 4 lbs. :: 4 lbs. : 8 lbs. " " "  
 6 lbs. " " " 2 lbs. : 6 lbs. :: 4 lbs. : 12 lbs. " " "  
 10 lbs. " " " 2 lbs. : 10 lbs. :: 4 lbs. : 20 lbs. " " "  
 20 lbs. " " " 2 lbs. : 20 lbs. :: 4 lbs. : 40 lbs. " " "

4. 24d.  $\left\{ \begin{array}{l} 16d. \\ 20d. \\ 32d. \end{array} \right.$   $\left\{ \begin{array}{l} 8 \text{ lbs.} = 8 \text{ lbs.} \\ 8 \text{ lbs.} = 8 \text{ lbs.} \\ 8 \text{ lbs.} + 4 \text{ lbs.} = 12 \text{ lbs.} \end{array} \right.$  Proportions alike.

8 lbs. : 5 lbs. :: 12 lbs. : 7½ lbs. of the 3d kind, to be taken with 5 lbs. of the 1st and 2d kinds.

5. 70 cts.  $\left\{ \begin{array}{l} 0 \text{ — } 10 \text{ gal., proportional quantity of water.} \\ 80 \text{ — } 70 \text{ gal., proportional quantity of rum.} \end{array} \right.$   
 70 gal. rum : 60 gal. rum :: 10 gal. water : 8 gal. water.

Ans.

6. 84 cts.  $\left\{ \begin{array}{l} \$1'50 \text{ — } 34 \text{ bu. proportional quant. wheat.} \\ \$1'16 \text{ — } 9 \text{ bu. " " rye.} \\ \$ '75 \text{ — } 32 \text{ bu. " " corn.} \\ \$ '50 \text{ — } 66 \text{ bu. " " barley.} \end{array} \right.$

34 bu. wheat : 4 bu. wheat :: 9 bu. rye : 1  $\frac{1}{7}$  bu. rye, }  
 34 " " : 4 " " :: 32 " corn : 3  $\frac{1}{7}$  " corn, } Ans.  
 34 " " : 4 " " :: 66 " bar. : 7  $\frac{1}{7}$  " barley, }

7. 22  $\left\{ \begin{array}{l} 17 \text{ — } 2 \text{ — } 2 \text{ parts of the 1st kind,} \\ 19 \text{ — } 2 \text{ — } 2 \text{ parts of the 2d kind,} \\ 21 \text{ — } 2 \text{ — } 2 \text{ parts of the 3d kind,} \\ 24 \text{ — } 5+3+1=9 \text{ parts of the 4th kind,} \end{array} \right.$  } Ans.

8. The proportions of the first 3 kinds are alike. 2 oz. : 1 oz. :: 9 oz. : 4  $\frac{1}{2}$  oz., (of the 4th kind,) which + 1 + 1 + 1 = 7  $\frac{1}{2}$  oz. of the mixture, Ans.

9. 7  $\frac{1}{2}$  oz. (compound in the last ex.) = 1  $\frac{1}{2}$  oz.

15 oz.  $\left\{ \begin{array}{l} \frac{1}{2} \text{ oz. : 15 oz. : : 1 oz. : 2 oz. of 1st 3 kinds,} \\ \frac{1}{2} \text{ oz. : 15 oz. : : (4\frac{1}{2} =) \frac{3}{2} \text{ oz. : 9 oz. 4th kind,} \\ 30 \text{ oz. } \left\{ \begin{array}{l} \frac{1}{2} \text{ oz. : 30 oz. : : 1 oz. : 4 oz. 1st 3 kinds,} \\ \frac{1}{2} \text{ oz. : 30 oz. : : 4\frac{1}{2} \text{ oz. : 18 oz. 4th kind,} \end{array} \right. \end{array} \right.$  } Ans.

10. 12 cts.  $\left\{ \begin{array}{l} 8 \text{ cts. — } 2 \text{ lbs. prop. quan. 1st. kind,} \\ 10 \text{ cts. — } 2 \text{ lbs. " " 2d. " } \\ 14 \text{ cts. — } 4 \text{ lbs. + 2 lbs. = 6 lbs. " " 3d. " } \end{array} \right.$   
 2 lbs. + 2 lbs. + 6 lbs. = 10 lbs., amount of the proportional quantities. The proportions of the 1st and 2d kinds are alike; then,

10 lbs. : 100 lbs. :: 2 lbs. : 20 lbs., of 1st and 2d kinds, }  
 10 lbs. : 100 lbs. :: 6 lbs. : 60 lbs., of 3d kind, } Ans.

11. 8d.  $\left\{ \begin{array}{l} 4d. \text{ — } 3 \\ 6d. \text{ — } 1 \\ 9d. \text{ — } 2 \\ 11d. \text{ — } 4 \end{array} \right.$  } 10, sum of the proportional quantities.

As  $\left\{ \begin{array}{l} 10 : 240 :: 3 \text{ lbs. : 72 lbs. at 4d.} \\ 10 : 240 :: 1 \text{ lb. : 24 lbs. at 6d.} \\ 10 : 240 :: 2 \text{ lbs. : 48 lbs. at 9d.} \\ 10 : 240 :: 4 \text{ lbs. : 96 lbs. at 11d.} \end{array} \right.$  } Ans.

6\*

## EXCHANGE.

## ¶ 200. Exchange with England.

1.  $\$4'44\frac{1}{2} \times 5000 = \$22222'22\frac{2}{3}$ , (the nominal value of 5000£. sterling,) which  $+ (9\frac{1}{2}$  per cent. of the nominal value  $=) \$2111'1109\frac{1}{4} = \$24333'333+$ , *Ans.*

2.  $\$4'44\frac{1}{2} \times 7000 = \$31111'11\frac{1}{2}$ , (the nominal value;) he sold the bill for  $(11 - 9\frac{1}{2} =) 1\frac{1}{2}$  per cent. of its nominal value more than its par value;  $\$31111,11\frac{1}{2} \times '015 = \$486'66\frac{2}{3}$ , *Ans.*

3.  $\$4'44\frac{1}{2} \times 4000 = \$17777'77\frac{2}{3}$ , (nominal value,) which  $+ \$1688'888\frac{1}{3}$  ( $9\frac{1}{2}$  per cent. of itself)  $= \$19466'6659\frac{2}{3}$ , (par value;) and  $\$19466'6659\frac{2}{3} - \$389'333319\frac{1}{3}$  ( $= 2$  per cent. of par value, expense of transportation)  $= \$19077'3326+$ , what he would have realized for the bill, had he imported the specie;  $\$17777'77\frac{2}{3}$  (nominal value)  $+ \$1422'22\frac{2}{3}$  ( $= 8$  per cent. of the nominal value)  $= \$19200$ , avails of the bill; then,  $\$19200 - \$19077'3326 = \$122'667+$ , amount saved, *Ans.*

4.  $\$4'44\frac{1}{2} \times 2000 = 8888'88\frac{2}{3}$ , (nominal value,) which  $+ \$44'44\frac{1}{2}$  ( $9\frac{1}{2}$  per cent. of nominal value)  $= \$9733'33\frac{1}{2}$ , real value,  $\frac{1}{10}$  per cent. of which  $= \$9'73\frac{1}{2}$ , commission on the real value of the bill;  $8888'88\frac{2}{3} + 888'88\frac{2}{3}$  (10 per cent. of nominal value)  $= \$9777'77\frac{2}{3}$ , avails of the bill, which  $- \$9733'33\frac{1}{2}$  (real value)  $= \$44'44\frac{1}{2}$ , which  $\times '05 = \$2'22\frac{2}{3}$ , commission on  $\$44'44\frac{1}{2}$ ; then,  $\$9'73\frac{1}{2} + \$2'22\frac{2}{3} = \$11'95\frac{1}{3}$ , *Ans.*

## ¶ 201. Exchange with France.

1.  $\$'186 (= 1 \text{ franc}) \times 5'4 = \$1'0044$ , the amount received on each dollar;  $\$'0044$  (gain on  $\$1$ )  $\times 2500 (= \text{number of dollars}) = \$11$ , *Ans.*

2.  $\$'186 (= 1 \text{ franc}) \times 5'31 = \$'98766$ , amount received on  $\$1$ , and  $\$1 - \$'98766 = \$'01234$ , loss on  $\$1$ ; then,  $\$'01234 \times 2800 (= \text{number of dollars}) = \$34'552$ , less than the value of the bill, *Ans.*

## DUODECIMALS.

## . Multiplication of Duodecimals.

## ¶ 204. EXAMPLES FOR PRACTICE.

3.  $12 \text{ ft. } 8' \times 1 \text{ ft. } 1' = 13 \text{ ft. } 8' 8''$ , which  $\times 15 = 205 \text{ ft. } 10'$ , *Ans.*

4.			371 ft. 2' 6''	''	''''
			181	1	9
6''	×	9''			4 6
2'	×	9''		1	6
371 ft.	×	9''	23	2	3
6''	×	1'			6
2'	×	1'		2	
371 ft.	×	1'	30	11	
6''	×	181 ft.	7	6	6
2'	×	181 ft.	30	2	
371 ft.	×	181 ft.	67151		
			67242	10	1 4 6, Ans.

5. 47 ft. 3' × 7 ft. 6' = 39 sq. yds. 3 sq. ft. 4' 6''.

6. 26 ft. 8' × 24 ft. 9' = 660 sq. ft. = 73½ sq. yds.; then, \$90 × 73½ = \$66, Ans.

7. 15 ft. 4' × 16 ft. × 2 = 490 ft. 8 in., 10 ft. 6' × 24 ft. = 252 ft., 11 ft. 4' × 8 ft. × 3 = 272 ft., 9 ft. 6' × 7 ft. = 66 ft. 6', 14 ft. 2' × 18 = 255 ft., 20 ft. 8' × 16 × 2 = 661 ft. 4', which amounts added together = 1997 ft. 6'; then, \$02 × 1997½ = \$3995, Ans.

8. 32 ft. 6' + 32 ft. 6' (side walls) + 21 ft. 6' + 21 ft. 6' (end walls, deducting the corners) = 108 ft., (length of the walls,) which × 7 ft. (height) = 756 sq. ft.; then, 756 sq. ft. ÷ 16½ = 45¼ perches of stone in the walls. 32 ft. 6' + 32 ft. 6' + 24 ft. 6' + 24 ft. 6' = 114 ft., (girt of the walls,) which × 7 = 798 sq. ft.; then, 798 sq. ft. ÷ 16½ = 48¼ perches, the mason must be paid for, Ans.

9. 7 ft. × 3 ft. × 3 ft. 4' = 70 cu. ft., which ÷ 16 = 4½ C. ft.; \$40 × 4½ = \$175, Ans.

10. \$192 a cord is \$24 a cord foot; 10 ft. × 3 ft. 9' × 4 8' = 175 cu. ft. = 1 C. 2½ C. ft.; \$24 × 2½ = \$70½, cost of 2½ C. ft., which + \$192 (cost of 1 cord) = \$262½, Ans.

¶ 205. 1. 45 ft. × 26 ft. = 117 cu. ft.; \$75 × 117 = \$8775, Ans.

2. 75 ft. × 36 ft. × 48 ft. = 1296 cu. ft. = 1 C. 1¼ cu. ft., Ans.

3. 10 ft. × 34 ft. × 35 ft. = 119 cu. ft. = 7⅞ C. ft., Ans.



EXTRACTION OF THE SQUARE ROOT.

¶ 209. EXAMPLES FOR PRACTICE.

$$43264 \text{ (208, Ans.)}$$

$$\begin{array}{r} 4 \\ \hline 408 \overline{) 3264} \\ \underline{3264} \end{array}$$

$$4. \quad 998001 \text{ (999, Ans.)}$$

$$\begin{array}{r} 81 \\ \hline 189 \overline{) 1880} \\ \underline{1701} \\ 1989 \overline{) 17901} \\ \underline{17901} \end{array}$$

$$5. \quad 23409 \text{ (153, Ans.)}$$

$$\begin{array}{r} 1 \\ \hline 25 \overline{) 134} \\ \underline{125} \\ 303 \overline{) 909} \\ \underline{909} \end{array}$$

$$6. \quad 9645192360241 \text{ (3105671, Ans.)}$$

$$\begin{array}{r} 9 \\ \hline 61 \overline{) 64} \\ \underline{61} \\ 6205 \overline{) 35192} \\ \underline{31025} \\ 62108 \overline{) 416736} \\ \underline{372636} \\ 621127 \overline{) 4410002} \\ \underline{4347889} \\ 6211341 \overline{) 6211341} \\ \underline{6211341} \end{array}$$

$$7. \quad 001296 \text{ (36, Ans.)}$$

$$\begin{array}{r} 9 \\ \hline 66 \overline{) 396} \\ \underline{396} \end{array}$$

$$8. \quad 9916 \text{ (99, Ans.)}$$

$$\begin{array}{r} 25 \\ \hline 104 \overline{) 416} \\ \underline{416} \end{array}$$

$$9. \quad 36972961 \text{ (6081, Ans.)}$$

$$\begin{array}{r} 36 \\ \hline 1203 \overline{) 3729} \\ \underline{3609} \\ 12061 \overline{) 12061} \\ \underline{12061} \end{array}$$

$$10. \quad 164 \text{ (128, Ans.)}$$

$$\begin{array}{r} 1 \\ \hline 22 \overline{) 064} \\ \underline{44} \\ 248 \overline{) 2000} \\ \underline{1984} \\ 16 \end{array}$$

EXTRACTION OF THE SQUARE ROOT.

11.  $\dot{3}$  (173+, *Ans.*

$$\begin{array}{r} 1 \\ \hline 27 \overline{) 200} \\ \underline{189} \\ 343 \overline{) 1100} \\ \underline{1029} \\ 71 \end{array}$$

12.  $\dot{184}20$  (1567+, *Ans.*

$$\begin{array}{r} 1 \\ \hline 23 \overline{) 84} \\ \underline{69} \end{array}$$

$$\begin{array}{r} 265 \overline{) 1520} \\ \underline{1325} \end{array}$$

$$\begin{array}{r} 2707 \overline{) 19500} \\ \underline{18949} \\ 551 \end{array}$$

12.  $\dot{10}$  (316+, *Ans.*

$$\begin{array}{r} 9 \\ \hline 61 \overline{) 100} \\ \underline{61} \\ 626 \overline{) 3900} \\ \underline{3756} \\ 144 \end{array}$$

14.  $\dot{4}$  Num. (2) } =  $\frac{2}{3}$ ,  
 $\dot{4}$  } *Ans.*  
 9 Denom. (3) }  
 9

15.  $\dot{4}$  Num. (2) } =  $\frac{2}{5}$ ,  
 $\dot{4}$  } *Ans.*  
 25 Denom. (5) }  
 25

16.  $\dot{16}$  Num. (4) } =  $\frac{4}{10}$ ,  
 $\dot{16}$  } *Ans.*  
 100 Denom. (10) }  
 1 }  
 00

17.  $\dot{81}$  Num. (9) } =  $\frac{9}{12}$ ,  
 $\dot{81}$  } *Ans.*  
 144 Denom. (12) }  
 1 }  
 22 ) 44  
 44

18.  $\dot{20}25$  (45, *Ans.*

$$\begin{array}{r} 16 \\ \hline 85 \overline{) 425} \\ \underline{425} \end{array}$$

19.  $\dot{75}$  (866+, *Ans.*

$$\begin{array}{r} 64 \\ \hline 166 \overline{) 1100} \\ \underline{996} \\ 1726 \overline{) 10400} \\ \underline{10356} \\ 44 \end{array}$$

$$20. \sqrt{81} = 9 \text{ (} 9 \times 9 = 81 \text{, } \text{Ans.}$$

$$\begin{array}{r} 81 \\ \underline{81} \\ 181 \overline{) 233} \\ \underline{181} \\ 5233 \\ \underline{3644} \\ 1589 \end{array}$$

### ¶ 210. Practical Exercises in the Extraction of the Square Root.

$$1. \sqrt{4096} \text{ (} 64 \text{, } \text{Ans.} \quad 2. \sqrt{2025} \text{ (} 45 \text{, } \text{Ans.} \quad 3. \sqrt{5625} \text{ (} 75 \text{, } \text{Ans.}$$

$$124 \overline{) 496} \\ \underline{496}$$

$$85 \overline{) 425} \\ \underline{425}$$

$$145 \overline{) 725} \\ \underline{725}$$

$$4. \sqrt{5184} \text{ (} 72 \text{ ft., } \text{Ans.} \quad 5. 40 \text{ A.} + 50 \text{ A.} = 90 \text{ A., which } \times \\ 49 \quad 160 \text{ (rods in 1 A.)} = 14400 \text{ P. (} 120 \text{ P., } \text{Ans.}$$

$$142 \overline{) 284} \\ \underline{284}$$

$$\begin{array}{r} 1 \\ \underline{22) 44} \\ 44 \\ \underline{\quad} \\ 00 \end{array}$$

$$7. \sqrt{5 \text{ ft.} \times 5 \text{ ft.}} = 10 \text{ ft., } \&c., \text{ } \text{Ans.}$$

8.  $\frac{1}{2}$  of 288 P. = 144 P., and  $\sqrt{144} = 12$  rods square. Two such fields, laid side by side, form a parallelogram 24 rods in length and 12 rods in breadth, *Ans.*

9.  $\frac{1}{4}$  of 784 =  $\sqrt{196} = 14$  rows of trees each way, and 4 such, laid side by side, would form an orchard of 14 rows and  $(14 \times 4 =) 56$  trees in a row, *Ans.*

10.  $\frac{1}{4}$  of 192 =  $\sqrt{144} = 12$  rods square. The other 48 rods ( $\frac{1}{4}$  of 192) will extend this field on one side  $(48 \div 12 =) 4$  rods, forming a field 12 rods in breadth and 16 rods in length, *Ans.*

$$12. \sqrt{100 \times 100 \times 3} = 173.2 \text{ feet, } \text{Ans.}$$

$$13. \sqrt{12 \times 12 \div 4} = 6 \text{ inches, } \text{Ans.}$$

15.  $6^2 = 36$ , and  $8^2 = 64$ ; then,  $\sqrt{36 + 64} = 10$  feet, *Ans.*

16.  $32^2 = 1024$ , and  $24^2 = 576$ ; then,  $\sqrt{1024 + 576} = 40$  feet, *Ans.*

17.  $40^2 = 1600$ , and  $32^2 = 1024$ ; then,  $\sqrt{1600 - 1024} = 24$  feet, *Ans.*

18.  $40^2$  (length of the ladder)  $= 1600$ , and  $24^2$  (width of the ditch)  $= 576$ ; then,  $\sqrt{1600 - 576} = 32$  feet, *Ans.*

19. By the question, each rafter becomes the hypotenuse of a right-angled triangle, with a perpendicular (12 feet) common to both. One half of the beam (16 feet) is base to the one, and the other half base to the other.  $12^2 = 144$ , and  $16^2 = 256$ ; then,  $\sqrt{144 + 256} = 20$  feet, *Ans.*

20. The projection of the eaves 1 foot each way will make the length of the roof 32 feet, and the breadth 24 feet. A diagonal line, extending from corner to corner, will be the hypotenuse of a horizontal right-angled triangle, of which the length and the breadth of the roof will form the two sides. Half the length of this line will be the distance from the post to the corners of the eaves.  $32^2 = 1024$ , and  $24^2 = 576$ ; then,  $\sqrt{1024 + 576} = 40$  ft., the half of which, 20 ft., is the distance from the posts to the corners of the eaves. Length of a rafter to the middle of one side,  $10^2 = 100$ , and  $12^2 = 144$ ; then,  $\sqrt{100 + 144} = 15.62+$  feet, *Ans.* — rafter reaching to the middle of one end,  $10^2 = 100$ , and  $16^2 = 256$ ; then,  $\sqrt{100 + 256} = 18.86+$ , *Ans.* — rafter reaching to the corners of the eaves,  $10^2 = 100$ , and  $20^2 = 400$ ; then,  $\sqrt{100 + 400} = 22.36+$  feet, *Ans.*

21.  $800^2 = 640000$ , and  $600^2 = 360000$ ; then,  $\sqrt{640000 + 360000} = 1000$  rods between the corners, *Ans.*

22.  $\sqrt{90 \times 160} = 120$  rods each side;  $\sqrt{120^2 \times 2} = 169.7+$  rods from corner to corner, *Ans.*

23.  $\sqrt{10 \times 160} = 40$  rods each side of the field, and  $\sqrt{40^2 \times 2} = 56.56+$  rods, which  $\div 2 = 28.28+$  rods, distance of the centre from each corner, *Ans.*

### Extraction of the Cube Root.

#### ¶ 212. EXAMPLES FOR PRACTICE.

5.

373248 (72, *Ans.*)

343

$$70^2 \times 3 = 14700 \quad \overline{) 30248}$$

$$14700 \times 2 = 29400$$

$$2^2 \times 70 \times 3 = 840$$

$$2 \times 2 \times 2 = 8$$

$$\underline{30248}$$

$$\underline{00000}$$

6.  $\sqrt[3]{21024576}$  (276, Ans.

$$2 \times 2 \times 2 = 8$$

$$20^3 \times 3 = 1200 \quad ) \quad 13024, \text{ 2d dividend.}$$

$$1200 \times 7 = 8400$$

$$7^2 \times 20 \times 3 = 2940$$

$$7 \times 7 \times 7 = 343$$

$$\underline{11683}$$

$$270^3 \times 3 = 218700 \quad ) \quad 1341576, \text{ 3d dividend.}$$

$$218700 \times 6 = 1312200$$

$$6^2 \times 270 \times 3 = 29160$$

$$6 \times 6 \times 6 = 216$$

$$\underline{1341576}$$

$$\underline{000000}$$

7.  $\sqrt[3]{84604519}$  (489, Ans.

$$4 \times 4 \times 4 = 64$$

$$40^3 \times 3 = 4800 \quad ) \quad 20604$$

$$4800 \times 3 = 14400$$

$$3^2 \times 40 \times 3 = 1080$$

$$3 \times 3 \times 3 = 27$$

$$\underline{15507}$$

$$430^3 \times 3 = 554700 \quad ) \quad 5097519$$

$$554700 \times 9 = 4992300$$

$$9^2 \times 430 \times 3 = 104490$$

$$9 \times 9 \times 9 = 729$$

$$\underline{5097519}$$

$$\underline{000000}$$

8.  $\sqrt[3]{700343} = 87, A.$   
 $\begin{array}{r} 700343 \\ \underline{000} \\ 343 \end{array}$

$7 \times 7 \times 7 = 343$   
 $\underline{000}$

9.  $\sqrt[3]{2(125+)} = 1$   
 $1 \times 1 \times 1 = 1$

$10^3 \times 3 = 300 \quad \overline{) 1000}$   
 $300 \times 2 = 600$   
 $2^3 \times 10 \times 3 = 120$   
 $2 \times 2 \times 2 = 8$

728

$120^3 \times 3 = 43200 \quad \overline{) 272000}$

10.  $2 \times 2 \times 2 = 8$   
 $3 \times 3 \times 3 = 27$

$\left. \begin{array}{l} 8(2) \\ 27(3) \end{array} \right\} = 3, 4.$   
 $43200 \times 5 = 216000$   
 $5^3 \times 120 \times 3 = 9000$   
 $5 \times 5 \times 5 = 125$   
 $\underline{225125}$   
 $\underline{46875}$

11.  $5 \times 5 \times 5 = 125$   
 $6 \times 6 \times 6 = 216$

12.  $7 \times 7 \times 7 = 343$   
 $\left. \begin{array}{l} 343(7) \\ 1728(12) \end{array} \right\} = 7, 12.$   
 $\underline{1}$

$10^3 \times 3 = 300 \quad \overline{) 728}$   
 $300 \times 2 = 600$   
 $2^3 \times 10 \times 3 = 120$   
 $2 \times 2 \times 2 = 8$

728

000

13.  $\sqrt[3]{1728} = 12(125+), Ans.$   
 $\underline{1}$

$10^3 \times 3 = 300 \quad \overline{) 1000}$   
 $300 \times 2 = 600$   
 $2^3 \times 10 \times 3 = 120$   
 $2 \times 2 \times 2 = 8$   
 $\underline{728}$

Carried forward.

7

$$\begin{array}{r}
 120^3 \times 3 = 43200 \quad \overline{) 272000} \quad \text{Brought forward} \\
 \underline{43200 \times 5 = 216000} \quad 14. \\
 5^2 \times 120 \times 3 = 9000 \\
 \underline{5 \times 5 \times 5 = 125} \\
 225125 \\
 \underline{5 \times 5 \times 5 = 125} \\
 46875
 \end{array}
 \quad \left. \begin{array}{l}
 \overset{1}{1} (1) \\
 \underline{1} \\
 125 (5)
 \end{array} \right\} = \frac{1}{5}, \text{ Ans.}$$

### 7218. Practical Exercises in Extracting the Cube Root.

1.  $288 \times 216 \times 48 = 2985984$  (144 ft., *Ans.*)

$$\begin{array}{r}
 10^3 \times 3 = 300 \quad \overline{) 1985} \\
 \underline{300 \times 4 = 1200} \quad 2. \quad 2 \times 2 \times 2 = 8 \text{ ft., } \text{Ans.} \\
 4^2 \times 10 \times 3 = 480 \\
 \underline{4 \times 4 \times 4 = 64} \\
 1744
 \end{array}$$

$140^3 \times 3 = 58800 \quad \overline{) 241984}$

$$\begin{array}{r}
 \underline{58800 \times 4 = 235200} \\
 4^2 \times 140 \times 3 = 6720 \\
 \underline{4 \times 4 \times 4 = 64} \\
 241984 \\
 \underline{000000}
 \end{array}$$

3.  $8 \text{ ft.} \times 8 \text{ (times)} = 64$  (solid ft.)  $4 \text{ ft.} =$  one side, *Ans.*  
 $4 \times 4 \times 4 = 64$

4.  $5 \times 5 \times 5 = 125$ , which  $\times 27 =$   
 $3375$  (15 ft. = one side, &c.)

$$\begin{array}{r}
 10^3 \times 3 = 300 \quad \overline{) 2375} \\
 \underline{300 \times 5 = 1500} \\
 5^2 \times 10 \times 3 = 750 \\
 \underline{5 \times 5 \times 5 = 125} \\
 2375 \\
 \underline{0000}
 \end{array}$$

5.  $1^8 = 1$ , which  $\times 8$  (times)  $= 8$  (2 ft., *Ans.*)  
 $2 \times 2 \times 2 = 8$

Or,  $\frac{27}{3 \times 3 \times 3} = 27$  (3 ft., *Ans.*)      Or,  $\frac{64}{4 \times 4 \times 4} = 64$  (4 ft., *Ans.*)

6.  $4 : 32 :: (3^3 =) 27 : 216$  (6 in., *Ans.*)  
 $6 \times 6 \times 6 = 216$

7.  $(6^3 =) 216 : (3^3 =) 27 :: 32 \text{ lb.} : 4 \text{ lb.}$ , *Ans.*

8.  $1^3 \text{ in.} = 1 \text{ in.}$ , and  $(1 \text{ ft.} =) 12^3 \text{ in.} = 1728 \text{ in. diam.}$ ;  
then,  $1 \text{ in.} : 1728 \text{ in.} :: \$6 : \$10368$ , *Ans.*

9.  $(40^3 =) 64000 \div (1^3 =) 1 = 64000$  of the smaller, *Ans.*

10.  $112^3 = 1404928$  globes, large as the earth, to make one large as the sun, *Ans.*

11.  $7900^3$  (the earth's diam.)  $= 493039000000$ , which  $\times$   
 $1000 = 493039000000000$  (79000 miles, diam. of  
 $7^3 = 343$  Saturn, *Ans.*)

$70^2 \times 3 = 14700$  150039

$14700 \times 9 = 132300$

$9^2 \times 70 \times 3 = 17010$   
 $9^3 = 729$

12.  $2^3 = 8$  }  $= \frac{8}{729}$ , or as 8  
 $9^3 = 729$  } to 729, *Ans.*

150039

00600

1214. Review of Involution and Evolution.

EXERCISES.

1. 20 rds.  $\times$  20 rds.  $= 400$  P., which  $\times 6 = 2400$  P., and  
50 rds.  $\times$  50 rds.  $= 2500$  P.; then,  $2500 \text{ P.} - 2400 \text{ P.} =$   
100 P., *Ans.*

2.  $10^3 \text{ ft.} = 1000 \text{ cu. ft.}$  in 1 stack, which  $\times 56 = 56000$   
cu. ft. in 56 stacks of the 1st size, and  $40^3 \text{ ft.} = 64000 \text{ cu. ft.}$   
in 1 stack of the 2d size; then,  $64000 \text{ cu. ft.} - 56000 \text{ cu.}$   
ft.  $= 8000 \text{ cu. ft.}$ , *Ans.*

3.  $(1 \text{ mi.} =) 320^2 \text{ rds.} = 102400$ , and  $40^2 \text{ rds.} = 1600$ ;  
then,  $102400 \div 1600 = 64$  times, *Ans.*

4.  $128 \text{ cu. ft.} (= 1 \text{ C.}) \times 4 = 512 \text{ cu. ft.}$ , and  $\sqrt[3]{512} \text{ cu.}$   
ft.  $= 8 \text{ ft.}$ , length of one side, *Ans.*

5. The side walls will each be 60 ft. long the whole height;  
the end walls will each be 31 ft. 4 in. long, the 1st 12 ft.,  
32 ft. long the next 12, and 32 ft. 8 in. the next 12. 120 ft. +



$62\frac{1}{2}$  ft. =  $182\frac{1}{2}$  ft., (length of the walls first 12 ft.) which  $\times$   $1\frac{1}{2}$  ft. (thickness)  $\times$  12 ft. (height) =  $2922\frac{1}{2}$  cu. ft., contents of the walls 12 ft. high;  $120$  ft. +  $64$  ft. =  $184$  ft., (length of the walls next 12 ft.) which  $\times$  1 ft. (thickness)  $\times$  12 ft. (height) =  $2208$  cu. ft., contents of the walls next 12 ft. high;  $120$  ft. +  $65\frac{1}{2}$  ft. =  $185\frac{1}{2}$  ft., (length of the walls last 12 ft.) which  $\times$   $\frac{3}{4}$  ft. (thickness)  $\times$  12 ft. (height) =  $1482\frac{3}{4}$  cu. ft., contents of the walls last 12 ft. high; then,  $2922\frac{1}{2}$  cu. ft. +  $2208$  cu. ft. +  $1482\frac{3}{4}$  cu. ft. =  $6613\frac{1}{4}$  cu. ft., solid contents of the walls; and  $\sqrt[3]{6613\frac{1}{4}}$  cu. ft. =  $18\frac{7}{8}$  ft., length of one side of the cubical pile of bricks, *Ans.*

## ARITHMETICAL PROGRESSION.

### ¶ 216. EXAMPLES FOR PRACTICE.

2.  $23 - 1 = 22$ , which  $\times 4 = 88$ , sum of the subtractions, and  $95 - 88 = 7$ , *Ans.*

3.  $57 - 1 = 56$ , which  $\times 3 = 168$ , sum of the additions, and  $168 + 6 = 174$ , *Ans.*

4.  $15 - 1 = 14$ , which  $\times 8 = 112$ , sum of the subtractions, and  $117 - 112 = 5$ , *Ans.*

5.  $21 - 1 = 20$ , which  $\times 10 = 200$ , and  $200 + 6 = 206$ , *Ans.*

### ¶ 217. Simple Interest by Progression.

2. Here 50 is the number of terms less one,  $\$67 \times 50 = \$21$  the common difference, and  $\$300$  the first term; then,  $\$21 \times 50 = \$1050$ , sum of the additions, which +  $\$300 = \$1350$ , *Ans.*

3. The first term is  $\$25$ ,  $\$08 \times 25 = \$2$  the common difference, and 54 the number of terms less one; then,  $\$2 \times 54 = \$108$ , which +  $\$25 = \$133$ , *Ans.*

¶ 218. *The extremes and the number of terms given, to find the common difference.*

### EXAMPLES FOR PRACTICE.

2.  $605 - 5 = 600$ , which  $\div (151 - 1) = 150 = 4$ , *Ans.*

3.  $45 - 10 = 35$ , which  $\div (8 - 1) = 7 = 5$ , *Ans.*

4.  $1205 - 5 = 1200$ , which  $\div 8 = 150$ , and  $150 + 1 = 151$ , *Ans.*

¶ 219. *The extremes and the number of terms given, to find the sum of all the terms.*

EXAMPLES FOR PRACTICE.

2.  $605 + 5 = 610$ , which  $\times 151 = 92110$ , and  $92110 \div 2 = 46055$ , *Ans.*

3.  $100 + 1 = 101$ , which  $\times 100 = 10100$ , and  $10100 \div 2 = 5050$ , *Ans.*

4.  $12 + 1 = 13$ , which  $\times 12 = 156$ , and  $156 \div 2 = 78$ , *Ans.*

¶ 220. *Annuities by Arithmetical Progression.*

EXAMPLES FOR PRACTICE.

2.  $\$147.84$  (amount of  $\$96$  for 9 years)  $+ \$96 = \$243.84$ , which  $\times 10 = \$2438.40$ , and  $2438.40 \div 2 = \$1219.20$ , *Ans.*

3. Whole number of years, 61.  $\$26$  (amount of  $\$5$  for 60 years)  $+ \$5 = \$31$ , which  $\times 61 = \$1891$ ;  $\$1891 + 2 = \$945.50$ , which  $+ \$300 = \$1245.50$ , *Ans.*

4.  $\$149.20$  (amount of  $\$40$  for 39 years)  $+ \$40 = \$189.20$ , which  $\times 40 = \$7568$ ;  $\$7568 \div 2 = \$3784$ , which  $+ \$1500 = \$5284$ , *Ans.*

5.  $\$6342 \div 20 = \$317.10$ , gain in 1 year.  $\$983.01$  (amount of  $\$317.10$  for 30 years)  $+ \$317.10 = \$1300.11$ , which  $\times 31 = \$40303.41$ , and  $\$40303.41 \div 2 = \$20151.705$ , *Ans.*

¶ 221. EXERCISES.

1. The extremes are 30 and 0; then,  $30 + 0 = 30$ , which  $\times 20 = 600$ , and  $600 \div 2 = 300$ , *Ans.*

2.  $\$75 + \$5 = \$80$ , which  $\times 11 = \$880$ , and  $\$880 \div 2 = \$440$ , whole debt;  $\$75 - \$5 = \$70$ , which  $\div (11 - 1) = 10 = \$7$ , common difference, *Ans.*

3.  $1001 - 1 = 1000$ , which  $\div 2 = 500$ , number of additions, and  $500 + 1 = 501$ , number of terms; then,  $1001 + 1 = 1002$ , which  $\times 501 = 502002$ , and  $502002 \div 2 = 251001$ , *Ans.*

4.  $\$.04 + \$.01 = \$.05$ , which  $\times 100 = \$305$ , and  $\$305 \div 2 = \$152.50$ , *Ans.*

5.  $\$1570$  is the sum of the series, 20 years the number of terms, and  $\$.06$  is the common difference of a series of which  $\$1$  is the 1st term. Hence the operation is the reverse of ¶ 219.  $\$1570 \times 2 = \$3140$ , (twice the series,) which  $\div 20$  (the number of terms)  $= \$157$ , the sum of the extremes of a series of which  $\$1$  is the first term, 20 the number of terms,

and \$1.06 the common difference; then, \$2.14 (amount of \$1 for 19 years) + \$1 = \$3.14, and  $\$157 \div \$3.14 = \$50$ , *Ans.*

6.  $50 - 1 = 49$ , which  $\times \frac{1}{2} = 24\frac{1}{2}$ , sum of the additions, and  $24\frac{1}{2} + 2 = 26\frac{1}{2}$ , last term; then,  $26\frac{1}{2} + 2 = 28\frac{1}{2}$ , which  $\times 50 = 1425$ , and  $1425 = 712\frac{1}{2}$ , *Ans.*

7.  $30 - 0 = 30$ , which  $\div \frac{1}{3} = 90$ , and  $90 + 1 = 91$ , number of terms; then,  $(30 + 0) \times 91 = 2730$ , which  $\div 2 = 1365$ , *Ans.*

8. The number of terms is 59. \$117 (amount of \$30 for 58 years) + \$30 = \$147, which  $\times 59 = \$8673$ , and  $\$8673 \div 2 = \$4336.50$ , *Ans.*

## GEOMETRICAL PROGRESSION.

### ¶ 223. EXAMPLES FOR PRACTICE.

2.

**NOTE.** The 4 kernels planted is the first term, and the 32 kernels harvested the second, both within the first year; it follows, therefore, that the number of terms in this example is 1 more than the number of years.

Indices: 1, 2, 3, 4, 5, }  
 Powers: 8, 64, 512, 4096, 32768; } then,  $1 + 2 + 3 + 4 + 5 = 15$ , an index less by 1 than the number of terms; multiplying the powers of these several indices, we have  $32768 \times 4096 \times 512 \times 64 \times 8 = 35184372088832$ , which  $\times 4$  (the first term) =  $140737488355328$ , number of kernels,  $\div 1000$  (number of kernels in a pint) =  $140737488355.328$  pints  $\div 64$  (number of pints in a bushel) =  $2199023255.552$  bush., *Ans.*

3.  $1824 - 1620 = 204$ , which  $\div 12 = 17$ , number of terms less one; then,  $2^{17} = 131072$ , which  $\times \$01 = \$1310.72$ , *Ans.*

4.  $3^6 = 729$ , which  $\times 5 = 3645$ , *Ans.*

5.  $3^7 = 2187$ , and  $10935 \div 2187 = 5$ , *Ans.*

6.  $2^{18} = 65536$ , and  $196608 \div 65536 = 3$ , *Ans.*

7.  $70000000 \div 7 = 10000000$ , which may be divided by the ratio, 10, the quotient thence arising by 10, and so on for 8 divisions; then, 8 (divisions by the ratio) + 1 (division by the first term) = 9, the number of terms, *Ans.*

**Compound Interest by Progression.**

¶ 224. EXAMPLES FOR PRACTICE.

2.  $1.05^{11} = 1.71033+$ , and  $\$40 \times 1.71033 = \$68.413+$ ,  
*Ans.*
3.  $1.10^4 = 1.4641$ , and  $\$6 \times 1.4641 = \$8.7846$ , *Ans.*
4.  $\$1191.016 \div \$1000 = 1.191016$ , which may be divided by 1.06, and the quotient thence arising by 1.06, and this last quotient by 1.06; then, the three divisions = 3 years,  
*Ans.*

¶ 226. *The extremes and the ratio given, to find the sum of the series.*

EXAMPLES FOR PRACTICE.

2.  $131072 \times 8 = 1048576$ , which  $- 4 = 1048572$ , and  $1048572 \div 7 = 149796$ , *Ans.*
3.  $3 \times 3 = 9$ , which  $- 0 = 9$ , and  $9 \div 2 = 4\frac{1}{2}$ , *Ans.*
4.  $1 \times 4 = 4$ , which  $- 0 = 4$ , and  $4 \div 3 = 1\frac{1}{3}$ , *Ans.*
5.  $\frac{1}{10} \times 10 = 1$ , which  $- 0 = 1$ , and  $1 \div 9 = \frac{1}{9}$ , *Ans.*
6.  $\frac{1}{100} \times 100 = 1$ , which  $- 0 = 1$ , and  $1 \div 99 = \frac{1}{99}$ ,  
*Ans.*

¶ 227. *The first term, ratio, and number of terms given, to find the sum of the series.*

EXAMPLES FOR PRACTICE.

3.  $10^{40} = 1$  with forty ciphers annexed, which  $- 1$  would = forty 9s; then,  $\div 10 - 1 =$  forty 1s, the number of kernels, which  $\div 1000 =$  number of pints, and this dividend  $\div 64$  (number of pints in a bushel) = number of bushels, which  $\times '50 =$  *Ans.*

**Annuities at Compound Interest.**

¶ 228. EXAMPLES FOR PRACTICE.

2.  $\frac{1.05^{29} - 1}{1.05 - 1} = \frac{2.65329 - 1}{1.05 - 1} = \frac{1.65329}{.05} = 33.0658$ , which  $\times \$50$  (the annuity) =  $\$1653.29$ , *Ans.*
3.  $\frac{1.10^4 - 1}{1.10 - 1} = \frac{1.4641 - 1}{1.10 - 1} = \frac{.4641}{.10} = 4.641$ , which  $\times \$150$  (the annuity)  $\times \$696.15$ , *Ans.*

4.  $\frac{1.06^{24} - 1}{1.06 - 1} = \frac{4.048930}{1.06 - 1} = \frac{1 = 3.048930}{.06} = 50.8155,$

which  $\times \$500 = \$25407.75$ , *Ans. to the last.*

5.  $\$200 \times .20 = \$40$ ; then,  $\frac{1.06^{40} - 1}{1.06 - 1} = \frac{10.285718 - 1}{1.06 - 1} = \frac{9.285718}{.06} = 154.7619\frac{1}{2}$ , which  $\times \$40 = \$6190.478\frac{1}{2}$ , *Ans.*

6.  $\frac{1.06^{20} - 1}{1.06 - 1} = \frac{5.743491 - 1}{1.06 - 1} = \frac{4.743491}{.06} = 79.0581\frac{1}{2}$ , which  $\times \$100 = \$7905.818\frac{1}{2}$ , *Ans.*

**Present Worth of Annuities at Compound Interest.**

¶ 229. EXAMPLES FOR PRACTICE.

2.  $\frac{1.06^4 - 1}{1.06 - 1} = \frac{1.26247 - 1}{1.06 - 1} = 4.3745$ , which  $\times \$100$  (the annual pension) =  $\$437.45$ ; and  $\$437.45 \div \$1.26247$  (amount of \$1 for 4 years) =  $\$346.503+$ , *Ans.*

3.  $\frac{1.05^{20} - 1}{1.05 - 1} = \frac{2.65329 - 1}{1.05 - 1} = 33.0658$ , which  $\times \$100 = \$3306.58$ , and this sum  $\div \$2.65329$  (amount of \$1 for 20 years) =  $\$1246.218+$ , *Ans.*

¶ 230. EXAMPLES FOR PRACTICE.

1.  $\$15.37245$  (present worth of \$1)  $\times 150$  (= \$150 annuity) =  $\$2305.8675$ , *Ans.*

2.  $\$18.1929 \times 40 = \$647.716$ , *Ans. to last.*

**Annuities at Compound Interest in Reversion.**

¶ 231. EXAMPLES FOR PRACTICE.

3.  $\$3.4651$  (present worth of \$1 annuity)  $\times 100 = \$346.51$ , which  $\div \$1.1236$  (amount of \$1 for 2 years at 6 per cent., compound interest) =  $\$308.392+$ , *Ans.*

4. *The last.* Present worth, to commence immediately,  $\$1246.221$ , which  $\div 1.97993$  ( $1.05^4$ ) =  $\$629.426$ , *Ans.* Or, by the table, whole time, 34 years, =  $\$164929$

Time in reversion, 14 years, =  $\$989864$

Difference,  $\$629.426$ , which  $\times 100$  (the annuity) =  $\$629.426$ , *Ans.* as before.

5.  $1840 - 1817 = 23$  years, whole time the pension con-

tinued;  $1817 - 1783 = 34$  years, whole time in reversion;  $\$12\cdot30338$  (present worth of \$1 annuity for 23 years)  $\times 96 = \$1181\cdot12448$ , present worth to commence immediately, which  $\div 7\cdot251025 (1\cdot06^M) = \$162\cdot69+$ , *Ans.*

¶ 232. Perpetual Annuities.

2.  $\$800 \div \cdot07 = \$11428\cdot57+$ , *Ans.*
3.  $\$100 \div \cdot20 = \$500$ , *Ans.*
5.  $\$100 \div \cdot05 = \$2000$ , worth, if entered on now, which  $-\$1537\cdot245$  (present worth of 100 for 30 years)  $= \$462\cdot755$ , *Ans.*

PERMUTATION.

¶ 233. 2.  $1 \times 2 \times 3 \times 4 \times 5 \times 6 \times 7 \times 8 \times 9 = 362880$ , *Ans.*

3.  $1 \times 2 \times 3 \times 4 \times 5 \times 6 \times 7 \times 8 \times 9 \times 10 \times 11 \times 12 \times 13 \times 14 \times 15 \times 16 \times 17 \times 18 \times 19 \times 20 \times 21 \times 22 \times 23 \times 24 \times 25 = \$15511210043330985984000000$ , *Ans.*

4.  $1 \times 2 \times 3 \times 4 \times 5 \times 6 \times 7 \times 8 = 40320$ , *Ans.*

MISCELLANEOUS EXAMPLES.

¶ 234. 1.  $(7 + 4 =) 11 - (2 + 3 =) 5 = 6, 6 + 40 = 46$ , and  $46 \times 4 = 230$ , *Ans.*

2.  $990 - 90 = 900$ , (their sum if the numbers were each equal to the smaller,)  $900 \div 2 = 450$ , the smaller number, and  $450 + 90 = 540$ , the larger number, *Ans.*

3. The least number of pounds is the least common multiple of all the given numbers, ¶ 73, Note 2.

2) 48, 76, 87, 90,

3) 24, 38, 87, 45,

2) 8, 38, 29, 15,

4, 19, 29, 15,

$2 \times 3 \times 2 \times 4 \times 19 \times 29 \times 15 = 396720$ , *Ans.*

4. 2s. 3d. = 27d., which  $\times \cdot02\frac{2}{50} = \$54\frac{2}{50}$ ;  $\$54\frac{2}{50} \times 15 = \$816\frac{2}{5}$ , cost of the cloth, which  $\div \$1\cdot50 = 5\frac{2}{5}$  bushels, *Ans.*

5. If \$30 gain \$05, \$01 will gain  $\frac{1}{30}$  of \$05 =  $\frac{1}{6}$  of 1 cent, and  $(\$3\cdot75 =) 375$  cents will gain 375 times  $\frac{1}{6}$  of 1 cent =  $\$62\frac{1}{2}$ , which  $+ \$3\cdot75 = \$4\cdot37\frac{1}{2}$ , *Ans.*; or,  $\$30 : \$35 :: \$3\cdot75 : \$4\cdot37\frac{1}{2}$ , *Ans.* as before.

6. I paid 100 per cent. — 28 $\frac{1}{2}$  per cent. = 68 $\frac{1}{2}$  per cent. of the cost;  $\$450 \times '68\frac{1}{2} = \$300$ , *Ans.*

7.  $\$42 \times '15 = \$630$ ; then,  $\$42 + \$630 = \$4930$ , price of the whole, and  $\$4930 \div 120 = \$40\frac{1}{4}$ , *Ans.*

8.  $\$150 \div \$1'15 = \$130'434+$ , *Ans.*

9.  $\$1000 \div \$1'25 = \$800$ , *Ans.*

10.  $\$4'25 - \$3'50 = \$'75$ , gain on 1 yard;  $\frac{75}{350} = 21\frac{3}{4} = 21\frac{3}{4}$  per cent., *Ans.*

11.  $20 \times 60 = 1200$  men will build it in 1 day, and  $1200 \div 50 = 24$  men will build it in 50 days, *Ans.*

12.  $12 \times \frac{1}{2} = 6$ , contents of the plaid, which  $\div (1\frac{1}{2} =) \frac{2}{3}$  (contents of 1 yd. of Silesia) = 5 yards, *Ans.*

13.  $\frac{1}{2} - \frac{2}{3} = \frac{1}{6}$  of a gallon in 1 minute; then,  $400 \div \frac{1}{6} = 375$  minutes = 6 hours 15 minutes, *Ans.*

14.  $\frac{1}{10} - \frac{1}{15} = \frac{1}{30}$  part filled in 1 hour; then,  $1 \div \frac{1}{30} = 30$  hours, *Ans.*

15.  $\$500$  for 4 mo. =  $\$2000$  for 1 mo., and  $\$2000$  for 1 mo. =  $\$300$  for  $\frac{2000}{3000} = 6\frac{2}{3}$  mo., *Ans.*

16.  $800 \times 2 = 1600$  men can be served 1 mo., and  $\frac{1600}{5} = 320$  men can be served 5 mo.; then,  $800 - 320 = 480$  men, *Ans.*

17.  $(45 - 16 =) 29 \times \$3'50 = \$101'50$ , cost of the better kind; and  $(16 \times \frac{3}{2} =) 12 \times \$3'50 = \$42'00$ , cost of the poorer kind; then,  $\$101'50 + \$42'00 = \$143'50$ , *Ans.*

18.  $57 \div 4 (40 - 36) = 14\frac{1}{4}$  minutes; and  $40 \times 14\frac{1}{4} = 570$  rods, *Ans.*

19.  $11 : 12 :: 1 : A. = 12 \div 11 = 1\frac{1}{11}$  hours = 1 hour 5 minutes 27 $\frac{3}{11}$  seconds, *Ans.*

20. B travels twice, and C three times, as fast as A; therefore, when A has travelled round once, B will have been round twice, and C three times, and there they will all be together for the first time; therefore,  $20 \div 2 = 10$ , number of hours A will be in passing round once. *Ans.*, 10 hours.

21. One moves 6, and the other 10 miles per hour, and both together 16; then, one will go  $\frac{6}{16}$ , and the other,  $\frac{10}{16}$  of the whole distance; therefore,  $300 \times \frac{6}{16} = 112\frac{1}{2}$ , and  $300 \times \frac{10}{16} = 187\frac{1}{2}$ ; or,  $16 : 6 :: 300 : 112\frac{1}{2}$  miles, and  $16 : 10 :: 300 : 187\frac{1}{2}$  miles, *Ans.*, as before.

22.  $\frac{1}{2} + \frac{1}{4} = \frac{3}{4}$  of the army; therefore, 1000 is  $\frac{1}{4}$  of the whole army;  $1000 \div \frac{1}{4} = 4000$  =  $\frac{1}{12}$  of the army, which  $\times 12 = 2400$ , *Ans.*

23.  $1 - \frac{1}{2} (\frac{1}{2} + \frac{1}{3} + \frac{1}{4} + \frac{1}{12}) = \frac{1}{4}$ ; then 450 is  $\frac{3}{4}$  of

the whole; therefore,  $450 \div 9 = 50$ , which  $\times 24 = 1200$ ,  
*Ans.*

24.  $1 - \frac{1}{15} (\frac{1}{3} + \frac{1}{5}) = \frac{1}{15}$ ; 6 is  $\frac{1}{15}$ ; then,  $6 \times 15 = 90$   
feet, *Ans.*

25.  $1 - \frac{7}{10} (\frac{1}{10} + \frac{1}{10} + \frac{1}{10} + \frac{1}{10}) = \frac{3}{10}$ ; 9 is  $\frac{3}{10}$  of the  
whole; then,  $(9 \div \frac{3}{10}) \times 80 = 80$ , whole number, *Ans.*

26.  $100 - 2\frac{1}{2} = 97\frac{1}{2}$ , which is  $\frac{3}{4}$  of the whole flock; and  
 $97\frac{1}{2} \div 3 = 32\frac{1}{2}$ , which  $\times 2 = 65$  geese, *Ans.*

27.  $1 - \frac{1}{12} (\frac{1}{3} + \frac{1}{4} + \frac{1}{6}) = \frac{1}{12}$ ; then, 100 is  $\frac{1}{12}$ , and  $100$   
 $\times 12 = 1200$ , *Ans.*

28.  $\frac{1}{3} - \frac{1}{5} = \frac{2}{15}$ ; then, 6 is  $\frac{2}{15}$  of the number;  $6 \div \frac{2}{15} = 2$   
of the number, which  $\times 40 = 80$ , *Ans.*

29.  $84 = \frac{1}{7}$  of the number; then,  $84 \div 7 = 12$ , which  $\times$   
 $4 = 48$ , *Ans.*

30.  $93 = 1 + 1\frac{1}{2} + 5\frac{1}{4} = 7\frac{3}{4}$  times A's age; then,  $93 \div$   
 $7\frac{3}{4} = 12$ , A's;  $12 \times 1\frac{1}{2} = 18$ , B's; and  $12 \times 5\frac{1}{4} = 63$ , C's,  
*Ans.*

31.  $435 = 1 + 1 + \frac{1}{3} + \frac{1}{3} + \frac{1}{3} + \frac{1}{3} = 2\frac{2}{3}$  of his sheep;  
then,  $435 \div 2\frac{2}{3} = 15$ , which  $\times 8 = 120$ , *Ans.*

32.  $22 = (3 - 2\frac{1}{5}) = \frac{1}{5}$  of the number sought; then,  
 $22 \div \frac{1}{5} = 30$ , *Ans.*

33. ( $\frac{1}{2}$  of  $\frac{2}{3} = \frac{1}{3}$ , that is,)  $\frac{1}{3}$  of the stock, is equal to  $\frac{1}{2}$ , that  
is, the whole stock, less \$200; consequently \$200 is  $\frac{2}{3}$  of the  
stock;  $\$200 \div \frac{2}{3} = \$300$ , which  $\times 5 = \$1500$ , *Ans.*

34. Had he worked every day, his wages would have been  
 $\$75 \times 50 = \$3750$ , that is, \$10 more than he received; but  
every day he was idle lessened his wages  $\$75 + \$25 = \$100$ ;  
consequently he was idle 10 days, and  $50 \text{ days} - 10 \text{ days} =$   
40 days, *Ans.*

35.  $\$40 \div \$8 = \$5$ , what B spends more than his in-  
come, in a year; then,  $\$30 - 5 = \$25$ , which must be  $\frac{1}{4}$   
of their income;  $\$25 \times 4 = \$100$ , whole income of each; and  
 $\$200 \times \frac{1}{4} = \$50$ , what A spends; and  $\$175 + \$30 =$   
 $\$205$ , what B spends.

36. A has  $\frac{1}{4} = \$20$ , and C  $\frac{1}{4} = \$30$ ; then, A and C have  
the whole — \$50, which must be B's share, or  $\frac{1}{4}$ ; then,  $\$50$   
 $\times 4 = \$200$ , whole estate; and  $200 \div 2 = \$100$ , which —  
 $20 = \$80$ , A's share;  $\$200 \div 4 = \$50$ , B's share; and  $\$200$   
 $\div 2 = \$100$ , which —  $\$30 = \$70$ , C's share.

37. The length of the body is  $\frac{1}{2}$  the length of the whole  
fish; the length of the tail is  $\frac{1}{4} + 4$  feet; and the head is  
4 feet; then,  $\frac{1}{2} + \frac{1}{4} + 4 + 4 = (\frac{3}{4} + 8) =$  whole length of



the fish, and consequently  $8 = \frac{1}{4}$ , and  $8 \times 4 = 32$  feet,  
*Ans.*

38. A can do  $\frac{1}{4}$ , and B  $\frac{1}{3}$ , per day, and both, working together,  $\frac{1}{4} + \frac{1}{3} = \frac{7}{12}$ ; then,  $1 \div \frac{7}{12} = 1\frac{5}{7}$  days, *Ans.*

39. A and B can do  $\frac{1}{4}$ , B and C  $\frac{1}{6}$ , and A and C  $\frac{1}{8}$ , per day; then,  $\frac{1}{4} + \frac{1}{6} + \frac{1}{8} = \frac{17}{24}$ , which  $\div 2$  (because each man, by the conditions, is taken twice)  $= \frac{17}{48}$  what all would do in 1 day; then,  $1 \div \frac{17}{48} = 3\frac{2}{17}$  days, *Ans.*

40. A and B together can do  $\frac{1}{4}$ , and A can do  $\frac{1}{8}$  alone; then,  $\frac{1}{4} - \frac{1}{8} = \frac{1}{8}$  what B can do in a day; then,  $1 \div \frac{1}{8} = 8$  days, *Ans.*

41. Am't of \$1.00 for (21-18) 3 yrs. = \$1.18 }  
Am't of \$1.00 for (21-14) 7 yrs. = \$1.42 } = \$2.60.

Then, (as they will receive inversely as the time,)

\$2.60 : \$1.42 :: \$1000 : \$546.153+, the elder br.'s share.

\$2.60 : \$1.18 :: \$1000 : \$453.846+, the younger br.'s share.

42. \$60 is the first term, \$.06 the common difference, and 5 the number of terms; then,  $4 \times \$.06 = \$.24$ , which  $\times \$60 = \$14.40$ , and  $\$14.40 + \$60 = \$74.40$ , the last term; then,  $\$74.40 + \$60 = \$134.40$ , which  $\times 5 = \$672$ , and  $\$672 \div 2 = \$336$ , *Ans.*

43.  $30 \times 3 = 90$ , which  $\times \$.50 = \$45.00$ , price of 100 yards calico; and  $\$45 \div 100 = \$.45$ , price of 1 yard of calico;  $\$.45 \times 40 = \$18$ , which  $\div (\$2 \times 3 =) 36 = \$.50$ , price of 1 pair of gloves; then,  $\$4 \div \$.50 = 8 = 8$  pairs, *Ans.*

44. B has \$3, and C \$7, more than A;  $\$3 + \$7 = \$10$ , which, taken from \$100 = \$90, and  $\$90 \div 3 = \$30$ , A's share;  $\$30 + \$3 = \$33$ , B's share; and  $\$30 + \$7 = \$37$ , C's share, *Ans.*

45. 30 gal. = 240 pts., which  $\div 3$  pts. (2 pts. + 1 pt.) = 80, *Ans.*

46. 12 cwt. 3 qrs. 12 lbs. = 1440 lbs., which  $\div 24$  lbs. (12 lbs. + 7 lbs. + 5 lbs.) = 60, *Ans.*

47. 15 oz. 6 pwt. = 7344 grs.; 12 pwt. = 288 grs., which + 18 grs. = 306 grs.; then,  $7344 \text{ grs.} \div 306 \text{ grs.} = 24$ , *Ans.*

48.  $3 + 5 + 7 = 15$  cts.; then, the first will have  $\frac{2}{15}$  of 60 = 12; the second  $\frac{5}{15}$  of 60 = 20; and the third,  $\frac{7}{15}$  of 60 = 28, *Ans.*

49. Since there were 3 women to every boy, and 6 men to every boy, as often as he gave \$.06 to a boy, he gave \$.08  $\times 3 = \$.24$  to a woman, and  $\$.16 \times 6 = \$.96$  to a man; then,  $\$.06 + \$.24 + \$.96 = \$1.26$ ;  $\$18.90 \div \$1.26 = 15$  boys;  $15 \times 3 = 45$  women; and  $15 \times 6 = 90$  men, *Ans.*

50.  $\$82.50 = 1 + 8 + 24 = 33$  times the price of the

sheep; then,  $\$82\cdot50 \times \frac{1}{3} = \$2\cdot50$ , sheep;  $\$82\cdot50 \times \frac{2}{3} = \$20$ , cow; and  $\$82\cdot50 \times \frac{1}{3} = \$60$ , oxen, *Ans.*

51.  $1 - \frac{3}{10} (\frac{1}{5} + \frac{1}{5}) = \frac{4}{10}$ , what C furnished; then,  $\$1250 \times \frac{1}{5} = \$500$ , A's;  $\$1250 \times \frac{1}{5} = \$468\cdot75$ , B's; and  $\$1250 \times \frac{2}{5} = \$281\cdot25$ , C's share, *Ans.*

52. First, to find the gain of A and B; C's gain being  $\$120$ ,  $\$332\cdot50 - 120 = \$212\cdot50$ , the gain of A and B together; then,  $\$850 : \$500 :: \$212\cdot50 : \$125$ , A's; and  $\$850 : \$350 :: \$212\cdot50 : \$87\cdot50$ , B's. To find the price of C's cloth per yard; if C's share of the gain is  $\frac{1}{13}$  of the whole gain, his share of the stock must have been  $\frac{1}{13}$  of the whole; and  $1 - \frac{1}{13} = \frac{12}{13}$  must be equal to A and B's stock together, viz.  $\$850$ ; then,  $\$850 \div 85 = \$10$ ,  $\frac{1}{13}$  of the stock, which  $\times 48$  (C's share) =  $\$480$ , C's stock, which  $\div 120 = \$4$  per yard, *Ans.*

53. As often as A paid  $\$5$ , B paid  $\$7$ , and C  $\$10\cdot50$ ;  $\$5 + \$7 + \$10\cdot50 = \$22\cdot50$ ; then,  $\$22\cdot50 : \$5 :: \$580\cdot80 : 129\cdot066\frac{2}{3}$ , A's;  $\$22\cdot50 : \$7 :: \$580\cdot80 : \$180\cdot693\frac{1}{3}$ , B's; and  $\$22\cdot50 : \$10\cdot50 :: \$580\cdot80 : \$271\cdot04$ , C's, *Ans.*

54. As often as A had  $\$9$ , B had  $\$5$ , and C  $\frac{2}{3}$  of  $\$5 = \$2\frac{2}{3}$ ;  $\$9 + \$5 + \$2\frac{2}{3} = \$16\frac{2}{3}$ ; then,  $\$2\frac{2}{3} : \$16\frac{2}{3} :: \$7442\cdot105 : \$56063\cdot857\frac{2}{3}$ , *Ans.*

55. 9 months : 12 months ::  $\$1200 : \$1600$ , *Ans.*

56.  $\frac{2}{4} + \frac{1}{10} + \frac{1}{10} = \frac{1}{2}$ , which  $\div 2$  (as each man's horses are taken twice in the question) =  $\frac{1}{4}$ ; then,  $\frac{1}{4} - \frac{1}{4}$  (A's and B's) =  $\frac{0}{20}$ , C's;  $\frac{1}{4} - \frac{1}{10}$  (A's and C's) =  $\frac{1}{20}$ , B's; and  $\frac{1}{4} - \frac{1}{10}$  (B's and C's) =  $\frac{1}{10}$ , A's; then, A will have  $\frac{1}{10}$  of  $\$26\cdot45 = \$11\cdot50$ ; B will have  $\frac{1}{20} = \$5\cdot75$ , and C  $\frac{1}{4} = \$9\cdot20$ .

57.  $\$2178 \div \frac{3}{4} = \$5808$ , the money he had after he bought his commission, to which  $+ \$7260 = \$13068$ , what he had before he bought his commission; this must be  $\frac{4}{7}$  ( $7 - 7$ ) of his fortune; then,  $\$13068 \div \frac{4}{7} = \$18295\cdot20$ , *Ans.*

58.  $1560\text{£} \div \frac{7}{12} = 12720\text{£}$ , the elder brother's fortune, which  $\times \frac{1}{3}$  ( $5\frac{2}{3}$ ) =  $20480\text{£}$ , which is  $\frac{2}{3}$  of twice as much as the father was worth; then,  $20480 \div \frac{2}{3} = 61440\text{£}$ , which  $\div 2 = 30720\text{£} = 19165\text{£} 14s 3\frac{1}{2}d$ , *Ans.*

59.  $\frac{2}{3}$  of  $\frac{1}{2} = \frac{1}{3}$ ; then,  $537\text{£}$  is  $\frac{1}{3} - \frac{1}{3} = \frac{0}{3}$ , and  $537\text{£} \div \frac{0}{3} = 1432\text{£}$ , the sum he had after he had spent  $\frac{1}{6}$  of his fortune, and consequently this must be  $\frac{1}{6}$  of what he had at first; then,  $1432\text{£} \div \frac{1}{6} = 2082\text{£} 18s 2\frac{1}{2}d$ , *Ans.*

60.  $231 + 44 = 275$  is the whole number of men added to two sides; but since the man at the corner is counted twice, we  $+ 1$  to  $275 = 276$ , which  $\div 2 = 138$ , the number of

men on a side after the addition; then,  $138^2 = 19044$ , which  $- 44 = 19000$ , *Ans.*

61.  $40 \times 40 = 1600$ , the last number, which  $\div 4 = 400$ , the second number, and this  $\div 4 = 100$ , first number, *Ans.*

62.  $100^2 - 80^2 = 10000 - 6400 = 3600$ ; then,  $\sqrt{3600} = 60$ , height of the steeple, which  $\times 3 = 180$ , height of the spire; to find the length of the line,  $180^2 + 80^2 = 32400 + 6400 = 38800$ , and  $\sqrt{38800} = 197$  feet, nearly, *Ans.*

63.  $7\frac{1}{2}^2 + 10^2 = 15^2 + 20^2 = 225 + 400 = 625$ ; then,  $\sqrt{625} = 25 = 12\frac{1}{2}$  miles apart in 1 hour, which  $\times 24 = 300$  in one day, which  $\times 3 = 900$ , *Ans.*

64.  $70 \cdot 71^2 = 5000$  P., (nearly,) twice the area, which  $\div 2 = 2500$  P., area;  $2500$  P. =  $15\frac{1}{2}$  A., *Ans.*

65.  $5280^2 = 147197952000$  cu. ft. in 1 cu. mi.;  $1320$  (ft. wide)  $\times 10$  (ft. deep)  $\times 21120$  (ft. in 4 mi.) =  $278784000$  cu. ft. discharged in 1 hour; then,  $147197952000 \div 278784000 = 528$  hours = 22 days, *Ans.*

66.  $380 \times 120 = 45600$ ; then,  $45600 : 62700000 :: 1 : A. = 62700000 \div 45600 = 1375$  times, *Ans.*

67.  $24$  h.  $\times 365 = 8760$  h., which  $\div 528$  h. (22 d.) =  $16\frac{1}{2}$ , (cu. mi.,) what the Po will discharge in 365 days, which  $\times 1375 = 22812\frac{1}{2}$  cu. mi., *Ans.*

68.  $5 : 10\frac{1}{2} :: 62700000 : A. = 62700000 \times 10\frac{1}{2} = 658350000$ , which  $\div 5 = 131670000$ , number of square miles of water, which  $\times 1\frac{1}{2} = 197505000$ , number of cu. miles in the ocean, which  $\div 22812\frac{1}{2}$  (number of cu. miles of water discharged by all the rivers into the sea in  $\frac{1}{2}$  year) = 8657 years 275 days, *Ans.*

69.  $1000$  oz.  $\times 13\frac{1}{2} \times 2\frac{1}{2}$  (30 in. =  $2\frac{1}{2}$  ft.) =  $33750$  oz., which  $\div 16 = 2109\cdot375$  lbs. on a square foot; then,  $2109\cdot375$  lbs.  $\times 27878400$  ( $5280^2$ ) =  $58806000000$  lbs. on a square mile; and  $131670000$  (square miles of water)  $\div 62700000$  (square miles of land) =  $194370000$  square miles on the surface of the globe, which  $\times 58806000000$  (lbs. on 1 square mile) =  $11430122220000000000$  lbs., weight of the whole atmosphere, *Ans.*

70. Detroit being west of Boston, his watch was too fast;  $82^\circ 58' - 71^\circ 4' = 11^\circ 54'$ , difference in longitude, which  $\times 4 = 47$  m. 36 s. too fast, *Ans.*

71.  $90^\circ 15' - 70^\circ 20' = 19^\circ 55'$ , difference in longitude, which  $\times 4 = 1$  h. 19 m. 40 s., difference in time, and this  $- 3$  m. = 1 h. 16 m. 40 s., to be taken from the time at Portland;  $9$  h.  $- 1$  h. 16 m. 40 s. = 7 h. 43 m. 20 s., *Ans.*

72. 120 miles = 633600 feet, which  $\div 1142$  ft. =  $554 +$  seconds = 9 minutes 14 + seconds, *Ans.*

73.  $1142 \text{ ft.} \times 8 = 9136 \text{ ft.} = 1 \text{ mi. } 3856 \text{ ft., Ans.}$

74.  $2 \text{ s.} \times 3 = 6 \text{ s.}$ , and  $1142 \text{ ft.} \times 6 = 6852 \text{ ft.} = 1 \text{ mi. } 1572 \text{ ft., Ans.}$

75. By the conditions, the width is 3 times, and the length 6 times the depth;  $144 \text{ cu. yds.} \div 3 = 48 \text{ cu. yds.}$  in a portion of the cellar  $\frac{1}{3}$  the whole width, and  $48 \text{ cu. yds.} \div 6 = 8 \text{ cu. yds.}$  in a portion of the same length and width as the whole depth of the cellar; then,  $8 \text{ cu. yds.} = 216 \text{ cu. ft.}$ ,  $\sqrt[3]{216} = 6 \text{ ft.}$ , depth of the cellar, which  $\times 6 = 36 \text{ ft.}$ , length, *Ans.*

76. Less money more time;  $\begin{matrix} 3 \\ \$45 \end{matrix} | 0 : \begin{matrix} 5 \\ \$75 \end{matrix} | 0 :: 8 \text{ months} : 1 \text{ year } 1 \text{ month } 10 \text{ days, Ans.}$

77.  $3 + 5 = 8$ ; then,  $8 : 5 :: 266\frac{2}{3} : 166\frac{2}{3}$ , the greater number, and  $8 : 3 :: 266\frac{2}{3} : 100$ , the less, *Ans.*

78.  $10^2 = 100$  square rods, which  $- 19$  square rods  $= 81$  square rods of the park not occupied by the walk;  $\sqrt{81} = 9$  rods, 1 side of the square enclosed by the walk; then,  $10 \text{ rods} - 9 \text{ rods} = 1 \text{ rod} = 16\frac{1}{2} \text{ ft.}$ , which  $\div 2$  (as the walk is twice measured in measuring 1 side of the park)  $= 8 \text{ ft. } 3 \text{ in., Ans.}$

79. 7 is the sum, and 1 the difference, of B and C's proportions of the whole stock;  $7 - 1 = 6$ , which  $\div 2 = 3 = B$ 's proportion of the stock, ( $\nabla$  234, Ex. 2.)  $7 - 3 = 4 = C$ 's proportion, and 5 (the sum of A and B's proportions)  $- 3$  (B's proportion)  $= 2 = A$ 's proportion;  $2 + 3 + 4 = 9 =$  sum of their proportions; then, A had  $\frac{2}{9}$  of  $\$610.65 = \$135.70$ , B had  $\frac{3}{9} = \$203.55$ , and C had  $\frac{4}{9} = \$271.40$ , *Ans.*

### MEASUREMENT OF SURFACES.

¶ 235. 1.  $80 \text{ rds.} \times 20 \text{ rds.} = 1600 \text{ P., Ans.}$

3.  $\frac{18\frac{1}{2} \times 13}{2} = 1.55 \text{ ft.}$ , which  $\times 16 \text{ ft.} = 24.8 \text{ sq. ft., Ans.}$

4.  $30 \text{ rds.} \times 5 \text{ rds.} (\frac{1}{2} \text{ rds.}) = 150 \text{ P., Ans.}$

5.  $600 \text{ P.} \div 75 \text{ rds.} = 8 \text{ rds.}$ , which  $\times 2 = 16 \text{ rds., Ans.}$

6.  $40 \text{ rds.} \div 2 = 20 \text{ rds.}$ , ( $\frac{1}{2}$  the altitude,) and  $400 \text{ P.} \div 20 \text{ rds.} = 20 \text{ rds., Ans.}$

7.  $\frac{1\frac{1}{2} + 0}{2} = \frac{3}{4} \text{ ft.}$ , which  $\times 18 \text{ ft.} = 13\frac{1}{2} \text{ sq. ft., Ans.}$

8.  $147 \text{ ft.} \times 3\frac{1}{2} = 462 \text{ ft.}$ , circumference;  $147 \text{ ft.} \times 147 \text{ ft.} \times 7854 = 16971.7 + \text{sq. ft., Ans.}$

9.  $22 \text{ ft.} \div 3\frac{1}{2} = 7 \text{ ft., Ans.}$

10.  $7911 \text{ mi.} \times 3.14159 = 24853 \text{ mi., nearly, Ans.}$

11.  $2\frac{1}{2} \text{ in.} \times 3\frac{1}{2} = 11 \text{ in.}$ , the circumference;  $11 \text{ in.} \times \frac{1}{4} \text{ in.} (\frac{1}{4} \text{ of } 3\frac{1}{2} \text{ in.}) = \frac{11}{4} \text{ sq. in.}$ , which  $\times 4 = 38\frac{1}{2} \text{ sq. in., Ans.}$

12. To multiply the circumference by  $\frac{1}{4}$  of the diameter, and the resulting product by 4, is, in effect, multiplying the diameter and circumference together; therefore, 24853 mi.  $\times$  7911 mi. = 196612083 sq. mi., *Ans.*

### Measurement of Solids.

¶ 236. 2. 196612083 sq. mi.  $\times$  1318 $\frac{1}{2}$  mi. ( $\frac{1}{4}$  of 7911 mi.) = 259233031435 $\frac{1}{2}$  cu. mi., *Ans.*

3. 2 ft.  $\times$  2 ft.  $\times$  '7854 = 3'1416 sq. ft., contents of one end, which  $\times$  20 ft. = 62'832 cu. ft., *Ans.*

4. 18'5 in.  $\times$  18'5 in.  $\times$  '7854 = 268'8 $\frac{1}{4}$  sq. in., contents of one end, which  $\times$  8 in. = 2150'4 $\frac{1}{4}$  cu. in., *Ans.*

5. 4 ft.  $\times$  4 ft.  $\times$  9 ft. = 144 cu. ft., which  $\div$  3 = 48 cu. ft., *Ans.*

6. 7 ft.  $\times$  3 $\frac{1}{2}$  = 22 ft., circumference; then, 22 ft.  $\times$   $\frac{1}{4}$  ft. = 38 $\frac{1}{2}$  sq. ft., the area of the base, which  $\times$  9 ft. (27  $\div$  3) = 346 $\frac{1}{2}$  cu. ft., *Ans.*

7. 81 (9<sup>2</sup>) + 16 (4<sup>2</sup>) + 36 ( $\sqrt{81 \times 16}$ ) = 133 sq. in., which  $\times$  72 in. (18 ft.  $\div$  3 = 6 ft. = 72 in.) = 9576 cu. in. = 5'cu. ft. 936 cu. in., *Ans.*

8. 2'56 (1'6<sup>2</sup>) + '81 (9<sup>2</sup>) + 1'44 ( $\sqrt{1'6 \times '9}$ ) = 4'81, which  $\times$  '7854 = 3'777774 sq. ft., and this  $\times$  12 ft. (36 ft.  $\div$  3) = 45'333 $\frac{1}{3}$  cu. ft., *Ans.*

### Gauging, or Measuring Casks.

¶ 237. 2. 36 in. - 27 in. = 9 in.; and 27 in. + 6 in. ( $\frac{2}{3}$  of 9 in.) = 33 in., mean diameter; then, 33<sup>2</sup>  $\times$  '7854  $\times$  45 = 38488'527 cu. in., which  $\div$  231 = 166'617 gals., *Ans.*

¶ 238. 3. 1 lb. : 5 lbs. :: 4 ft. : 20 ft., *Ans.*

4.  $\frac{1}{2}$  ft. : 40 ft. :: 175 lbs. : 14000 lbs., *Ans.*

5. 2 ft. 6 in. = 30 in., and 3 ft. 4 in. = 40 in.; then, as they would carry parts inversely as their distances from the bale, 70 in. : 30 in. :: 200 lbs. : 85 $\frac{1}{2}$  lbs.; and 70 in. : 40 in. :: 200 lbs. : 114 $\frac{2}{3}$  lbs., *Ans.*

7. 10 : 1 :: 60 in. : 6 in., *Ans.*

9. 10 ft.  $\times$  2 = 20 ft. = 240 in., diameter of the circle described by the power, which  $\times$  3 $\frac{1}{2}$  = 754 $\frac{1}{2}$  ft., circumference; then, 754 $\frac{1}{2}$   $\div$   $\frac{1}{4}$  = 3017 $\frac{1}{2}$  lbs., balanced by 1 lb. power, and 3017 $\frac{1}{2}$  lbs.  $\times$  120 = 362057 $\frac{1}{2}$  lbs., *Ans.*

10. 10 ft. = 120 in.; then, 1 in. : 120 in. :: 1 : 120, *Ans.*

11. 231 cu. in. (1 wine gal.)  $\div$  4 = 57 $\frac{3}{4}$  cu. in. in 1 qt.; then, 231 cu. in. - 57 $\frac{3}{4}$  cu. in. = 173 $\frac{1}{4}$  cu. in., *Ans.*

12. 14 qts. - 2 $\frac{1}{2}$  qts. = 11 $\frac{1}{2}$  qts., which  $\div$  4 = 2 $\frac{7}{8}$  gal.; then, 231 cu. in.  $\times$  2 $\frac{7}{8}$  = 664 $\frac{1}{8}$  cu. in., *Ans.*





SCHOOL BOOK DEPOSITORY.

---

PHILLIPS & SAMPSON,

PUBLISHERS, BOOKSELLERS, AND STATIONERS,

110 WASHINGTON STREET,

(Up Stairs.)

BOSTON,

Keep constantly on hand one of the best assortments of SCHOOL BOOKS, Stationery, &c. to be found in the country. COUNTRY BOOKSELLERS, TOWNS, TRADERS, SCHOOL COMMITTEES, TEACHERS, and others purchasing School Books, are respectfully requested to call and examine the Stock of SCHOOL BOOKS and Stationery *in this establishment.*

Particular attention is paid to furnishing all the various kinds of School Books now in use in the Colleges, Academies, and Schools in the country, *on the most favorable terms.*

Also, a *very* extensive assortment of Standard, Theological, Classical and Miscellaneous Books, which will be sold at prices as reasonable as can be *had in the* COUNTRY.

STATIONERY, BLANK ACCOUNT BOOKS, Paper, Quills, Ink, Slates, &c. of every variety.

Orders solicited and promptly attended to.



# The Standard American Poultry Book

---

## THE POULTRY BOOK, AND FOWL-BREEDER'S GUIDE:

BEING A TREATISE ON THE  
BREEDING, REARING, FATTENING, AND GENERAL MAN-  
AGEMENT OF DOMESTIC FOWLS.

BY JOHN C. BENNETT, M. D.

ILLUSTRATED WITH  
**75 ENGRAVINGS AND PORTRAITS OF FOWLS,**  
MOSTLY TAKEN FROM LIFE.

For sale by all Booksellers and Periodical Dealers through-  
out the United States, Canada, and the British Provinces.

PHILLIPS, SAMPSON & CO., PUBLISHERS,

110 WASHINGTON STREET, BOSTON.

PRICE. — Full bound in Cloth, 84 cents. "Mail Edition," bound in  
Paper Covers, expressly to send by mail, 60 cents.

---

"Dr. Bennett's 'Poultry Book' is more complete than any  
thing which has yet appeared on the subject."—*Providence (R. I.)  
Journal*.

"A comprehensive and elegant treatise upon the pleasant art  
of raising domestic fowls."—*Bangor Daily Mercury*.

"The work is, in every particular, just what its title indicates,  
and will become the standard work on this increasingly important  
subject."—*Christian Freeman*.

"The most complete and the ablest treatise on domestic fowls  
yet offered to the public."—*American Cabinet*.

"This is indeed a valuable work for reference, and should be  
in the library of every farmer."—*Concord (N. H.) Freeman*.

"Truly an excellent work, containing over 300 pages of care-  
fully prepared information respecting poultry, and is worth more,  
we should judge, than all the poultry books together now in  
print."—*Taunton American Whig*.

"This is a book of 300 pages, of high authority and can be relied upon as a work of standard value."—*Rochester (N. Y.) Democrat.*

"The author of this handsome and amply illustrated volume (Dr. Bennett) is a pioneer in the poultry movement—zealous, intelligent, enterprising in the matter; and his materials are apparently the best the country affords."—*Vermont Chronicle.*

"The work is got up with great care and taste, and no expense has been spared to embellish it with correct portraits from life; of some of the most valuable fowls in Europe and America. The author's knowledge of the best and most profitable manner of treating fowls, cannot be questioned by any one who will take the time to peruse the work."—*Auburn (N. Y.) Journal.*

"This handsome volume exhausts the subject of poultry, giving the natural history and describing the varieties of all sorts of feathered things which give animation to the barn-yard."—*Boston Puritan and Recorder.*

"We commend the work to such persons as raise or keep fowls for profit or convenience."—*Worcester Palladium.*

"This is decidedly the best work of the kind which has been published in this country, and will be found to contain all the information which is needed in the practice and successful conduct of the poultry-yard."—*Christian Times.*

"A work which will become standard authority, and will command an extensive sale."—*Evening Gazette.*

"It will at once take rank as a standard work on poultry, and its merits are so obvious and undeniable that its reputation must be permanent."—*Old Colony Memorial.*

"It is believed this will render unnecessary any further treatises on the subject."—*Boston Cultivator.*

"This book would be in demand for the engravings alone, added to these are the descriptions of fowls, and the results of Dr. Bennett's experience as a practical breeder. It treats of the very topics that breeders wish to inquire about."—*Mass. Ploughman.*

"This is the most thorough and complete of the treatises that have been published on the subject of hens; which, next to the dissolution of the Union, seems to be that in regard to which the public mind is most 'exercised' at the present time."—*Evening Traveller.*

"A treatise on poultry, from such a source, we can confidently commend to public favor, as adapted to the present state of information on the subject, and to practical and economical use. No pains has been spared in order to secure great accuracy, and it

produce a beautiful volume. In no other work can be found so numerous and reliable portraits of fowls."—*Salem Gazette*.

"As it is the most beautiful in all respects, so we doubt not it is the most accurate, instructive, and reliable, of all the poultry books which have yet appeared.

"A look at the volume is almost enough to infect the most stony-hearted with the prevailing mania.

"Bennett's Poultry Book promises to be the standard among fowl-fanciers."—*Salem Register*.

"The work contains a vast amount of information in relation to the different varieties of fowls, their distinguished peculiarities the manner of breeding and feeding, on their diseases, and on the construction of houses; in short, it is a work that every one needs who raises or keeps fowls for profit or fancy."—*Lynn Bay State*.

"A very useful and complete *vaad mecum* for the American poultry breeder, containing a copious and authentic description of all the varieties of domestic fowls raised in this country, with valuable suggestions as to their food, method of fattening, selection of stock, and pairing, breeding, incubation, caponizing, poultry-houses, diseases, &c., &c."—*Boston Saturday Rambler*.

"This is, we think, the best book on the subject which the recent fowl and poultry mania has brought into existence."—*Olive Branch*.

---

## A Book for every Cultivator of the Earth.

### VALUABLE AGRICULTURAL WORK.

#### EUROPEAN AGRICULTURE AND RURAL ECONOMY, FOR FARMERS AND AGRICULTURALISTS.

FROM PERSONAL OBSERVATIONS,

BY HENRY COLMAN,

Late Commissioner of Agriculture in Massachusetts.

Containing observations on

Pairing, Burning, Drainage and Improvements of Lands; Rules for Ploughing Subsoil Ploughing, Crops, Soils, Manures, Live Stock, Dairy, Husbandry, Markets, Farm-Houses, Harvesting, Farming Implements, Application of Chemistry to Agriculture, Labor, Theory of Agriculture, Moral Considerations, Agricultural Education, &c. &c. &c. In two volumes, octavo,

Embellished with Fifty-four fine Engravings,

from steel plates and wood cuts, representing Farming Implements, Sheep, Cattle, Horses, &c. &c.

The above work is considered indispensable to any person following agricultural pursuits, and should be in the hands of every farmer throughout the country.

"There is no production of the day, on rural affairs, that we read with more pleasure and profit."—*N. Y. Farmer and Mechanic*.

"We know Mr. Colman, and his character warrants us in pronouncing him eminently qualified to execute the work he has begun."—*New Eng. Farmer*.

*Phillips, Sampson & Company's Publications.*

---

**BIOGRAPHIES, &c.**

**Life of George Washington,**

*Commander-in-Chief of the American Army through the Revolutionary War, and the first President of the United States.*

BY AARON BANCROFT, D. D.

Illustrated with Engravings, 12mo., Muslin, \$1.00.

---

**LIFE AND CAMPAIGNS OF NAPOLEON BONAPARTE;**

Giving an account of all his engagements, from the *Siege of Toulon to the Battle of Waterloo*; also, embracing accounts of the daring exploits of his marshals, together with his public and private life, from the commencement of his career to his final imprisonment and death on the rock of St. Helena.

*Translated from the French of*

M. A. ARNAULT AND C. L. F. PANCKOUCKE.

Numerous Engravings. 12mo., Muslin, \$1.00.

---

**HEROES OF THE AMERICAN REVOLUTION;**

Comprising the Lives of Washington, and his generals and officers who were the most distinguished in the War of the Independence of the United States; also embracing the Declaration of Independence, and Signers' Names, the Constitution of the United States, and Amendments; together with the Inaugural, First Annual, and Farewell Addresses of Washington. Four Portraits, 12mo, Muslin, \$1.00.

---

**PICTORIAL HISTORY OF ENGLAND,**

BY HUME AND SMOLLETT.

Abridged and continued to the accession of VICTORIA.

BY JOHN ROBINSON, D. D.

Engravings, 12mo., Muslin, \$1.00.

---

**The Life of our Blessed Lord and Saviour Jesus-Christ;**

To which is added, the Lives and Sufferings of his Holy Evangelists, Apostles, and other primitive Martyrs.

BY THE REV. JOHN FLEETWOOD, D. D.

Numerous Engravings, 12mo, Muslin, \$1.00.

---

**PILGRIM'S PROGRESS,**

**FROM THIS WORLD TO THAT WHICH IS TO COME.**

BY JOHN BUNYAN.

With Notes, and a Life of the Author;

BY THE REV. THOMAS SCOTT,


Late Chaplain to the Lock Hospital.

Illustrated, 12mo, Muslin, \$1.00.











# VALUABLE SCHOOL BOOKS

PUBLISHED BY

PHILLIPS & SAMPSON,

110 Washington street, Boston.

ADAMS'S NEW ARITHMETIC—REVISED EDITION.

KEY TO ADAMS'S NEW ARITHMETIC, REVISED EDITION.

[Adams's New Arithmetic has undergone a thorough revision by its respected author, aided by several able scholars and teachers. It retains the characteristics of the former edition in a greatly improved form, with such corrections and additions as the wants of the times demand.]

The publishers have in preparation, and will publish early this spring, the following, which, with the above, will complete Mr. Adams's Mathematical Series:—

PRIMARY ARITHMETIC, OR MENTAL OPERATIONS IN NUMBERS; being an Introduction to Adams's New Arithmetic, Revised Edition.

MENSURATION, MECHANICAL POWERS, AND MACHINERY. The principles of mensuration analytically explained, and practically applied to the *measurement of lines, superficies, and solids.*

BOOK-KEEPING. This work contains a lucid explanation of the science of accounts, in a new, concise, and common sense method of Book-Keeping by Single Entry.

P. & S. ALSO PUBLISH

COMMON SCHOOL ALGEBRA, by THOMAS SHERWIN, Principal of the English High School, Boston.

KEY TO COMMON SCHOOL ALGEBRA.

TILLINGHAST'S ELEMENTS OF PLANE GEOMETRY.

WORCESTER'S ANCIENT CLASSICAL AND SCRIPTURAL GEOGRAPHY AND ATLAS.

GREENE'S GRAMMAR, OR ANALYSIS OF THE ENGLISH LANGUAGE.

COMMON SCHOOL SONG BOOK, by ASA FITZ, author of "American School Song Book," &c.

MEADOW'S FRENCH AND ENGLISH DICTIONARY, new edition, revised and enlarged.

LE-BRUN'S TELEMAQUE: Les Aventures de Télémaque, Fils d'Ulysse.

GERMAN GRAMMAR: by CHARLES FOLLEN; 12th edition.

GERMAN READER: " " " for beginners.

FOLSOM'S LIVY: by CHARLES FOLSOM, A. M.; 18th stereotype ed.

MILTON'S PARADISE LOST, SCHOOL EDITION; 18mo., morocco backs.

YOUNG'S NIGHT THOUGHTS, " " " " "

THOMSON'S SEASONS, " " " " "

COWPER'S TASK, " " " " "